



The Corporation of the Township of Terrace Bay

COUNCIL MEETING AGENDA

Monday, June 15, 2026

6:30 PM in the Council Chambers

	Page
1. CALL TO ORDER	
2. DECLARATION	
a) The Council of the Township of Terrace Bay hereby acknowledges that we are in the Robinson-Superior Treaty Territory and that the land on which we gather is the traditional territory of the Anishnaabeg and the Metis.	
3. ADDITIONS, DELETIONS OR AMENDMENTS	
4. DISCLOSURE OF INTEREST	
5. ADOPTION OF MINUTES	
a) Minutes from the Regular Council Meeting held May 19, 2026. Minutes from the Regular Meeting May 19 2026	4 - 15
6. REPORTS FROM ADMINISTRATION	
6.1 CAO/CLERK	
a) Election Signage By-law Election Signage By-law - Pdf Election Signage By-law - Html By-Law x-2026 Election Sign By-law	16 - 35
b) Amend Fees and Charges By-law (By-law 36-2025) Amend Fees and Charges By-law - Pdf Amend Fees and Charges By-law - Html	36 - 39
c) Outdoor Court - Rental Fee Implementation Outdoor Court - Rental Fee Implementation - Pdf Outdoor Court - Rental Fee Implementation - Html	40 - 45
d) 2026 Summer Meeting Schedule 2026 Summer Meeting Schedule - Pdf 2026 Summer Meeting Schedule - Html	46 - 51
e) Appointment of Bear Trappers for 2026	
f) AMO Delegations Update	
g) OPP Annual Report 2H00 Nipigon 2025 DBAR	52 - 75
h) Police Governance Ontario (PGO) Chair Report & Annual Meeting Reports	
6.2 PUBLIC WORKS	
a) Corrosion Control Report	76 - 123

[Corrosion Control-2025 Report](#)
[Corrosion Control Report - Pdf](#)
[Corrosion Control Report - Html](#)

6.3	COMMUNITY DEVELOPMENT SUPERVISOR	
a)	Surplus/Disposable of Goods - Knights of Columbus Bench Surplus/Disposable of Goods - Knights of Columbus Bench - Pdf Surplus/Disposable of Goods - Knights of Columbus Bench - Html 20250514 105552 20250514 105538 20250514 105545	124 - 133
6.4	SPECIAL PROJECTS CO-ORDINATOR	
a)	Condition Assessments: Municipal and Trail Infrastructure Condition Assessments: Municipal and Trail Infrastructure - Pdf Condition Assessments: Municipal and Trail Infrastructure - Html	134 - 139
6.5	STUDENT COUNCILLOR REPORT	
a)	Student Councillor Report for June 15, 2026 Student Councillor Report June 15th	140
7.	COMMUNICATIONS	
a)	Resolution of Support - Sustainable Provincial Grant Funding for Fire Services Plympton-Wyoming Resolution - Sustainable Provincial Grant Funding for Fire Services in Ontario	141 - 142
b)	Resolution of Support - Establishment of a Northern Ontario Policing Grant Support Resolution FONOM Establishment of a Northern Ontario Policing Grant	143 - 144
c)	Club francophone du lac Superieur Request Club francophone du lac Superieur Request	145
8.	INFORMATION ITEMS	
a)	TBDHU Meeting Minutes April 15, 2026 Meeting Minutes - BOH REGULAR Apr15 2026	146 - 153
b)	TBSSAB Regular Session Meeting Minutes April 30, 2026 26.04.30 Board Meeting Regular Session Minutes	154 - 160
c)	Terrace Bay Public Library May 12, 2026 Minutes. May 12th, 2026 minutes	161 - 163
9.	BY-LAWS	
a)	By-law 15-2026, Election Sign By-law	
b)	By-law 16-2026, Amend 2026 Fees and Charges By-law 36-2025)	
10.	QUESTION PERIOD	
11.	OTHER BUSINESS & RESOLUTIONS	
a)	Discussion Re: Letter from a resident regarding vacant land sales	
12.	IN-CAMERA	

- a) Motion to move in-camera to discuss:
 - 1. Approval of Minutes from the previous closed session held May 19, 2026
 - 2. One (1) matter under personal matters about an identifiable individual including municipal or local board employee; Re: management and non-union performance reviews
- b) Approval of Minutes from the previous closed session held on May 19, 2026.
- c) One (1) matter under personal matters about an identifiable individual including municipal or local board employee; re: management and non union performance reviews.
- d) Adjourn to open session.

13. NEXT MEETING

- a)

14. ADJOURNMENT



MINUTES
Regular Council Meeting
Tuesday, May 19, 2026 Council Chambers 6:30 PM

COUNCIL PRESENT: Mayor Paul Malashewski
Councillor Gary Adduono
Councillor Chris Dube
Councillor Rick St.Louis
Councillor Billy Webb

COUNCIL ABSENT:

STAFF PRESENT: Ryan Falzetta, Operations Manager
Jonathan Hall, CAO/Clerk
Stacy Moffat, Special Projects Coordinator
Danny Mulligan, Treasurer/Deputy Clerk
Rebecca Howes, Administrative Assistant

STAFF ABSENT: Community Development Staff, Community Development Manager

1. CALL TO ORDER

2. DECLARATION

- a) The Council of the Township of Terrace Bay hereby acknowledges that we are in the Robinson-Superior Treaty Territory and that the land on which we gather is the traditional territory of the Anishnaabeg and the Metis.

3. ADDITIONS, DELETIONS OR AMENDMENTS

CR105-2026

Moved by Billy Webb, seconded by Chris Dube

RESOLVED THAT Council approve the agenda for the Regular Council Meeting held May 19, 2026 as amended:

7.1 d) Great Lakes Initiative Meeting from Mayor

Regular Council Meeting Minutes - May 19, 2026

8. e) *Resolution Requesting Sustainable Provincial Funding for the Maintenance of Forest Access Roads*

10. b) *By-law 15-2026 Red Chairs Lease Agreement*

13. g) *One (1) matter concerning a proposed or pending acquisition or disposition of land by the municipality or local board 33 & 35 Simcoe Plaza.*

CARRIED.

4. DISCLOSURE OF INTEREST

5. ADOPTION OF MINUTES

a) Minutes from the Regular Council Meeting held April 20, 2026.

CR106-2026

Moved by Chris Dube, seconded by Billy Webb

RESOLVED THAT the Minutes of the Regular Council Meeting held April 20, 2026 be approved as presented.

CARRIED.

6. PRESENTATIONS / DELEGATIONS / DEPUTATIONS

a) Mike Moore - Terrace Bay Public Library Legacy Document Discussion

M. Moore presented two items from the Library Board regarding the possible inclusion of a student representative on the Library Board and in respect of an incident report from the Library.

7. REPORTS FROM ADMINISTRATION

1. CAO/CLERK

a) AMO Delegations

CAO/Clerk followed up with Council on desired delegations for AMO. Suggestions were for delegation for arena/recreation facilities in tandem with grants.

Regular Council Meeting Minutes - May 19, 2026

CR107-2026

Moved by Billy Webb, seconded by Chris Dube

RESOLVED THAT Council direct administration to request delegations with Tourism, Culture and sports and forestry at the upcoming AMO Conference.

CARRIED.

- b) NOMA Conference - verbal

CAO/Clerk provided a summary of the NOMA Conference attended by Council in Thunder Bay from April 22-April 24, 2026. Each member of Council that attended also provided a brief synopsis of their take away from the conference.

- c) AMCTO Zone 9 - verbal

CAO/Clerk provided a verbal summary of the AMCTO Zone 9 Conference held in Thunder Bay from May 4-May 6, 2026.

- d) Great Lakes Initiative Meeting

Mayor Malashewski summarized the Great Lakes and St. Lawrence Cities Initiative Conference he attended in Hamilton, ON from May 6-8, 2026.

2. COMMUNITY DEVELOPMENT MANAGER

- a) Surplus Sale Error

CAO/Clerk presented a report outlining a communications error that resulted in a failed surplus sale.

CR108-2026

Moved by Chris Dube, seconded by Billy Webb

RESOLVED THAT Council receive this report is as information

Regular Council Meeting Minutes - May 19, 2026

only.

CARRIED.

- b) Parks Canada Visitor Experience and Red Chairs License Agreements

CAO/Clerk presented Parks Canada Visitor Experience and Red Chair Program Agreements for 5-year renewals.

CR109-2026

Moved by Billy Webb, seconded by Chris Dube

RESOLVED THAT Council agrees to enter into a 5-year Visitor Experience Agreement and 5-year Red Chair Agreement with Parks Canada for the period of June 1, 2026 - May 31, 2031.

CARRIED.

- c) 2026 Golf Simulator Fees - Information Report

CAO/Clerk provided an information report to Council on behalf of Community Development Staff regarding the need for Golf Simulator fees.

CR110-2026

Moved by Chris Dube, seconded by Billy Webb

RESOLVED THAT Council accept this report as information only.

CARRIED.

3. SPECIAL PROJECTS CO-ORDINATOR

- a) Tourism: Lake Superior Circle Tour Partnership and "Must-Visit Communities" Campaign Results

Special Projects Coordinator summarized the Lake Superior Circle Tour Campaign success.

Regular Council Meeting Minutes - May 19, 2026

CR111-2026

Moved by Billy Webb, seconded by Chris Dube

RESOLVED THAT Council accept the Lake Superior Circle Tour Partnership and "Must-Visit Communities" Campaign Results report as information.

CARRIED.

- b) Canada Summer Jobs - Special Events Assistant (Extension Request)

Special Projects Coordinator presented a proposal to expand and extend the Special Events Assistant position.

CR112-2026

Moved by Chris Dube, seconded by Billy Webb

RESOLVED THAT Council approve the extension of the Special Events Assistant position to 16 weeks for the 2026 season;

AND THAT the additional estimated cost of \$5,000 be funded through Municipal Accommodation Tax (MAT) Funds.

CARRIED.

- c) 2026 Census Awareness

CR113-2026

Moved by Billy Webb, seconded by Chris Dube

RESOLVED THAT Council accept the 2026 Census Awareness report as information.

CARRIED.

4. STUDENT COUNCILLOR
a) Student Councillor Report

Regular Council Meeting Minutes - May 19, 2026

Student Councillor Marleigh McGrath presented her report which highlighted Shadow Day at Lake Superior High School, fundraising for Graduation and for Athletics Teams, 3v3 Basketball Tournament. Sports highlights: Badminton Qualified for OFSSA in Toronto. Soccer preparation is underway. NSDC performed their 4th Annual Recital in the LSHS Gym.

CR114-2026

Moved by Chris Dube, seconded by Billy Webb

RESOLVED THAT Council accept the Student Councillor Report for May 19, 2026 as presented.

CARRIED.

8. COMMUNICATIONS

- a) Lake Superior High School Corsage and Boutonniere Request

CR115-2026

Moved by Chris Dube, seconded by Billy Webb

RESOLVED THAT Council agrees to sponsor the purchase of corsages and boutonniere's for the 13 potential graduating students from Terrace Bay for graduation on June 25, 2026.

CARRIED.

- b) Ross Lake Fish Derby Donation Request

CR116-2026

Moved by Rick St.Louis, seconded by Gary Adduono

RESOLVED THAT Council agree to donate 1 bowling pass, 4 open/family swim pass to the Ross Lake Fish Derby.

CARRIED.

- c) Terrace Bay Curling Club Advertising

Regular Council Meeting Minutes - May 19, 2026

CR117-2026

Moved by Gary Adduono, seconded by Rick St.Louis

RESOLVED THAT Council agree to continue the current A1 position sponsorship of the Terrace Bay Curling Club with a 2 year sponsorship term.

CARRIED.

- d) Fran Ogilvie - Application for Beautification Committee

CR118-2026

Moved by Rick St.Louis, seconded by Gary Adduono

RESOLVED THAT Council approve Fran Ogilvie to the Beautification Committee.

CARRIED.

- e) Resolution of Support: Resolution Requesting Sustainable Provincial Funding for the Maintenance of Forest Access Roads.

CR119-2026

Moved by Rick St.Louis, seconded by Gary Adduono

WHEREAS the Goldfield Road and Diversion Road are critical forest access roads serving Northwestern Ontario communities, including the Township of Terrace Bay, Pays Plat First Nation, Long Lake #58 First Nation, and the Municipality of Greenstone; and

WHEREAS these roads provide essential access for forestry operations, mining exploration, tourism operators, Indigenous land users, emergency responders, hunters, anglers, trappers, outdoor recreation users, and the travelling public; and

WHEREAS the Province of Ontario has acknowledged that forest access roads are “vital networks of Northern Ontario infrastructure” supporting economic development, regional connectivity, emergency preparedness, and community access; and

Regular Council Meeting Minutes - May 19, 2026

WHEREAS Ontario's Provincial Forest Access Roads Funding Program supports over 19,000 kilometres of public forest access roads across Northern Ontario and recognizes these roads as critical infrastructure for Indigenous communities, industry, tourism, and public safety;

WHEREAS uncertainty surrounding long-term industrial activity and changing economic conditions in Northwestern Ontario have created growing concerns regarding the continued maintenance and safety of the Goldfield and Diversion Roads; and

WHEREAS deteriorating road conditions threaten regional economic opportunities, access to traditional territories, emergency response capabilities, tourism development, forestry and mining investment, and public safety; and

WHEREAS municipalities and First Nation communities do not possess the financial capacity to independently assume the long-term maintenance costs associated with these significant regional transportation corridors;

THEREFORE BE IT RESOLVED THAT the Township of Terrace Bay formally requests that the Province of Ontario, through the Ministry of Natural Resources and Forestry and the Ministry of Northern Development, establish a sustainable long-term funding commitment for the continued maintenance, rehabilitation, and safety improvements of the Goldfield Road and Diversion Road; and

BE IT FURTHER RESOLVED THAT the Province recognize these roads as essential multi-use regional infrastructure supporting Indigenous communities, economic development, tourism, emergency services, and access to traditional lands; and

BE IT FURTHER RESOLVED THAT the Province work collaboratively with municipalities, First Nations, forestry stakeholders, and regional economic partners to develop a long-term access road strategy for the Diversion and Goldfield Roads to ensure stability, public safety, and economic resilience; and

BE IT FURTHER RESOLVED THAT copies of this resolution be forwarded to:

- The Honourable Minister of Natural Resources and Forestry
- The Honourable Minister of Northern Development
- The Honourable Minister of Indigenous Affairs
- Local MPPs
- Northwestern Ontario Municipal Association (NOMA)

Regular Council Meeting Minutes - May 19, 2026

- Federation of Northern Ontario Municipalities (FONOM)
- Pays Plat First Nation
- Long Lake #58 First Nation
- Municipality of Greenstone
- Regional forestry and industry stakeholders for their consideration and support.

CARRIED.

9. INFORMATION ITEMS

- a) TBDSSAB AGM Minutes April 2025
- b) TBDSSAB Regular Meeting March 19, 2026
- c) North Shore Harvest Cupboard AGM
- d) Terrace Bay Public Library Minutes April 14, 2026

10. BY-LAWS

- a) By-law 14-2026 Parks Canada Visitor Experience Programming Agreement

CR120-2026

Moved by Gary Adduono, seconded by Rick St.Louis

RESOLVED THAT a By-law to enter into an license agreement for visitor experience programming with His Majesty the King, in right of Canada, represented by the Minister of Environment for the purposes of Parks Canada Agency, be read a first, second, and third time and finally passed signed by the Mayor and Clerk sealed and numbered on this 19th day of May, 2026

CARRIED.

- b) By-law 15-2026 Red Chairs Experience Program

CR121-2026

Moved by Rick St.Louis, seconded by Gary Adduono

RESOLVED THAT a By-law to enter into an license agreement for the Red Chairs Experience Program with His Majesty the King, in right of Canada, represented by the Minister of Environment for the purposes of Parks Canada Agency, be read a first, second, and third time and finally

Regular Council Meeting Minutes - May 19, 2026

passed signed by the Mayor and Clerk sealed and numbered on this 19th day of May, 2026

CARRIED.

11. OTHER BUSINESS & RESOLUTIONS

12. QUESTION PERIOD

No questions.

13. IN-CAMERA

- a) Motion to move in-camera to discuss:
1. Approval of Minutes from the previous closed session held on April 20, 2026.
 2. One (1) matter concerning litigation or potential litigation, including matters before administrative tribunals, affecting the municipality or local board; Re: By-law order
 3. One (1) matter concerning a position, plan, procedure, criteria or instruction to be applied to any negotiations carried on or to be carried on by or on behalf of the municipality or local board; Re: Water and Sewer Connection Proposal
 4. One (1) matter concerning a position, plan, procedure, criteria or instruction to be applied to any negotiations carried on or to be carried on by or on behalf of the municipality or local board; Re: Schoolboard Childcare Project
 5. One (1) matter concerning labour relations or employee negotiations; Re: CDM Position
 6. One (1) matter concerning a proposed or pending acquisition or disposition of land by the municipality or local board 33 & 35 Simcoe Plaza.

CR122-2026

Moved by Gary Adduono, seconded by Rick St.Louis

RESOLVED THAT Council move the next portion of this meeting in-camera at 19:51 PM to discuss:

1. *Approval of Minutes from the previous closed session held on April 20, 2026.*
2. *One (1) matter concerning litigation or potential litigation, including matters before administrative tribunals, affecting the municipality or local board; Re: By-law order*

Regular Council Meeting Minutes - May 19, 2026

3. *One (1) matter concerning a position, plan, procedure, criteria or instruction to be applied to any negotiations carried on or to be carried on by or on behalf of the municipality or local board; Re: Water and Sewer Connection Proposal*
 4. *One (1) matter concerning a position, plan, procedure, criteria or instruction to be applied to any negotiations carried on or to be carried on by or on behalf of the municipality or local board; Re: Schoolboard Childcare Project.*
 5. *One (1) matter concerning labour relations or employee negotiations; Re: CDM Position*
- One (1) matter concerning a proposed or pending acquisition or disposition of land by the municipality or local board 33 & 35 Simcoe Plaza.*

AND THAT Council now recess for 5 minutes.

CARRIED.

14. NEXT MEETING

a)

CR124-2026

Moved by Gary Adduono, seconded by Rick St.Louis

RESOLVED THAT the next Regular Meeting of Council be held on - to be determined.

CARRIED.

15. ADJOURNMENT

CR125-2026

Moved by Rick St.Louis, seconded by Gary Adduono

RESOLVED THAT we do now adjourn at 8:36PM.

CARRIED.

Regular Council Meeting Minutes - May 19, 2026

Mayor



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Jonathan Hall, CAO/Clerk
Date: June 15, 2026
Subject: Election Signage By-law

Recommendation:

Administration recommends Option 1, THAT Council approve the Elections Signage By-law as presented AND THAT the by-law be brought forward for passing.

Background Information:

Election signs play an important role as communication tools in the democratic process. To Administration's knowledge, Terrace Bay has never had a formal policy or by-law governing the use of Elections Signs. Since the 2022 Municipal and School Board Election, there has been increased dialogue and sensitivity to how election sign by-laws can support a resident's right to freedom of expression. However, unregulated sign placement can also bring undesirable situations such as: unauthorized placement on private property; unauthorized placement on public property; creation of an eyesore and littering; theft and vandalism etc. A by-law regulating the size, placement and timelines surrounding Elections Signage is considered a best practice.

Current Discussion:

Administration has drafted a basic by-law that addresses common situations around Elections Signage including but not limited to size, placement and timelines, enforcement and penalties. This by-law applies to election signage related to municipal, provincial and federal elections, including by-elections.

General Rules

- Election signs are not allowed unless they comply with the by-law.
- No person may place signs on municipal property without permission.
- Signs must not:
 - Be attached to trees or utility poles
 - Be attached to traffic signs/devices
 - Be illuminated, flashing, or rotating
 - Look like traffic control devices
- Mobile signs (trailer-mounted) are not permitted.
- Signs must not block doors, fire exits, or visibility.

- The Township logo cannot be used on signs.

Private Property Rules

- Signs are permitted on private property only with owner/occupant consent.

Public Property & Road Allowances

- Signs are prohibited in parks and on all municipal facilities and premises
- Signs are allowed on municipal road allowances/highways if they meet all conditions:
 - Size: 0.10 m² to 3.0 m²
 - Height: max 2.5 m
 - Not on local roads within 8 m of intersections (sight triangles)
 - Not on medians, bridges, sidewalks, etc.
 - Must not obstruct traffic or visibility
 - Signs cannot be attached to:
 - Utility poles
 - Light standards
 - Benches,
 - garbage bins,
 - mailboxes, etc.

Timing Restrictions

- Municipal election signs are ~~only permitted 90 days before election day~~ from the time the nomination period opens (May 1st during a regular election year) and only once a candidate has filed their nomination.
- Exception: Signs at campaign offices allowed after nomination filing, as applicable
- Federal/provincial signs: Allowed only after the writ is issued
- All signs must be removed within 10 working days after election day.

Polling Place Restrictions

- No signs permitted on polling station property
- on vehicles parked at polling stations (if visible)

Removal & Enforcement

- The Township can remove non-compliant signs.
- Removed signs are held for 30 days, then disposed of if not claimed
- Candidates are responsible for removing their own signs.

Fees & Deposits

- Candidates must pay a \$120 deposit when filing if they intend to utilize signs.

Penalties

- Violations are offences with fines under the *Provincial Offences Act*.

- \$30 per sign may be deducted if the Township removes non-compliant signs or other violations
- Each day a violation continues = separate offence.

Financial Implications:

None at this time

Options:

1. THAT Council approve the Elections Signage By-law as presented AND THAT the by-law be brought forward for passing.
2. THAT Council approve the Elections Signage By-law as amended and directs Administration to bring the by-law forward with amendments as discussed.
3. THAT Council not approve the Elections Signage By-law and directs Administration to revised based on discussion
4. THAT Council not approve the Elections Signage By-law and directs Administration otherwise.

Recommendation:

Administration recommends Option 1, THAT Council approve the Elections Signage By-law as presented AND THAT the by-law be brought forward for passing.

Attached:

[By-Law x-2026 Election Sign By-law](#)

**THE CORPORATION OF THE TOWNSHIP OF TERRACE BAY
BY-LAW x-2026**

Being a by-law to regulate Election Signs
within the Township of Terrace Bay

WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, subsection 5(3) provides that a municipal power shall be exercised by by-law.

AND WHEREAS The *Municipal Act*, 2001, S.O.2001, c.25, as amended, subsection 10(2) authorizes the Municipality to pass by-laws respecting signs.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, subsection 63(1) authorizes the Municipality, if it passes a by-law for prohibiting or regulating the placing of an object on or near a Highway, to provide for the removal and impounding of such object placed on or near a Highway in contravention of that by-law.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25 as amended, subsection 391 provides that despite any Act, a municipality and -a local board may pass by-laws imposing fees or charges on persons.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, section 425 authorizes the Municipality to pass by-laws providing that any person who contravenes a by-law of the municipality is guilty of an offence.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, section 429 authorizes a municipality to establish set fines for offences under a by-law of the municipality.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, section 445 authorizes a municipality to make an order requiring a person who has contravened a by-law or who has caused or permitted the contravention, or the owner or occupier of land on which the contravention occurred to do work to correct the contravention.

AND WHEREAS The Council of the Township of Terrace Bay deems it necessary to enact a stand-alone by-law which regulates Signs for the federal, provincial, municipal and school board elections.

NOW THEREFORE THE COUNCIL OF THE CORPORATION OF THE TOWNSHIP OF TERRACE BAY ENACTS AS FOLLOWS:

1. Definitions: In this by-law

- 1.1 **"Candidate"** shall have the same meaning as in the *Canada Elections Act*, the *Election Act (Ontario)* or the *Municipal Elections Act, 1996*, as applicable, and shall be deemed to include a person seeking to influence another person to vote for or against any question or by-law submitted to the electors under section 8 of the *Municipal Elections Act, 1996*.
- 1.2 **"Clerk"** means the Clerk for the Township of Terrace Bay or designate.
- 1.3 **"Council"** means the Council of the Township of Terrace Bay.
- 1.4 **"Election Sign"** means any sign:
- (a) advertising or promoting a candidate in a federal, provincial or municipal election or by-election;
 - (b) or other advertising device, including without limitation, posters, placards, bulletins, banners, notices, pictures or any combination thereof, which promote or relate to any federal, provincial or municipal election, including an election of a local board or commission; or
 - (c) that uses words, pictures or graphics or any combination thereof intended to influence persons to vote for or against any question or by-law submitted to electors under section 8 of the *Municipal Elections Act, 1996*.
- 1.5 **"Highway"** shall have the same meaning as the *Highway Traffic Act*, RSO 1990 c.H.8, and includes a common and public highway, street, roadway, avenue, gate, alley, court, crescent, boulevard, lane, trail, way, chase, road, drive, circle, mews, line, sideroad, parkway, driveway, square, place, bridge, viaduct, or trestle, any part or which is intended for, or used by the general public for the passage of vehicles and includes the area between the lateral property lines thereof. "Local Roads and Streets" provide access to properties.
- 1.6 **"Local Roads and Streets"** provide access to properties. Trips on local roads have their origin or destination within the length of the road. An example of a local road would be Hudson Drive.
- 1.7 **"Operations Manager"** means the Operations Manager for the Corporation of the Township of Terrace Bay.
- 1.8 **"Mobile Sign"** means any sign mounted on a trailer or other freestanding structure, which is designed in such a manner so as to facilitate its movement from place to place, but does not include a sign attached to a motorized vehicle where the principle use of the vehicle is transportation of people, goods or other materials.

1.9 **"Municipal Law Enforcement Officer"** shall have the same meaning as by-law enforcement officer which is a person appointed by the Council of The Corporation of the Township of Terrace Bay for the purposes of enforcing Municipal By-laws.

1.10 **"Public Property"** means property owned by or under the control of the Township of Terrace Bay or any of its agencies, boards or commissions.

1.11 **"Public Utility Pole"** means a pole owned or controlled by an entity which provides a municipal, regional or public utility service, including streetlights, stop lights, Bell Canada, Hydro and any subsidiaries thereof and includes any municipal street sign poles.

1.12 **"Sight Triangle"** means the triangle space formed by intersecting street lines on a corner lot and a line drawn from a point on one of the streets to a point on the other street line.

2. General

2.1 No person shall erect, attach, place or display an Election Sign except as permitted by this by-law.

2.2 No person, or his or her agent, shall erect, install or otherwise use an Election Sign on municipal property without first obtaining permission from the Operations Manager

2.3 No permits are required by the Township of Terrace Bay for the erection of Election Signs in the Municipality,

2.4 Election Signs shall not:

- (a) be attached to trees;
- (b) be attached to any street signage, traffic control device or traffic control device structure or pole
- (c) have flashing lights or rotating parts;
- (d) be illuminated; or
- (e) simulate any traffic control device,

2.5 No person shall deface or willfully cause damage to a lawfully erected Election Sign.

- 2.6 No person shall at any time on any election voting day, including those days when advance election voting is held:
- (a) place an Election Sign, or cause an Election Sign to be placed on any premises used as a polling place for elections; and
 - (b) place, or caused to be placed, an Election Sign, poster or placard in or on a vehicle that is parked on any premises used as a polling place for elections if the sign, poster or placard is visible.
- 2.7 No person shall display the Township of Terrace Bay logo, crest or seal in whole or in part, on any Election Sign.
- 2.8 Mobile Signs are not permitted.
- 2.9 No person shall erect an Election Sign where it obstructs or interferes with a door or fire escape of a building.
- 2.10 Election Signs shall only be erected or installed on private property by or with the consent of the owner or occupant of such property.

3. Election Signs on Public Property

- 3.1 No person shall at any time place an Election Sign, or cause an Election Sign to be placed, in any public park owned or occupied by the Township of Terrace Bay
- 3.2 No person shall at any time place an Election Sign, or cause an Election Sign to be placed, on the premises or structure of any facility owned or occupied by the Township of Terrace Bay.
- (a) For greater clarity, this includes but is not limited to:
 - (i) The Terrace Bay Community Center and Arena
 - (ii) The Terrace Bay Community Pool
 - (iii) The Terrace Bay Cultural Center and Public Library
 - (iv) The Terrace Bay Public Works Garage
 - (v) The Terrace Bay Airport
 - (vi) Terrace Bay Beach, Beach House and Associated Trails
 - (vii) Aguasabon Gorge
 - (viii) Tourist Information Center and Lookout
- 3.3 Election Signs may be erected or displayed on municipal public highways, including municipal road allowance, if:

- (a) the signs are not placed on the public highway adjacent to a public park;
- (b) the signs are no smaller than .10m² (1 square foot);
- (c) the signs are no larger than 3.0 m² (32 square feet);
- (d) the signs are no higher than 2.5 metres (8.2 feet) above ground level;
- (e) the signs are not placed on a local roadway, in a sight triangle (8 metres or 26.246 feet) from the edge of the pavement at an intersection;
- (f) the signs are not located on a bridge, overpass, median, island, central boulevard or sidewalk; and
- (g) the signs are not erected or installed so as to create an unsafe obstruction or visual impairment for pedestrian or vehicular traffic.

3.4 Despite the provisions of this or any other by-law, no person shall attach an Election Sign to a Public Utility Pole, light standard, any official sign or official sign structure, utility box, planter, bench, waste receptacle, newspaper box, or mailbox on a road allowance.

4. Timing

- 4.1 Election Signs shall not be erected or displayed prior to May 1st during a regular Municipal Election.
- 4.2 Election Signs shall not be erected or displayed for a federal or provincial election until the day that the writ of election is issued.
- 4.3 Despite Sections 4.1 and 4.2, Election Signs may only be erected or displayed once the candidate has filed his or her nomination papers and paid the required filing fee.
- 4.4 All Election Signs shall be removed no later than Ten (10) working days following the voting day of the election for which the signs was erected or installed. For the purpose of this subsection, the Candidate shall be responsible for the removal of his or her Election Signs within the prescribed time frame.

5. Removal of Unlawful Election Signs

- 5.1 If a sign is erected or displayed in violation of this by-law, the appropriate Municipal officials shall cause the sign to be removed.

5.2 Any Election Signs erected or installed in violation of this by-law shall be removed under the direction of the Clerk.

5.3 Election Signs removed by the Township of Terrace Bay shall be retained by the Municipality for a period of 30 days during which time the owner of the said sign or the owner's agent may retrieve the sign.

5.4 Election Signs removed by the Township of Terrace Bay and stored for a period of 30 days may be destroyed or otherwise disposed of by the Township of Terrace Bay without notice and without compensation to the owner.

6. Fees and Charges

6.1 Upon filing of the nomination papers with the Township, the candidate shall pay a deposit in the amount of \$120, refundable in the amount that has not been deducted due to contravention.

7. Penalty

7.1 Any person who contravenes any provision of this by-law is guilty of an offence and upon conviction, is liable to a fine or penalty as provided for in the *Provincial Offences Act*, R.S.O. 1990, cP.33, as amended.

7.2 Election signs removed by the Municipality are subject to the deposit being retained by the municipality in the amount of \$30 for each sign removed.

7.3 Every person who contravenes any of the provisions of this by-law and every Director or Officer of a Corporation, who knowingly concurs in the contravention by the Corporation, is guilty an offence under the provisions of the *Municipal Act, 2001*, S.O. 2001 c. 25, as amended.

7.4 The conviction of a person for the contravention or breach of any provision of this by-law shall not operate as a bar to the prosecution against the same person for any subsequent or continued breach or contravention of any provision of this by-law. Each day that the offence continues shall be deemed a separate and distinct offence.

8. Administration and Enforcement

8.1 A Police Officer, Municipal Law Enforcement Officer or other person authorized by the Municipality to enforce this By-law, as amended, is hereby vested with the authority of administering and enforcing the provisions of this By-law.

9. Validity and Severability

9.1 Every provision of this by-law is declared to be severable from the remainder and if any provision of this by-law shall be declared invalid by a court of competent jurisdiction such declaration shall not affect the validity of the remainder.

10. Liability for Damages

10.1 The provisions of this by-law shall not be construed as relieving or limiting the responsibility or liability of any person erecting or owning any sign for personal injury or property damage resulting from the placing of such signs or resulting from the negligence or willful acts of such person, or his or her agents or employees, in the construction, erection, maintenance, repair or removal of such signs.

11. Precedence over Election Sign Provisions In other By-laws

11.1 In the event of a conflict between this by-law and the provisions of another Municipal by-law regulating signs, including any policies regulating Election Signs, the provisions of this by-law shall prevail.

12. Short Title

12.1 This by-law may be cited as the "Election Sign By-law"

13. Effective Date

13.1 That this By-law shall come into force and take effect upon the final passing thereof.

READ A FIRST, SECOND AND THIRD TIME THIS 15th DAY OF JUNE 2026

Mayor

Clerk



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Jonathan Hall, CAO/Clerk
Date: June 15, 2026
Subject: Election Signage By-law

Recommendation:

Administration recommends Option 1, THAT Council approve the Elections Signage By-law as presented AND THAT the by-law be brought forward for passing.

Background Information:

Election signs play an important role as communication tools in the democratic process. To Administration's knowledge, Terrace Bay has never had a formal policy or by-law governing the use of Elections Signs. Since the 2022 Municipal and School Board Election, there has been increased dialogue and sensitivity to how election sign by-laws can support a resident's right to freedom of expression. However, unregulated sign placement can also bring undesirable situations such as: unauthorized placement on private property; unauthorized placement on public property; creation of an eyesore and littering; theft and vandalism etc. A by-law regulating the size, placement and timelines surrounding Elections Signage is considered a best practice.

Current Discussion:

Administration has drafted a basic by-law that addresses common situations around Elections Signage including but not limited to size, placement and timelines, enforcement and penalties. This by-law applies to election signage related to municipal, provincial and federal elections, including by-elections.

General Rules

- Election signs are not allowed unless they comply with the by-law.
- No person may place signs on municipal property without permission.
- Signs must not:
 - Be attached to trees or utility poles
 - Be attached to traffic signs/devices
 - Be illuminated, flashing, or rotating
 - Look like traffic control devices
- Mobile signs (trailer-mounted) are not permitted.
- Signs must not block doors, fire exits, or visibility.

- The Township logo cannot be used on signs.

Private Property Rules

- Signs are permitted on private property only with owner/occupant consent.

Public Property & Road Allowances

- Signs are prohibited in parks and on all municipal facilities and premises
- Signs are allowed on municipal road allowances/highways if they meet all conditions:
 - Size: 0.10 m² to 3.0 m²
 - Height: max 2.5 m
 - Not on local roads within 8 m of intersections (sight triangles)
 - Not on medians, bridges, sidewalks, etc.
 - Must not obstruct traffic or visibility
 - Signs cannot be attached to:
 - Utility poles
 - Light standards
 - Benches,
 - garbage bins,
 - mailboxes, etc.

Timing Restrictions

- Municipal election signs are ~~only permitted 90 days before election day~~ from the time the nomination period opens (May 1st during a regular election year) and only once a candidate has filed their nomination.
- Exception: Signs at campaign offices allowed after nomination filing, as applicable
- Federal/provincial signs: Allowed only after the writ is issued
- All signs must be removed within 10 working days after election day.

Polling Place Restrictions

- No signs permitted on polling station property
- on vehicles parked at polling stations (if visible)

Removal & Enforcement

- The Township can remove non-compliant signs.
- Removed signs are held for 30 days, then disposed of if not claimed
- Candidates are responsible for removing their own signs.

Fees & Deposits

- Candidates must pay a \$120 deposit when filing if they intend to utilize signs.

Penalties

- Violations are offences with fines under the *Provincial Offences Act*.

- \$30 per sign may be deducted if the Township removes non-compliant signs or other violations
- Each day a violation continues = separate offence.

Financial Implications:

None at this time

Options:

1. THAT Council approve the Elections Signage By-law as presented AND THAT the by-law be brought forward for passing.
2. THAT Council approve the Elections Signage By-law as amended and directs Administration to bring the by-law forward with amendments as discussed.
3. THAT Council not approve the Elections Signage By-law and directs Administration to revised based on discussion
4. THAT Council not approve the Elections Signage By-law and directs Administration otherwise.

Recommendation:

Administration recommends Option 1, THAT Council approve the Elections Signage By-law as presented AND THAT the by-law be brought forward for passing.

Attached:

[By-Law x-2026 Election Sign By-law](#)

**THE CORPORATION OF THE TOWNSHIP OF TERRACE BAY
BY-LAW x-2026**

Being a by-law to regulate Election Signs
within the Township of Terrace Bay

WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, subsection 5(3) provides that a municipal power shall be exercised by by-law.

AND WHEREAS The *Municipal Act*, 2001, S.O.2001, c.25, as amended, subsection 10(2) authorizes the Municipality to pass by-laws respecting signs.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, subsection 63(1) authorizes the Municipality, if it passes a by-law for prohibiting or regulating the placing of an object on or near a Highway, to provide for the removal and impounding of such object placed on or near a Highway in contravention of that by-law.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25 as amended, subsection 391 provides that despite any Act, a municipality and -a local board may pass by-laws imposing fees or charges on persons.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, section 425 authorizes the Municipality to pass by-laws providing that any person who contravenes a by-law of the municipality is guilty of an offence.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, section 429 authorizes a municipality to establish set fines for offences under a by-law of the municipality.

AND WHEREAS The *Municipal Act*, 2001, S.O. 2001, c.25, as amended, section 445 authorizes a municipality to make an order requiring a person who has contravened a by-law or who has caused or permitted the contravention, or the owner or occupier of land on which the contravention occurred to do work to correct the contravention.

AND WHEREAS The Council of the Township of Terrace Bay deems it necessary to enact a stand-alone by-law which regulates Signs for the federal, provincial, municipal and school board elections.

NOW THEREFORE THE COUNCIL OF THE CORPORATION OF THE TOWNSHIP OF TERRACE BAY ENACTS AS FOLLOWS:

1. Definitions: In this by-law

- 1.1 **"Candidate"** shall have the same meaning as in the *Canada Elections Act*, the *Election Act (Ontario)* or the *Municipal Elections Act, 1996*, as applicable, and shall be deemed to include a person seeking to influence another person to vote for or against any question or by-law submitted to the electors under section 8 of the *Municipal Elections Act, 1996*.
- 1.2 **"Clerk"** means the Clerk for the Township of Terrace Bay or designate.
- 1.3 **"Council"** means the Council of the Township of Terrace Bay.
- 1.4 **"Election Sign"** means any sign:
- (a) advertising or promoting a candidate in a federal, provincial or municipal election or by-election;
 - (b) or other advertising device, including without limitation, posters, placards, bulletins, banners, notices, pictures or any combination thereof, which promote or relate to any federal, provincial or municipal election, including an election of a local board or commission; or
 - (c) that uses words, pictures or graphics or any combination thereof intended to influence persons to vote for or against any question or by-law submitted to electors under section 8 of the *Municipal Elections Act, 1996*.
- 1.5 **"Highway"** shall have the same meaning as the *Highway Traffic Act*, RSO 1990 c.H.8, and includes a common and public highway, street, roadway, avenue, gate, alley, court, crescent, boulevard, lane, trail, way, chase, road, drive, circle, mews, line, sideroad, parkway, driveway, square, place, bridge, viaduct, or trestle, any part or which is intended for, or used by the general public for the passage of vehicles and includes the area between the lateral property lines thereof. "Local Roads and Streets" provide access to properties.
- 1.6 **"Local Roads and Streets"** provide access to properties. Trips on local roads have their origin or destination within the length of the road. An example of a local road would be Hudson Drive.
- 1.7 **"Operations Manager"** means the Operations Manager for the Corporation of the Township of Terrace Bay.
- 1.8 **"Mobile Sign"** means any sign mounted on a trailer or other freestanding structure, which is designed in such a manner so as to facilitate its movement from place to place, but does not include a sign attached to a motorized vehicle where the principle use of the vehicle is transportation of people, goods or other materials.

1.9 **"Municipal Law Enforcement Officer"** shall have the same meaning as by-law enforcement officer which is a person appointed by the Council of The Corporation of the Township of Terrace Bay for the purposes of enforcing Municipal By-laws.

1.10 **"Public Property"** means property owned by or under the control of the Township of Terrace Bay or any of its agencies, boards or commissions.

1.11 **"Public Utility Pole"** means a pole owned or controlled by an entity which provides a municipal, regional or public utility service, including streetlights, stop lights, Bell Canada, Hydro and any subsidiaries thereof and includes any municipal street sign poles.

1.12 **"Sight Triangle"** means the triangle space formed by intersecting street lines on a corner lot and a line drawn from a point on one of the streets to a point on the other street line.

2. General

2.1 No person shall erect, attach, place or display an Election Sign except as permitted by this by-law.

2.2 No person, or his or her agent, shall erect, install or otherwise use an Election Sign on municipal property without first obtaining permission from the Operations Manager

2.3 No permits are required by the Township of Terrace Bay for the erection of Election Signs in the Municipality,

2.4 Election Signs shall not:

- (a) be attached to trees;
- (b) be attached to any street signage, traffic control device or traffic control device structure or pole
- (c) have flashing lights or rotating parts;
- (d) be illuminated; or
- (e) simulate any traffic control device,

2.5 No person shall deface or willfully cause damage to a lawfully erected Election Sign.

- 2.6 No person shall at any time on any election voting day, including those days when advance election voting is held:
- (a) place an Election Sign, or cause an Election Sign to be placed on any premises used as a polling place for elections; and
 - (b) place, or caused to be placed, an Election Sign, poster or placard in or on a vehicle that is parked on any premises used as a polling place for elections if the sign, poster or placard is visible.
- 2.7 No person shall display the Township of Terrace Bay logo, crest or seal in whole or in part, on any Election Sign.
- 2.8 Mobile Signs are not permitted.
- 2.9 No person shall erect an Election Sign where it obstructs or interferes with a door or fire escape of a building.
- 2.10 Election Signs shall only be erected or installed on private property by or with the consent of the owner or occupant of such property.

3. Election Signs on Public Property

- 3.1 No person shall at any time place an Election Sign, or cause an Election Sign to be placed, in any public park owned or occupied by the Township of Terrace Bay
- 3.2 No person shall at any time place an Election Sign, or cause an Election Sign to be placed, on the premises or structure of any facility owned or occupied by the Township of Terrace Bay.
- (a) For greater clarity, this includes but is not limited to:
 - (i) The Terrace Bay Community Center and Arena
 - (ii) The Terrace Bay Community Pool
 - (iii) The Terrace Bay Cultural Center and Public Library
 - (iv) The Terrace Bay Public Works Garage
 - (v) The Terrace Bay Airport
 - (vi) Terrace Bay Beach, Beach House and Associated Trails
 - (vii) Aguasabon Gorge
 - (viii) Tourist Information Center and Lookout
- 3.3 Election Signs may be erected or displayed on municipal public highways, including municipal road allowance, if:

- (a) the signs are not placed on the public highway adjacent to a public park;
- (b) the signs are no smaller than .10m² (1 square foot);
- (c) the signs are no larger than 3.0 m² (32 square feet);
- (d) the signs are no higher than 2.5 metres (8.2 feet) above ground level;
- (e) the signs are not placed on a local roadway, in a sight triangle (8 metres or 26.246 feet) from the edge of the pavement at an intersection;
- (f) the signs are not located on a bridge, overpass, median, island, central boulevard or sidewalk; and
- (g) the signs are not erected or installed so as to create an unsafe obstruction or visual impairment for pedestrian or vehicular traffic.

3.4 Despite the provisions of this or any other by-law, no person shall attach an Election Sign to a Public Utility Pole, light standard, any official sign or official sign structure, utility box, planter, bench, waste receptacle, newspaper box, or mailbox on a road allowance.

4. Timing

- 4.1 Election Signs shall not be erected or displayed prior to May 1st during a regular Municipal Election.
- 4.2 Election Signs shall not be erected or displayed for a federal or provincial election until the day that the writ of election is issued.
- 4.3 Despite Sections 4.1 and 4.2, Election Signs may only be erected or displayed once the candidate has filed his or her nomination papers and paid the required filing fee.
- 4.4 All Election Signs shall be removed no later than Ten (10) working days following the voting day of the election for which the signs was erected or installed. For the purpose of this subsection, the Candidate shall be responsible for the removal of his or her Election Signs within the prescribed time frame.

5. Removal of Unlawful Election Signs

- 5.1 If a sign is erected or displayed in violation of this by-law, the appropriate Municipal officials shall cause the sign to be removed.

5.2 Any Election Signs erected or installed in violation of this by-law shall be removed under the direction of the Clerk.

5.3 Election Signs removed by the Township of Terrace Bay shall be retained by the Municipality for a period of 30 days during which time the owner of the said sign or the owner's agent may retrieve the sign.

5.4 Election Signs removed by the Township of Terrace Bay and stored for a period of 30 days may be destroyed or otherwise disposed of by the Township of Terrace Bay without notice and without compensation to the owner.

6. Fees and Charges

6.1 Upon filing of the nomination papers with the Township, the candidate shall pay a deposit in the amount of \$120, refundable in the amount that has not been deducted due to contravention.

7. Penalty

7.1 Any person who contravenes any provision of this by-law is guilty of an offence and upon conviction, is liable to a fine or penalty as provided for in the *Provincial Offences Act*, R.S.O. 1990, cP.33, as amended.

7.2 Election signs removed by the Municipality are subject to the deposit being retained by the municipality in the amount of \$30 for each sign removed.

7.3 Every person who contravenes any of the provisions of this by-law and every Director or Officer of a Corporation, who knowingly concurs in the contravention by the Corporation, is guilty an offence under the provisions of the *Municipal Act, 2001*, S.O. 2001 c. 25, as amended.

7.4 The conviction of a person for the contravention or breach of any provision of this by-law shall not operate as a bar to the prosecution against the same person for any subsequent or continued breach or contravention of any provision of this by-law. Each day that the offence continues shall be deemed a separate and distinct offence.

8. Administration and Enforcement

8.1 A Police Officer, Municipal Law Enforcement Officer or other person authorized by the Municipality to enforce this By-law, as amended, is hereby vested with the authority of administering and enforcing the provisions of this By-law.

9. Validity and Severability

9.1 Every provision of this by-law is declared to be severable from the remainder and if any provision of this by-law shall be declared invalid by a court of competent jurisdiction such declaration shall not affect the validity of the remainder.

10. Liability for Damages

10.1 The provisions of this by-law shall not be construed as relieving or limiting the responsibility or liability of any person erecting or owning any sign for personal injury or property damage resulting from the placing of such signs or resulting from the negligence or willful acts of such person, or his or her agents or employees, in the construction, erection, maintenance, repair or removal of such signs.

11. Precedence over Election Sign Provisions In other By-laws

11.1 In the event of a conflict between this by-law and the provisions of another Municipal by-law regulating signs, including any policies regulating Election Signs, the provisions of this by-law shall prevail.

12. Short Title

12.1 This by-law may be cited as the "Election Sign By-law"

13. Effective Date

13.1 That this By-law shall come into force and take effect upon the final passing thereof.

READ A FIRST, SECOND AND THIRD TIME THIS 15th DAY OF JUNE 2026

Mayor

Clerk



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Jonathan Hall, CAO/Clerk
Date: June 15, 2026
Subject: Amend Fees and Charges By-law (By-law 36-2025)

Recommendation:

Administration recommends option 1, THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the reports on Refreshment Vehicle Fees at Terrace Bay Beach and Outdoor Court Rentals AND THAT the appropriate amending by-law be brought forward;

Background Information:

Council passed its 2026 Fees and Charges By-law at the [December 15th 2025](#) Meeting. The highlights are below:

- An average of 10% increase across Administrative functions such as tax and water certificates and commissioner of oath signatures
- Airport fees have been removed as we will discontinue the sale of fuel permanently beginning in 2026
- 10% increase to all Building Department permits and letters
- We will now accept CLEAN contractor yard waste at the landfill free of charge. Must be entirely organic
- 5% increase across the board on Gym, Pool and Arena fees
- 5% increase on all room/building rentals
- Birthday party rentals of facilities increased 25% to \$125 per occasion
- Seniors snow removal increased to \$19.25 per occasion to resume 50% subsidy
- Community Garden plots increased to \$10 per
- New schedule added for fees for audio visual equipment and technical support

Current Discussion:

From time-to-time it is necessary to amend the by-law outside of the annual passage, typically in response to: new programs and services; desired changes by Council or Administration and/or correction of errors and omissions.

Highlights of the recommended changes by Administration are below:

- Refreshment Vehicles

- creation of fees for Refreshment Vehicles at the Terrace Bay Beach both during and outside of municipal events
- The current fee for a Food Truck Hookup per event is \$110
- Proposed to amend/create the following fees:
 - Refreshment Vehicle Fee electrical (per event) ----- \$110 (existing)
 - Refreshment Vehicle Fee non-electrical (per event) -----\$75
 - Refreshment Vehicle Fee electrical, non-event (per day)-----\$55
 - Refreshment Vehicle Fee non-electrical, non-event (per day)---\$35
- Outdoor Courts (**the rationale is discussed and fees recommended in another report under "Community Development Manager - Outdoor Court - Rental Fee Implementation" on this agenda)
 - Outdoor Court Rental Fee Recommendations
 - Hourly Rate -----\$42
 - Daily rate -----\$238
 - Birthday Parties --- \$125

Financial Implications:

Since these fees and charges are new, any projected revenues have not been included in the 2026 Budget. Fees and charges are typically reviewed for the following year's budget in December of the preceding year (December 2026 for 2027 Fees and Charges). The Township will therefore only derive revenue from these newly created Fees and Charges for approximately 6.5 months, in 2026.

Options:

1. THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the reports on Food Truck Fees at Terrace Bay Beach and Outdoor Court Rentals AND THAT the appropriate amending by-law be brought forward;
2. THAT Council approve the creation of new fees and charges for the remainder of 2026 related to Food Truck Fees at Terrace Bay Beach only AND THAT the appropriate amending by-law be brought forward;
3. THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the report Outdoor Court Rentals only AND THAT the appropriate amending by-law be brought forward;
4. THAT Council not approve the creation of new fees and charges for the remainder of 2026 related to the reports on Food Truck Fees at Terrace Bay Beach and Outdoor Court Rentals directs Administration otherwise;

Recommendation:

Administration recommends option 1, THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the reports on Refreshment Vehicle Fees at Terrace Bay Beach and Outdoor Court Rentals AND THAT the appropriate amending by-law be brought forward;



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Jonathan Hall, CAO/Clerk
Date: June 15, 2026
Subject: Amend Fees and Charges By-law (By-law 36-2025)

Recommendation:

Administration recommends option 1, THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the reports on Refreshment Vehicle Fees at Terrace Bay Beach and Outdoor Court Rentals AND THAT the appropriate amending by-law be brought forward;

Background Information:

Council passed its 2026 Fees and Charges By-law at the [December 15th 2025](#) Meeting. The highlights are below:

- An average of 10% increase across Administrative functions such as tax and water certificates and commissioner of oath signatures
- Airport fees have been removed as we will discontinue the sale of fuel permanently beginning in 2026
- 10% increase to all Building Department permits and letters
- We will now accept CLEAN contractor yard waste at the landfill free of charge. Must be entirely organic
- 5% increase across the board on Gym, Pool and Arena fees
- 5% increase on all room/building rentals
- Birthday party rentals of facilities increased 25% to \$125 per occasion
- Seniors snow removal increased to \$19.25 per occasion to resume 50% subsidy
- Community Garden plots increased to \$10 per
- New schedule added for fees for audio visual equipment and technical support

Current Discussion:

From time-to-time it is necessary to amend the by-law outside of the annual passage, typically in response to: new programs and services; desired changes by Council or Administration and/or correction of errors and omissions.

Highlights of the recommended changes by Administration are below:

- Refreshment Vehicles

- creation of fees for Refreshment Vehicles at the Terrace Bay Beach both during and outside of municipal events
- The current fee for a Food Truck Hookup per event is \$110
- Proposed to amend/create the following fees:
 - Refreshment Vehicle Fee electrical (per event) ----- \$110 (existing)
 - Refreshment Vehicle Fee non-electrical (per event) -----\$75
 - Refreshment Vehicle Fee electrical, non-event (per day)-----\$55
 - Refreshment Vehicle Fee non-electrical, non-event (per day)---\$35
- Outdoor Courts (**the rationale is discussed and fees recommended in another report under "Community Development Manager - Outdoor Court - Rental Fee Implementation" on this agenda)
 - Outdoor Court Rental Fee Recommendations
 - Hourly Rate -----\$42
 - Daily rate -----\$238
 - Birthday Parties --- \$125

Financial Implications:

Since these fees and charges are new, any projected revenues have not been included in the 2026 Budget. Fees and charges are typically reviewed for the following year's budget in December of the preceding year (December 2026 for 2027 Fees and Charges). The Township will therefore only derive revenue from these newly created Fees and Charges for approximately 6.5 months, in 2026.

Options:

1. THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the reports on Food Truck Fees at Terrace Bay Beach and Outdoor Court Rentals AND THAT the appropriate amending by-law be brought forward;
2. THAT Council approve the creation of new fees and charges for the remainder of 2026 related to Food Truck Fees at Terrace Bay Beach only AND THAT the appropriate amending by-law be brought forward;
3. THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the report Outdoor Court Rentals only AND THAT the appropriate amending by-law be brought forward;
4. THAT Council not approve the creation of new fees and charges for the remainder of 2026 related to the reports on Food Truck Fees at Terrace Bay Beach and Outdoor Court Rentals directs Administration otherwise;

Recommendation:

Administration recommends option 1, THAT Council approve the creation of new fees and charges for the remainder of 2026 related to the reports on Refreshment Vehicle Fees at Terrace Bay Beach and Outdoor Court Rentals AND THAT the appropriate amending by-law be brought forward;



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Community Development Staff, Community Development Manager
Date: June 15, 2026
Subject: Outdoor Court - Rental Fee Implementation

Recommendation:

Option 1: THAT Council set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125.

Current Discussion:

Similar to a community park or playground, Terrace Bay's Outdoor Courts are considered to be on a first-come, first served basis. This system works well on most days due to the size of the space, its layout and demand for use. However, an individual has requested a private rental of the courts in order to plan a special event. Although the requester could "squat" at the courts and claim use for themselves and friends, a municipally approved booking would eliminate potential conflict with drop-in users.

For comparative purposes, Administration contacted recreation staff in other municipalities to determine their pricing models. Many small communities do not have municipally-owned outdoor courts. Rather, basketball and tennis infrastructure is often owned by School Boards. Among the municipalities who have outdoor courts, most have single-sport or tennis/pickleball hybrid courts. There is a large variance in outdoor court structures, fees and scheduling among Ontario municipalities. Some communities offer drop-in only as they compete for use with private spaces, others have their courts managed by community groups, and some are exclusively private rental.

Outdoor Court Rental Fee (Per Court, Per Hour)

City	Pickleball	Basketball	Tennis
Brantford	\$3.39	Drop-In Only	\$10.51
Thunder Bay	\$4.00	Drop-In Only	\$4.00
Midland	\$6.00	Drop-In Only	\$6.00
Ottawa	\$10.40	Drop-In Only	\$10.40
East Gwillimbury	\$12.10	Drop-In Only	\$12.10
Sarnia	\$13.00	Drop-In Only	\$13.00
Welland	\$13.00	\$13.00	\$13.00
Blue Mountains	\$20.00	Drop-In Only	\$20.00
Milton	Drop-In Only	\$24.72	Drop-in Only

Atikokan	N/A	Drop-In Only	Drop-in Only
Nipigon	N/A	N/A	Drop-in Only
Marathon	Under-construction	Under-construction	Under-construction

Terrace Bay Rates	Hourly	Daily
*Community Centre MP Room	\$42	\$238
Pavilion MP Room	\$63	\$357
Arena (Summer)	\$75	\$963

Birthday Party
Rental: Pool, Arena, Bowling Alley \$125

*Terrace Bay does not charge for multi-purpose room usage by community organizations, & not-for profit groups

Administration has three recommendations for private bookings of the outdoor courts:

- Implementing a fee for booking the entire space and not implementing a per-court rental fee.
 - The Terrace Bay courts do not have purpose-built dividers to prevent interruption from other courts (e.g. ball rolling into booked courts).
 - Per-court rental fees would be more difficult to manage based on the distance of the courts from on-duty staff.
- Setting the outdoor court rental fee at \$42 per hour and \$238 per day.
 - This would align the cost with Community Centre Multi-Purpose Room
- Not permitting free private rentals for community organizations and not-for-profit groups.
- Setting a birthday party rental fee at \$125 per hour.
 - This would provide a similar service to bowling alley, pool and arena. Renters would have one hour private use of the courts and one hour private use of a Community Centre Multi-Purpose Room.

Financial Implications:

Unless directed otherwise, revenue generated from outdoor court private bookings will be allocated to the annual surplus/deficit.

Options:

Option 1: THAT Council set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125.

Option 2: That Council does not set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125 and directs Administration otherwise.

Recommendation:

Option 1: THAT Council set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125.



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Community Development Staff, Community Development Manager
Date: June 15, 2026
Subject: Outdoor Court - Rental Fee Implementation

Recommendation:

Option 1: THAT Council set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125.

Current Discussion:

Similar to a community park or playground, Terrace Bay's Outdoor Courts are considered to be on a first-come, first served basis. This system works well on most days due to the size of the space, its layout and demand for use. However, an individual has requested a private rental of the courts in order to plan a special event. Although the requester could "squat" at the courts and claim use for themselves and friends, a municipally approved booking would eliminate potential conflict with drop-in users.

For comparative purposes, Administration contacted recreation staff in other municipalities to determine their pricing models. Many small communities do not have municipally-owned outdoor courts. Rather, basketball and tennis infrastructure is often owned by School Boards. Among the municipalities who have outdoor courts, most have single-sport or tennis/pickleball hybrid courts. There is a large variance in outdoor court structures, fees and scheduling among Ontario municipalities. Some communities offer drop-in only as they compete for use with private spaces, others have their courts managed by community groups, and some are exclusively private rental.

Outdoor Court Rental Fee (Per Court, Per Hour)

City	Pickleball	Basketball	Tennis
Brantford	\$3.39	Drop-In Only	\$10.51
Thunder Bay	\$4.00	Drop-In Only	\$4.00
Midland	\$6.00	Drop-In Only	\$6.00
Ottawa	\$10.40	Drop-In Only	\$10.40
East Gwillimbury	\$12.10	Drop-In Only	\$12.10
Sarnia	\$13.00	Drop-In Only	\$13.00
Welland	\$13.00	\$13.00	\$13.00
Blue Mountains	\$20.00	Drop-In Only	\$20.00
Milton	Drop-In Only	\$24.72	Drop-in Only

Atikokan	N/A	Drop-In Only	Drop-in Only
Nipigon	N/A	N/A	Drop-in Only
Marathon	Under-construction	Under-construction	Under-construction

Terrace Bay Rates	Hourly	Daily
*Community Centre MP Room	\$42	\$238
Pavilion MP Room	\$63	\$357
Arena (Summer)	\$75	\$963

Birthday Party
Rental: Pool, Arena, Bowling Alley
\$125

*Terrace Bay does not charge for multi-purpose room usage by community organizations, & not-for profit groups

Administration has three recommendations for private bookings of the outdoor courts:

- Implementing a fee for booking the entire space and not implementing a per-court rental fee.
 - The Terrace Bay courts do not have purpose-built dividers to prevent interruption from other courts (e.g. ball rolling into booked courts).
 - Per-court rental fees would be more difficult to manage based on the distance of the courts from on-duty staff.
- Setting the outdoor court rental fee at \$42 per hour and \$238 per day.
 - This would align the cost with Community Centre Multi-Purpose Room
- Not permitting free private rentals for community organizations and not-for-profit groups.
- Setting a birthday party rental fee at \$125 per hour.
 - This would provide a similar service to bowling alley, pool and arena. Renters would have one hour private use of the courts and one hour private use of a Community Centre Multi-Purpose Room.

Financial Implications:

Unless directed otherwise, revenue generated from outdoor court private bookings will be allocated to the annual surplus/deficit.

Options:

Option 1: THAT Council set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125.

Option 2: That Council does not set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125 and directs Administration otherwise.

Recommendation:

Option 1: THAT Council set the rate for booking the Outdoor Courts at \$42 per hour, \$238 per day and implements a birthday party rental rate of \$125.



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Jonathan Hall, CAO/Clerk
Date: June 15, 2026
Subject: 2026 Summer Meeting Schedule

Recommendation:

Administration recommends Option 1, THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two regular meetings be scheduled for July 13, 2026 and August 10, 2026; AND THAT the meeting start time for both meetings be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.

Background Information:

From time to time Council has deviated from the Procedural By-law (By-law 29-2021) during the summer months. This is typically in response/recognition of Council and Administration being unavailable due to vacation schedules and attendance at the Association of Municipalities of Ontario and other conferences.

Applicable Sections of the By-law are as follows:

**ARTICLE III
GENERAL PROVISIONS**

3.1. Suspension – Rules Regulations – applicable – two-thirds vote

The rules and regulations contained in this By-law shall be observed in all proceedings of the Council and shall be the rules and regulations for the order and dispatch of business of all Council meetings and in Committees, provided that the rules and regulations contained herein may be suspended by a two-thirds (2/3) vote of Members of the Council present and voting, in any case for which provision is not made herein and shall not be debatable or amendable.

3.2. Calculation – two-thirds vote

The Calculation of two-thirds (2/3) vote shall be rounded upwards to the next highest

(full) decimal (4 votes on 5-member Council)

4.2. Public - Regular – schedule – designated – time

Public - regular meetings, shall be held on the First and Third Mondays of each month, commencing at 6:30pm, at such place within the Township of Terrace Bay designated for

such purpose by the Council and shall be held in accordance with the schedule of meetings of Council and the Committees of Council as prepared by the Clerk.

Current Discussion:

Administration is proposing Council amend the 2026 Summer Meeting Schedule via resolution requiring two-thirds vote as follows:

- 1 meeting per month for July and August respectively:
 - July 13, 2026
 - August 10, 2026
- The meeting start times be amended to 3:30pm

All other provisions of By-law 29-2021 will remain in effect.

Any Special Meetings and Emergency Meetings will still be called as required, as per By-law 29-2021.

Financial Implications:

There are no financial implications expected at this time.

Options:

1. THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two regular meetings be scheduled for July 13, 2026 and August 10, 2026; AND THAT the meeting start time for both meetings be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.
2. THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two Regular Council meetings be scheduled for July 13, 2026 and August 10, 2026 respectively; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.
3. THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT the meeting start time for all summer meetings (July and August) be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.
4. THAT Council not approve the suspension the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis and directs Administration otherwise.

Recommendation:

Administration recommends Option 1, THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two regular meetings be scheduled for July 13, 2026 and August 10, 2026; AND THAT the meeting start time for both meetings be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Jonathan Hall, CAO/Clerk
Date: June 15, 2026
Subject: 2026 Summer Meeting Schedule

Recommendation:

Administration recommends Option 1, THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two regular meetings be scheduled for July 13, 2026 and August 10, 2026; AND THAT the meeting start time for both meetings be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.

Background Information:

From time to time Council has deviated from the Procedural By-law (By-law 29-2021) during the summer months. This is typically in response/recognition of Council and Administration being unavailable due to vacation schedules and attendance at the Association of Municipalities of Ontario and other conferences.

Applicable Sections of the By-law are as follows:

**ARTICLE III
GENERAL PROVISIONS**

3.1. Suspension – Rules Regulations – applicable – two-thirds vote

The rules and regulations contained in this By-law shall be observed in all proceedings of the Council and shall be the rules and regulations for the order and dispatch of business of all Council meetings and in Committees, provided that the rules and regulations contained herein may be suspended by a two-thirds (2/3) vote of Members of the Council present and voting, in any case for which provision is not made herein and shall not be debatable or amendable.

3.2. Calculation – two-thirds vote

The Calculation of two-thirds (2/3) vote shall be rounded upwards to the next highest

(full) decimal (4 votes on 5-member Council)

4.2. Public - Regular – schedule – designated – time

Public - regular meetings, shall be held on the First and Third Mondays of each month, commencing at 6:30pm, at such place within the Township of Terrace Bay designated for

such purpose by the Council and shall be held in accordance with the schedule of meetings of Council and the Committees of Council as prepared by the Clerk.

Current Discussion:

Administration is proposing Council amend the 2026 Summer Meeting Schedule via resolution requiring two-thirds vote as follows:

- 1 meeting per month for July and August respectively:
 - July 13, 2026
 - August 10, 2026
- The meeting start times be amended to 3:30pm

All other provisions of By-law 29-2021 will remain in effect.

Any Special Meetings and Emergency Meetings will still be called as required, as per By-law 29-2021.

Financial Implications:

There are no financial implications expected at this time.

Options:

1. THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two regular meetings be scheduled for July 13, 2026 and August 10, 2026; AND THAT the meeting start time for both meetings be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.
2. THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two Regular Council meetings be scheduled for July 13, 2026 and August 10, 2026 respectively; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.
3. THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT the meeting start time for all summer meetings (July and August) be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.
4. THAT Council not approve the suspension the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis and directs Administration otherwise.


Recommendation:

Administration recommends Option 1, THAT Council suspend the rules and regulations established by By-law 29-2021 (the Procedural By-law) on a temporary basis; AND THAT two regular meetings be scheduled for July 13, 2026 and August 10, 2026; AND THAT the meeting start time for both meetings be changed to 3:30pm; AND THAT all other provisions of by-law 29-2021 remain in effect; AND THAT this temporary suspension ends by September 1, 2026.



**NIPIGON
DETACHMENT**

2025 DETACHMENT BOARD ANNUAL REPORT



2023-2025 STRATEGIC PLAN

Priorities and Commitments



PEOPLE

A healthy and resilient OPP

We will strive to support all members in achieving their professional and personal best.

WORK

A responsive and evolving OPP

We will empower our members to ensure the best possible policing services are delivered to Ontarians.

COMMUNITIES

A collaborative and progressive OPP

We will partner and build relationships with a shared vision for safety and well-being.

Table of Contents

- Message from the Detachment Commander 5
- Summary of Commitments 7
- 2025 Crime Progress Results 8
- 2025 Roadways, Waterways and Trails Progress Results..... 9
- 2025 Community Well-Being Progress Results 10
- Other Community Updates 11
- Calls for Service 12
- Crime and Clearance..... 13
- Traffic and Road Safety 15
- Policing Hours 17
- Endnotes..... 18

Message from the Detachment Commander

I am pleased to present the Nipigon Detachment - 2025 Detachment Board Annual Report. This report includes crime, traffic enforcement and community well-being data, and highlights initiatives and successes from the past year. 2025 was the last year of the 2023-2025 Nipigon Detachment Action Plan and this report will provide a final update and progress results from that plan.



I am proud of the work undertaken by our detachment. In 2025,

- In response to an increase in intimate partner violence (IPV) occurrences, the Nipigon Detachment mobilized additional support from a Domestic Abuse Issues Investigator (DAII), a Regional Abuse Issues Coordinator, and the Victim Response Support Unit (VRSU). Speciality trained officers were utilized to ensure a victim-centered and trauma-informed approach was consistently applied throughout these investigations.
- We maintained our commitment to traffic safety and prioritized enforcement on the four major causal factors of collisions: impairment, distraction, speeding, and lack of occupant restraint. Our enforcement included focus on community concerns related to commercial motor vehicles (CMVs), all-terrain vehicles, and motorized snow vehicles. This resulted in a 9.66% increase in Highway Traffic Act charges laid relative to 2024.
- We responded to fourteen highway closures in 2025, related to weather conditions, road conditions, vehicle fires, and motor vehicle collisions. Our detachment worked collaboratively with the Ministry of Transportation and their private contractors to mitigate the disruption these closures caused our local communities using innovative solutions.
- Based on concerns from community members and utilizing data from our regional analysts, we increased our community patrols in high crime areas, to proactively deter criminal behaviour through visibility.
- We continued to integrate advanced policing technologies – including in-car cameras, body worn cameras, Automated Licence Plate Readers (ALPR) and e-ticketing systems – to support the collection of evidence, increase transparency and support both public and officer safety.
- Our partnership with the Anishinabek Police Service and Lake Helen First Nation Police remained strong. Through cross-jurisdictional collaboration, we shared resources and supported each other in responding to calls for service. This cooperation has led to more efficient responses and more comprehensive investigations.
- We remained actively engaged with local groups and organizations to strengthen relationships and promote community safety and well-being. These ongoing efforts are essential to building trust and fostering a collaborative approach to public safety.

In 2026, we will release our new 2026-2029 Nipigon Detachment Action Plan. This is the first action plan developed under the *Community Safety and Policing Act (CSPA)*. We are working closely with our Quad Township and North Superior OPP Detachment Boards and are engaging with community members to ensure the needs of our communities are reflected in the commitments we make for the next four years.

Development of the 2026-2029 Nipigon Detachment Action Plan will coincide with the creation of the 2026-2029 OPP Strategic Plan creating organizational alignment.

As we look ahead to emerging challenges and new opportunities in policing and community safety, our detachment members remain committed to our mission to serve our communities, protect our citizens, uphold the law, and preserve public safety.

A handwritten signature in black ink that reads "Jason Golds". The signature is written in a cursive style with a vertical line to its right.

S/Sgt. Jason Golds
Detachment Commander
Nipigon Detachment.

Summary of Commitments

Through analysis and consultation, the following areas of focus were identified for the years 2023-2025.

Crime	Roadways, Waterways and Trails	Community Well-Being
<p>Our crime unit will enhance education and capacity in the area of warrant writing to support frontline members in their efforts to suppress illicit drugs in our communities.</p> <p>100% compliance in the facilitation of victim assistance opportunities.</p> <p>Constant attention to CDSA investigations in our detachment cluster.</p> <p>The gathering of intelligence and the prosecution of offenders.</p>	<p>Reduction in impaired operation of vehicles, watercraft, motorized snow vehicles as well as all-terrain vehicles.</p> <p>The Nipigon Detachment cluster is committed to the reduction of speed and aggressive driving on our roadways.</p>	<p>Educate our seniors on the constant threat of scams preying on the vulnerable.</p> <p>Maintain positive relationships with First Nation Leaders in our cluster.</p>

2025 Crime Progress Results

Commitment	Progress Results
<p>Our crime unit will enhance education and capacity in the area of warrant writing to support frontline members in their efforts to suppress illicit drugs in our communities.</p>	<ul style="list-style-type: none"> • The Crime Unit continues to actively mentor frontline members in warrant preparation and investigative procedures, fostering professional development and enhancing our overall capacity to suppress crime and illegal activity within our communities. • Under the guidance and supervision of a Detective Sergeant, the Crime Unit continues to provide critical support in managing benchmark cases, employing complex investigative techniques, and ensuring meaningful support to victims of crime.
<p>100 % compliance in the facilitation of victim assistance opportunities.</p>	<ul style="list-style-type: none"> • In 2025, we achieved a 99% compliance rate in the facilitation of victim assistance opportunities. • Through technology, auditing, monitoring, and education, we continue to work toward achieving 100% compliance.
<p>Constant attention to CDSA investigations in our detachment cluster. The gathering of intelligence and the prosecution of offenders.</p>	<ul style="list-style-type: none"> • Despite a decrease in drug possession and drug trafficking charges in 2025, we continue to focus on enforcement, intelligence gathering, and collaboration with specialized units to disrupt drug trafficking within our detachment area. • We committed to staffing a dedicated local position in the Community Street Crime Unit (CSCU) to proactively address property crime and drug activity in the Nipigon Detachment area. • In 2025, intelligence-led Uniform Crime Reporting (UCR) codes were applied in 184 incidents, generating valuable analytical insights that supported specialized investigations and contributed to successful offender prosecutions.

2025 Roadways, Waterways and Trails Progress Results

Commitment	Progress Results
Reduction in impaired operation of vehicles, watercraft, motorized snow vehicles as well as all-terrain vehicles.	<ul style="list-style-type: none"> • Nipigon OPP conducted 762 Reduce Impaired Driving Everywhere (RIDE) checkpoints in 2025. Impaired driving charges decreased by 21.4% relative to 2023 and 2024. • Regularly conducted RIDE programs, and the use of mandatory alcohol screening, will continue to enhance the detection of impaired driving among motorists and operators of snowmobiles, all-terrain vehicles and watercrafts.
The Nipigon Detachment cluster is committed to the reduction of speed and aggressive driving on our roadways.	<ul style="list-style-type: none"> • Traffic safety is a primary focus of the Nipigon Detachment, as collisions remain the leading cause of injury and death within our detachment area. • In the past year, over 1000 Provincial Offence Notices (PONs) were issued addressing the leading causes of collisions - speed (aggressive driving), impairment, distraction, and failure to use occupant restraints. Focused speed enforcement efforts resulted in a 1.68% increase in speeding charges. • To support this commitment, the Nipigon Detachment partnered with neighbouring detachments and the Traffic Incident Management and Enforcement (TIME) Team to share resources and conduct focused initiatives within the Nipigon Detachment's jurisdiction.

2025 Community Well-Being Progress Results

Commitment	Progress Results
<p>Educate our seniors on the constant threat of scams preying on the vulnerable.</p>	<ul style="list-style-type: none"> • Anti-fraud presentations have been provided to members of our senior community. • Social media has been utilized to provide valuable information across multiple platforms and communication styles.
<p>Maintain positive relationships with First Nation Leaders in our cluster.</p>	<ul style="list-style-type: none"> • The Nipigon Detachment remains committed to building and maintaining strong relationships with Indigenous communities. • We engage regularly with local Indigenous leaders and community members to foster trust, transparency and mutual respect. • We work closely with the Anishinabek Police Service (APS) and Lake Helen Police, providing mutual support for both community engagement and enforcement initiatives. These partnerships enhance our collective ability to respond effectively to community needs and promote public safety. • Our detachment works closely with the Provincial Liaison Team (PLT), to establish and maintain open lines of communication with all our community members.

Other Community Updates

- Based on current crime trends and community feedback, the Nipigon Detachment led targeted crime prevention initiatives focused on fraud prevention. We worked closely with local senior groups to deliver information sessions aimed at reducing victimization among older adults.
- The Nipigon Detachment routinely sought and received feedback from community members related to their expectations and levels of satisfaction with the policing services provided in their communities. In the fall of 2025, a survey was conducted to assist in the development of the 2026-2029 Action Plan. The survey identified concerns related to drug trafficking, human trafficking, the need for increased engagement with our youth, commercial motor vehicle traffic, and the unsafe operation of all-terrain vehicles and snowmobiles by youth within the community.
- The Nipigon Detachment conducted 612 community service events in 2025, including foot patrols in local elementary and high schools. These engagements with youth supported relationship-building, increased accessibility to police officers, and the sharing of information to promote community safety.
- Recognizing the increasing need for mental health-related supports, the Nipigon Detachment utilized the Crisis Call Diversion Line to reduce calls for service and provide individuals experiencing a mental health crisis with timely access to mental health assistance by telephone.
- The Nipigon Detachment partnered with community-based organizations, including Dilico and Victim Services of Thunder Bay, to better support victims by connecting them with local and culturally relevant resources.

Calls for Service

Table 1.1

All CAD Events*	Immediate Police Response Required**
8,080	2,456

* This represents all Computer Aided Dispatch (CAD) event types created for each detachment area. Not all CAD events are dispatched to a frontline OPP detachment officer. Some events may have been actioned by another OPP member, diverted to another unit, or deemed a non-OPP event. This does not include officer or detachment generated events that have not been reported through the PCC, or any online reporting events.

** This represents the total number of CAD events prioritized for an immediate police response, indicating the potential for extreme danger, catastrophic circumstances, injury, the threat of injury, death, and/or crime in progress.

Crime and Clearance

Violent Crimes

Table 2.1

Offences	2023	2024	2025	Clearance Rate
01 - Homicide	0	0	0	--
02 - Other Offences Causing Death	1	0	0	--
03 - Attempted Murder	0	2	0	--
04 - Sexual Offences	7	19	10	100.00%
05 - Assaults/Firearm Related Offences	36	52	55	92.73%
06 - Offences Resulting in the Deprivation of Freedom	0	2	0	--
07 - Robbery	0	2	0	--
08 - Other Offences Involving Violence or the Threat of Violence	23	30	33	66.67%
09 - Offences in Relation to Sexual Services	0	0	0	--
10 - Total Violent Crime	67	107	98	84.69%

Property Crimes

Table 2.2

Offences	2023	2024	2025	Clearance Rate
01 - Arson	1	0	0	--
02 - Break and Enter	5	15	10	40.00%
03 - Theft Over	5	13	7	57.14%
04 - Theft Under	29	36	24	16.67%
05 - Have Stolen Goods	4	5	2	100.00%
06 - Fraud	34	29	18	22.22%
07 - Mischief	22	41	24	41.67%
08 - Total Property Crime	100	139	85	32.94%

Other Criminal Code

Table 2.3

Offences	2023	2024	2025	Clearance Rate
01 - Illegal Gaming and Betting	0	0	0	--
02 - Offensive Weapons - Careless use of firearms	2	6	6	83.33%
03 - Failure to Comply - Judicial Orders/Unlawfully at Large	29	42	49	97.96%
04 - Disturb the Peace	5	6	1	100.00%
05 - Child Pornography	2	2	0	--
06 - Other Criminal Code (Ex. Traffic)	9	8	5	80.00%
07 - Total Other Criminal Code	47	64	61	95.08%

Drugs

Table 2.4

Offences	2023	2024	2025	Clearance Rate
01 - CDSA Possession	6	6	3	100.00%
02 - CDSA Trafficking	5	13	7	71.43%
03 - CDSA Importation & Production	0	0	1	0.00%
04 - Cannabis Possession	0	0	0	--
05 - Cannabis Distribution	0	0	0	--
06 - Cannabis Sale	0	0	0	--
07 - Cannabis Importation & Exportation	0	0	0	--
08 - Cannabis Production	0	0	0	--
09 - Other Cannabis Violations	0	0	0	--
10 - Total Drugs	11	19	11	72.73%

Federal Statutes

Table 2.5

Offences	2023	2024	2025	Clearance Rate
Federal Statutes	18	15	0	--

Traffic Violations

Table 2.6

Offences	2023	2024	2025	Clearance Rate
01 - Dangerous Operation	0	3	2	100.00%
02 - Flight from Peace Officer	0	1	4	100.00%
03 - Operation while Impaired/Low Blood Drug Concentration Violations	14	14	11	100.00%
04 - Failure or Refusal to Comply with Demand	0	1	1	100.00%
05 - Failure to Stop after Accident	0	0	1	0.00%
06 - Operation while Prohibited	1	3	5	100.00%
07 - Total	15	22	24	95.83%

Youth Crime

Table 2.7

Disposition Type	2023	2024	2025
Bail	0	0	0
Conviction	1	3	1
Diversions	0	0	1
Non-Conviction	3	6	18
Not Accepted	0	0	7
POA Ticket	0	8	4
NULL	0	6	23
Total	4	23	54

Victim Referrals

Table 2.8

Offences	2023	2024	2025
Sum of Offered	207	332	409
Sum of Accepted	43	86	135
Sum of Total	250	418	544
Sum of % Accepted	17.20%	20.57%	24.82%

Traffic and Road Safety

Motor Vehicle Collisions (MVC) by Type

Table 3.1

(Includes roadway, off-road and motorized snow vehicle collisions)

Offences	2023	2024	2025
Fatal Injury Collisions	6	2	2
Non-Fatal Injury Collisions	19	21	16
Property Damage Only Collisions	157	172	144
Alcohol-Related Collisions	3	7	3
Animal-Related Collisions	33	37	32
Speed-Related Collisions	27	36	30
Inattentive-Related Collisions	40	29	23
Persons Killed	7	2	3
Persons Injured	35	23	21

Primary Causal Factors in Fatal MVCs on Roadways

Table 3.2

Offences	2023	2024	2025
Fatal Roadway Collisions where Causal is Speed Related	2	1	0
Fatal Roadway Collisions where Causal is Alcohol/Drug Related	1	0	0
Persons Killed in Fatal Roadway Collisions where lack of Seatbelt/Helmet use is a Factor	1	0	0
Fatal Roadway Collisions where Causal is Inattentive Related	2	0	0
Fatal Roadway Collisions where Causal is Animal Related	0	0	1

Fatalities in Detachment Area

Table 3.3

Fatality Type	Category	2023	2024	2025
Roadway	Fatal Incidents	6	1	2
Roadway	Persons Killed	7	1	3
Roadway	Alcohol/Drug Related Incidents	1	0	0
Marine	Fatal Incidents	0	0	0
Marine	Persons Killed	0	0	0
Marine	Alcohol/Drug Related Incidents	0	0	0
Off-Road Vehicle	Fatal Incidents	0	1	0
Off-Road Vehicle	Persons Killed	0	1	0
Off-Road Vehicle	Alcohol/Drug Related Incidents	0	1	0
Motorized Snow Vehicle	Fatal Incidents	0	0	0
Motorized Snow Vehicle	Persons Killed	0	0	0
Motorized Snow Vehicle	Alcohol/Drug Related Incidents	0	0	0

Big 4

Table 3.4

Offences	2023	2024	2025
Distracted (HTA 78.1)	6	4	6
Impaired (CCC 320.14 & 320.15)	35	56	44
Seatbelt (HTA 106)	36	36	10
Speeding (HTA 128)	1,427	1,070	1,088

Charges**Table 3.5**

Offences	2023	2024	2025
HTA	2,134	1,873	2,054
Criminal Code Traffic	39	75	75
Criminal Code Non-Traffic	211	392	441
LLCA	22	10	23
Controlled Drug and Substance Act	21	78	31
Federal Cannabis Act	2	0	0
Provincial Cannabis Act	17	15	23
Other	126	144	129

Policing Hours

The OPP has developed a Service Delivery Model (SDM) in response to several reviews and audit recommendations. The SDM is designed to:

- Promote officer wellness through balanced workloads
- Determine adequate staffing levels at each detachment
- Ensure the continued delivery of adequate and effective policing services in accordance with the *Community Safety and Policing Act (CSPA)*

To support SDM implementation, the OPP is undertaking a multi-year staffing strategy to address required increases in detachment personnel. This model supports the OPP’s ability to:

- Respond effectively to increasing calls for service
- Maintain safe communities through proactive patrols and community engagement
- Meet municipal expectations for police visibility

To monitor progress and guide detachment-level planning, the OPP has established time allocation targets for provincial constables (Figure 1). These targets reflect how time should ideally be distributed by the end of the SDM staffing strategy.

The targets are based on a provincial average, and variations are expected between detachments due to differences in geography, operational structure, recruitment and leave of absence rates.

Detachments may face challenges in achieving these targets, but progress is expected as scheduling, data quality and strategic deployment continue to improve.




Figure 1: Service Delivery Model Provincial Target

Service Delivery Activity Allocations

Table 4.1

Calls for Service	Administrative Requirements	Proactive Patrol	Community Engagement
38.5%	40.6%	19.3%	1.6%

Hours (Field Personnel)

Table 4.2

	2023	2024	2025
TOTAL FRONTLINE HOURS	51,466	56,730	52,539

Endnotes

Tables 2.1, 2.2, 2.3, 2.4, 2.5, 2.6

Source: Niche Records Management System (RMS), (2026/02/24)

Note:

- Statistics Canada’s Uniform Crime Reporting Survey was designed to measure the incidence of crime in Canadian society and its characteristics.
- Reported, Unfounded, Actual, Not Cleared, Cleared by Charge and Cleared Otherwise counts (2023, 2024 and 2025) and Clearance Rate for 2025 included.
- Actual counts and Clearance Rate (2023, 2024 and 2025) included.
- The most serious violation methodology (MSV) is used, which is the same as Statistics Canada’s methodology. The MSV counts only the first of up to four offences per incident that occurred in the specific time range.
- First Nation population is not included.
- UCR Statistics Canada Verified (green checkmark) only.

Table 2.1 Violent Crimes

Corresponding Violation Description

01 Murder 1st Degree, Murder 2nd Degree, Manslaughter, Infanticide

02 Criminal Negligence Causing Death, Other Related Offences Causing Death

03 Attempted Murder, Conspire to Commit Murder

04 Sexual offence which occurred prior to January 4, 1983, Sexual Assault, Level 3, Aggravated, Sexual Assault, Level 2, Weapon or Bodily Harm, Sexual Assault, Level 1, Sexual Interference, Invitation to Sexual Touching, Sexual Exploitation, Sexual Exploitation of a Person with a Disability, Incest, Corrupting Morals of a Child, Making Sexually Explicit Material Available to Children, Parent or Guardian Procuring Sexual Activity, Householder Permitting Sexual Activity, Luring a Child via Computer, Agreement or Arrangement - Sexual Offence Against a Child, Bestiality - Commits, Compels Another Person, Bestiality in, Presence of, or Incites, a Child, Voyeurism, Non-Consensual Distribution of Intimate Images

05 Assault Level 3, Aggravated, Assault Level 2, Weapon/Bodily Harm, Assault Level 1, Unlawfully Causing Bodily Harm, Discharge Firearm with Intent, Using firearm/Imitation of Firearm in the Commission of an Offence, Pointing a Firearm, Assault, Peace-Public Officer, Assault Against Peace Officer with a Weapon or Causing Bodily Harm, Criminal Negligence Causing Bodily, Harm, Trap Likely to or Causing Bodily Harm, Other Assaults

06 Kidnapping, Forcible Confinement, Hostage Taking, Trafficking in Persons, Abduction Under 14, Not Parent/Guardian, Abduction Under 16, Removal of Children from Canada, Abduction Under 14 Contravening a Custody Order, Abduction Under 15 by Parent/Guardian

07 Robbery, Robbery to Steal Firearm

08 Extortion, Intimidation of a Justice System Participant or a Journalist, Intimidation of a Non-justice System Participant, Criminal Harassment, Indecent/Harassing Communications, Utter Threats to Person, Explosives Causing Death/Bodily Harm, Arson - Disregard for Human Life, Other Violations Against the Person, Failure to Comply with Safeguards (MAID), Forging/Destruction of Documents (MAID)

09 Obtaining Sexual Services for Consideration, Obtaining Sexual Services for Consideration from Person Under the Age of 18 Years, Material Benefit from Sexual Services, Material Benefit from Sexual Services Provided by Person Under the Age of 18 Years, Procuring, Procuring a Person Under the Age of 18 Years, Advertising Sexual Services

Table 2.2 Property Crimes

Corresponding Violation Description

01 Arson

02 Break & Enter, Break & Enter to Steal a Firearm, Break & Enter a Motor Vehicle (Firearm)

03 Theft over \$5000, Theft over \$5000 from a Motor Vehicle, Shoplifting over \$5000, Motor Vehicle Theft

04 Theft \$5000 or Under, Theft under \$5000 from a Motor Vehicle, Shoplifting \$5000 or Under

05 Trafficking in Stolen Goods over \$5000, Possession of Stolen Goods over \$5000, Trafficking in Stolen Goods \$5000 and Under, Possession of Stolen Goods \$5000 and Under

06 Fraud, Identity Theft, Identity Fraud

07 Mischief, Mischief to Cultural Property, Hate-motivated mischief relating to property used by identifiable group, Mischief Relating to War Memorials, Altering/Destroying/Removing a Vehicle Identification Number (VIN)

Table 2.3 Other Criminal Code

Corresponding Violation Description

01 Betting House, Gaming House, Other Violations Related to Gaming and Betting

02 Offensive Weapons: Explosives, Weapons Trafficking, Possession and Distribution of Computer Data (Firearm), Altering Cartridge Magazine, Weapons Possession Contrary to Order, Possession of Weapons, Unauthorized Importing/Exporting of Weapons, Firearms Documentation/Administration, Unsafe Storage of Firearms

03 Failure to Comply – Judicial Orders/Unlawfully at Large: bail violations, escape custody, fail to attend court, breach of probation

04 Disturb the Peace

05 Child Pornography: including making or distributing

06 Public Communications to Sell Sexual Services, Offences Related to Impeding Traffic to Buy or Sell Sexual Services, Counterfeiting, Indecent Acts, Voyeurism (Expired), Corrupting Morals, Lure child via Computer (Expired), Obstruct Public/Peace Officer, Trespass at Night, Threatening/Harassing Phone Calls (Expired), Utter Threats Against Property or Animals, Advocating Genocide, Public Incitement of Hatred, Promoting or Advertising Conversion Therapy, Unauthorized Recording of a Movie/Purpose of Sale, Rental, Commercial, Distribution, Offences Against Public Order (Part II CC), Property or Services for Terrorist Activities, Freezing of Property, Disclosure, Audit, Participate in Activity of Terrorist Group, Facilitate Terrorist Activity, Instruction/Commission of Act of Terrorism, Hoax – Terrorism, Advocating/Promoting Terrorism, Firearms and Other Offensive Weapons (Part III CC), Leave Canada to Participate in Activity of a Terrorist Group, Leave Canada to Facilitate Terrorist Activity, Leave Canada to Commit Offence for Terrorist Group, Leave Canada to Commit Offence that is Terrorist Activity, Harbour/Conceal Terrorist (Max = Life), Harbour/Conceal Terrorist (Max Does Not = Life), Harbour/Conceal Person Likely to Carry Out Terrorist Activity, Offences Against the Administration of Law and Justice (Part IV CC). Sexual Offences, Public Morals and Disorderly Conduct (Part V CC), Invasion of Privacy (Part VI CC), Failure to Comply with Regulations / Obligations for Medical Assistance in Dying (MAID), Other Offences Against the Person and Reputation, Offences Against the Rights of Property (Part IX CC), Fraudulent Transactions, Relating to Contracts and Trade (Part X CC), Offences Related to Currency, Proceeds of Crime (Part XII.2 CC), Attempts, Conspiracies, Accessories, Instruct Offence for Criminal Organization, Commit Offence for Criminal Organization, Participate in Activities of Criminal Organization, Recruitment of Members by a Criminal Organization, All Other Criminal Code (includes Part XII.1 CC)

Table 2.4 Drugs

Corresponding Violation Description

01 Possession – Heroin, Possession – Cocaine, Possession - Other Controlled Drugs and Substances Act, Possession - Methamphetamine (Crystal Meth), Possession - Methylenedioxyamphetamine (Ecstasy), Possession – Opioid (other than heroin)

02 Trafficking – Heroin, Trafficking – Cocaine, Trafficking - Other Controlled Drugs and Substances Act, Trafficking - Methamphetamine (Crystal Meth), Trafficking - Methylenedioxyamphetamine (Ecstasy), Trafficking – Opioid (other than heroin)

03 Import / Export – Heroin, Import / Export – Cocaine, Import / Export - Other Controlled Drugs and Substances Act, Import / Export - Methamphetamines (Crystal Meth), Import / Export - Methylenedioxyamphetamine (Ecstasy), Import/Export – Opioid (other than heroin), Production – Heroin, Production – Cocaine, Production - Other Controlled Drugs & Substances Act, Production - Methamphetamines (Crystal Meth), Production - Methylenedioxyamphetamine (Ecstasy), Production – Opioid (other than heroin), Possession, sale, etc., for use in production of or trafficking in substance

04 Possession of illicit or over 30g dried cannabis (or equivalent) by adult, Possession of over 5g dried cannabis (or equivalent) by youth, Possession of budding or flowering plants, or more than four cannabis plants, Possession of cannabis by organization

05 Distribution of illicit, over 30g dried cannabis (or equivalent), or to an organization, by adult, Distribution of cannabis to youth, by adult, Distribution of over 5g dried cannabis (or equivalent), or to an organization, by youth, Distribution of budding or flowering plants, or more than four cannabis plants, Distribution of cannabis by organization, Possession of cannabis for purpose of distributing

06 Sale of cannabis to adult, Sale of cannabis to youth, Sale of cannabis to an organization, Possession of cannabis for purpose of selling

07 Importation and exportation of cannabis, Possession of cannabis for purpose of exportation

08 Obtain, offer to obtain, alter or offer to alter cannabis, Cultivate, propagate or harvest cannabis by adult, Cultivate, propagate or harvest cannabis by youth or organization

09 Possess, produce, sell, distribute or import anything for use in production or distribution of illicit cannabis, Use of young person in the commission of a cannabis offence, Other Cannabis Act

Table 2.5 Federal Statutes

Corresponding Violation Description

Bankruptcy Act, Income Tax Act, Canada Shipping Act, Canada Health Act, Customs Act, Competition Act, Excise Act, Youth Criminal Justice Act (YCJA), Immigration and Refugee Protection Act, Human Trafficking (involving the use of abduction, fraud, deception or use of threat), Human Smuggling fewer than 10 persons, Human Smuggling 10 persons or more, Firearms Act, National Defence Act, Emergencies Act, Quarantine Act, Other Federal Statutes

Table 2.6 Traffic Violations

Corresponding Violation Description

01 Dangerous Operation Causing Death, Dangerous Operation Causing Bodily Harm, Dangerous Operation

02 Flight from Peace Officer

03 Operation - low blood drug concentration, Operation while impaired causing death (alcohol), Operation while impaired causing death (alcohol and drugs), Operation while impaired causing death (drugs), Operation while impaired causing death (unspecified), Operation while impaired causing bodily harm (alcohol), Operation while impaired causing bodily harm (alcohol and drugs), Operation while impaired causing bodily harm (drugs), Operation while impaired causing bodily harm (unspecified), Operation while impaired (alcohol), Operation while impaired (alcohol and drugs), Operation while impaired (drugs), Operation while impaired (unspecified)

04 Failure or refusal to comply with demand (alcohol), Failure or refusal to comply with demand (alcohol and drugs), Failure or refusal to comply with demand (drugs), Failure or Refusal to Comply with Demand (unspecified), Failure or refusal to comply with demand, accident resulting in bodily harm (alcohol), Failure or refusal to comply with demand, accident resulting in bodily harm (alcohol and drugs), Failure or refusal to comply with demand, accident resulting in bodily harm (drugs), Failure or refusal to comply with demand, accident resulting in bodily harm (unspecified), Failure or refusal to comply with demand, accident resulting in death (alcohol), Failure or refusal to comply with demand, accident resulting in death (alcohol and drugs), Failure or refusal to comply with demand, accident resulting in death (drugs), Failure or refusal to comply with demand, accident resulting in death (unspecified)

05 Failure to stop after accident resulting in death, Failure to stop after accident resulting in bodily harm, Failure to stop after accident, Operation while prohibited

06 Operation while Prohibited

Table 2.7 Youth Crime

Source: Niche Records Management System (RMS), (2026/03/06)

Note:

- Youth Charges by Disposition Type
- Only charges that have had a disposition type recorded in the OPP Niche RMS application are included.
- Youth charges without a disposition type are not included which may result in under stating the actual youth charges.
- "NULL" represents blanks, or where officers did not indicate the Disposition Type, however charges were applied.

Table 2.8 Victim Referrals

Source: Niche Records Management System (RMS), (2026/03/06)

Note:

- Number of Referrals to Victim Service Agencies

Table 3.1 Motor Vehicle Collisions (MVC) by Type

Source: Ontario Provincial Police, Collision Reporting System (CRS), (2026/02/24)

Note:

- Total Motor Vehicle Collisions (Fatal Injury, Non-Fatal Injury and Property Damage Only): Reportable Fatal Injury, Non-Fatal Injury and Property Damage Only Collisions entered into the eCRS for All Motorized Vehicles (MVC-Roadway, MSV- Snowmobile and ORV-Off Road Report Type) regardless of completion/approval status.
- Alcohol/Drug Related Collisions: Reportable MVC collisions where Alcohol/Drug Involved field indicated as Yes OR Contributing Factor scored as Ability Impaired (Alcohol or Drug) OR Driver Condition reported as Had Been Drinking or Ability Impaired.
- Animal Related Collisions: Reportable MVC collisions where Contributing Factor scored as Animal OR Wildlife Involved was an Animal OR Sequence of Events was an Animal.
- Speed Related Collisions: Reportable MVC collisions where Contributing Factor scored as Excessive Speed or Speed Too Fast For Conditions OR Driver Action reported as Exceeding Speed Limit or Speed Too Fast For Conditions.
- Inattentive Related Collisions: Reportable MVC collisions where Contributing Factor scored as Inattentive OR Driver Condition reported as Inattentive.
- Persons Killed or Injured: Number of Persons Injured or Killed in Reportable MVC collisions.

Table 3.2 Primary Causal Factors in Fatal MVCs on Roadways

Source: Ontario Provincial Police, Collision Reporting System (CRS), (2026/02/24)

Note:

- Fatal Roadway Collisions where Causal is Speed Related: Reportable Fatal Roadway Collisions where Contributing Factor scored as Excessive Speed or Speed Too Fast For Conditions OR Driver Action reported as Exceeding Speed Limit or Speed Too Fast For Conditions.
- Fatal Roadway Collisions where Causal is Alcohol/Drug Related: Reportable Fatal Roadway Collisions where Contributing Factor where Alcohol/Drug Involved field indicated as Yes OR Contributing Factor scored as Ability Impaired (Alcohol or Drug) OR Driver Condition reported as Had Been Drinking or Ability Impaired.
- Persons Killed in Fatal Roadway Collisions where lack of Seatbelt/Helmet use is a Factor: Persons Killed in Reportable Fatal Roadway Collisions where Victim is fatally injured AND a vehicle occupant AND where safety equipment reported to be not used but available.
- Fatal Roadway Collisions where Causal is Inattentive Related: Reportable Fatal Roadway Collisions where Contributing Factor scored as Inattentive OR Driver Condition reported as Inattentive.
- Fatal Roadway Collisions where Causal is Animal Related: Reportable Fatal Roadway Collisions where Contributing Factor scored as Animal OR Wildlife Involved was an Animal OR Sequence of Events was an Animal.

Table 3.3 Fatalities in Detachment Area

Source: Ontario Provincial Police, Collision Reporting System (CRS), (2026/02/24)

Note:

- Fatal Incidents: Reportable Fatal Collisions by Report Type (Roadway, Marine, Off-Road Vehicle, Motorized Snow Vehicle).
- Persons Killed: Number of Involved Persons where Injury is fatal by Report Type (Roadway, Marine, Off-Road Vehicle, Motorized Snow Vehicle).
- Alcohol/Drug Related Incidents: Reportable Fatal Collisions by Report Type (Roadway, Marine, Off-Road Vehicle, Motorized Snow Vehicle) where Alcohol/Drug Involved field indicated as Yes OR Contributing Factor scored as Ability Impaired (Alcohol or Drug) OR Driver Condition reported as Had Been Drinking or Ability Impaired.

Table 3.4 Big 4

Source: Niche Records Management System (RMS) & eTicket, (2026/02/24)

Note:

- Speeding (HTA 128): Charges are based on date charged. Speeding = HTA s.128 charges.
- Seatbelt (HTA 106): Charges are based on date charged. Seatbelt = HTA s.106 charges.
- Distracted (HTA 78.1): Charges are based on date charged. Distracted = HTA s.78.1 charges.
- Impaired (CCC 320.14 & 320.15): Charges are based on date charged. Impaired = CCC s.320.14 & 320.15 charges.

Table 3.5 Charges

Source: Niche Records Management System (RMS) & eTicket, (2026/02/24)

Note:

- HTA: Charges are based on date charged. Highway Traffic Act Statute charges.
- Criminal Code Traffic: Charges are based on date charged. Criminal Code Traffic (CCC s320.13, 320.14, 320.15, 320.16, 320.17 & 320.18) charges.
- Criminal Code Non-Traffic: Charges are based on date charged. All CCC charges not included in the Criminal Code Traffic section above.
- LLCA: Charges are based on date charged. Liquor Licence and Control Act charges.
- Federal Cannabis Act: Charges are based on date charged. Cannabis Act charges.
- Provincial Cannabis Act: Charges are based on date charged. Cannabis Control Act charges.
- Controlled Drug and Substance Act: Charges are based on date charged. Controlled Drug and Substance Act charges.
- Other: Charges are based on date charged. "Other" charges is comprised of CAIA, Other Provincial & Federal Offences not already captured in sections above.

Table 4.1 Service Delivery Activity Allocations

Source: Daily Activity Reporting (DAR) System

Date: January 12, 2026

Note: Activity allocation percentages are based on the total reported hours of detachment provincial constables performing duties within their home detachment location.

Table 4.2 Hours (Field Personnel)

Source: Daily Activity Reporting (DAR) System

Date: March 06, 2026

Note:

- Total reported hours, excluding paid duties.
- Includes Provincial Constable to Sergeant ranks only.
- Excludes First Nations badge numbers.
- Excludes administrative accounts and joint services accounts.
- Excludes incomplete DAR entries and those with errors.
- Excludes General Headquarters location codes.

CONTACT THE OPP

Know your location - be ready to describe the situation and your location. Look for addresses, landmarks and buildings that may help identify your location.

REACH THE OPP BY PHONE

- Call 9-1-1 if there is an immediate risk to someone's life or property
 - to stop or report a crime in progress
 - to report a fire
 - to report a life-threatening medical emergency
 - Don't hang up, stay on the line
- To report non-life-threatening incidents that require a police response, use the non-emergency line (1-888-310-1122) or go to opp.ca/reporting
- TTY 1-888-310-1133 or agent 511 for registered subscribers may be used for individuals in the Deaf, Hard of Hearing and Speech Impaired (DHHSI) community to contact police
- For all administrative inquiries or to schedule an appointment, find contact information for your local detachment at opp.ca/detachments

PROVIDE AN ANONYMOUS TIP

- Call Crime Stoppers at 1-800-222-8477 (TIPS) or visit www.crimestoppers.ca

REPORT AN INCIDENT ONLINE

- The OPP offers online reporting for minor, non-emergency occurrences in areas of OPP jurisdiction. opp.ca/reporting allows you to submit a report without visiting or calling.
- Use the online reporting tool for:
 - Theft Under \$5,000
 - Mischief / Damage to Property Under \$5,000
 - Mischief / Damage to Vehicle Under \$5,000
 - Theft from Vehicle Under \$5,000
 - Lost / Missing Property Under \$5,000, including a licence plate(s) or validation sticker(s)
 - Driving Complaints

If you are reporting an emergency, call 9-1-1.

#KNOWWHENTOCALL

9-1-1 is for emergencies only: If there is an immediate risk to someone's life or property.

- ✓ a crime in progress
- ✓ a fire
- ✓ a life-threatening medical emergency

Dialed 9-1-1 accidentally? #Be911Ready. Don't hang up, stay on the line and speak with an OPP Communicator to confirm there's no emergency.

The misuse of 911 ties up emergency lines, communicators and officers, which can result in a slower response to a real emergency and risks the safety of people who may need urgent help.

It is against the law to call 9-1-1 as a joke. Prank 9-1-1 calls can be dangerous and waste valuable emergency resources.

**DETACHMENT BOARD
ANNUAL REPORT**

2025



**NIPIGON
DETACHMENT**

422 Hwy 11 & 17
Nipigon, ON
P0T 2J0

Tel: 807-887-2637
Fax: 807-887-2399

Follow us on



Township of Terrace Bay*Attention: Ryan Falzetta*

1 Selkirk Avenue

Terrace Bay, ON P0T 2W0

RE: Annual Corrosion Control Reporting – Summary Letter

Good day Ryan,

Please consider this letter as a summary of the corrosion control assessment completed for the Township of Terrace Bay. We are pleased to submit this summary letter to Township of Terrace Bay (the “client”) to complete the 2025 annual corrosion control reporting. The intent of the corrosion control reporting is to document the effectiveness of the corrosion control measures in place, using the data collected and provided by the client.

1.0 OWNERS TECHNICAL EVALUATION OF CORROSION CONTROL METHOD EFFECTIVENESS

Greenstone was provided with the 2025 sample data, as well as the historical sample results, by the client. In 2025, spring samples were collected by the client between March 25 and 26, 2025, and fall samples were collected by the client between September 9 and 10, 2025. All analytical results were compared against the following Ministry of Environment, Conservation and Parks (MECP) standards and guidelines:

- Ontario Drinking Water Quality Standards (ODWQS) based on Government of Ontario documents entitled "*O. Reg. 169/03: Ontario Drinking Water Quality Standards*" under Safe Drinking Water Act, 2002, S.O. 2002, c. 32
- "*Technical Support Document for Ontario Drinking-Water Quality Standards, Objectives and Guidelines*" dated June 2003, revised June 2006.

All water samples collected and submitted for laboratory analysis met the maximum allowable concentrations noted within the ODWQS for all parameters with the exception of the following:

- The water sample collected and submitted from residential address 24 Birch Crescent, exceeded the ODWQS for lead (0.01 mg/L) during the initial litre sample (0.0102 mg/L).

Concentrations of parameters assessed during this investigation compared to the ODWQS are provided in Table 2. Tables summarizing 2025 and historical data are provided in Appendix C.

Lead concentrations at several residential historical sampling points have appeared to spike during the fall sampling period while remaining below ODWQS in the spring. In 2024 this trend was observed at 24 Birch Crescent, though a fall sample could not be collected in 2025 to confirm continuation of the trend. A spike in lead concentrations may be indicative of an increase in lead dissolution as water temperatures

relatively increase in the fall. Historically, this information has been confirmed by temperature data collected by Ontario Clean Water Agency personnel at the water treatment plant (WTP). This is also true for water leaving the WTP, which has been observed to have 10°C difference from spring to fall. Lead levels at the point of entry and distribution system have typically been non-detectable.

2.0 SUMMARY OF LEAD AND OTHER METAL CONCENTRATIONS

A summary of the 2025 laboratory analysis is included in Table 1. A summary of all historical (2013-2025) laboratory analysis is included in Table 2. Trend Analysis Graphs 1 to 3 illustrate lead, pH and phosphate change over time data using both historical and 2025 analytical data. These graphs are included in Appendix B.

In 2024, Kontzamanis Graumann Smith MacMillian Inc. (KGS Group) indicated sites of future regulatory concern would include: 8 Birch Crescent, 24 Birch Crescent, 50 Hudson Drive, 79 Hudson Drive, 63 Kenogami Drive, 15 Kenogami Drive, and 51 Laurier Avenue. Three of the proposed locations were sampled as part of the 2025 program: 24 Birch Crescent, 15 Kenogami Drive, and 50 Hudson Drive. 15 Kenogami Drive and 50 Hudson Drive both produced samples with concentrations meeting ODWQS. 24 Birch Crescent had an exceedance of lead during the spring sample event and was not sampled during the fall sample event.

No exceedances were observed at any property which did not have a historical exceedance, during the 2025 monitoring period. It must be noted that lead concentrations in the water sample collected at 24 Birch Crescent exceeded the OWDQS in the first litre sampled during the 2025 spring sampling event.

3.0 EVALUATION OF SECONDARY IMPACTS

On November 14, 2025, the Ontario Clean Water Agency (OCWA) received a community complaint. The residents of 35 Terrace Heights reported that their drinking water had a sewage odour. It was reported that the odour occurred periodically and was not present at the time of inspection. A chlorine residual of 1.09 mg/L was measured during this inspection on the same day the call was made. On November 17, 2025, a bacterial sample was collected and results returned November 20, 2025 indicated absence of E. Coli and total coliforms. Complaint form concluded the odour was likely due to a lack of P-trap under the tub drain, not due to OCWA facility or activity.

No other complaints were received in 2025. No secondary impacts have been identified. A copy of the complaint is included in Appendix B.

4.0 SUMMARY OF OTHER MITIGATION MEASURES IMPLEMENTED

Terrace Bay implemented and began annual sampling for specific contaminants of potential concern (COPCs), including lead, alkalinity, iron, manganese, phosphate, and pH. Over the last thirteen years of monitoring, the only COPC with a recorded exceedance has been lead. Multiple sample properties with historical lead exceedances have resulted in reduced concentrations over subsequent sample events.

In 2024, 24 Birch Crescent was within an acceptable range during the spring sampling event, but was the only property sampled with a resulting lead exceedance during fall sampling event. In 2025, 24 Birch Crescent had a lead exceedance during the spring sampling. It was not sampled in the fall and no other sample exceeded ODWQS in 2025.

Event	Lead Results		ODWQS
	First Litre	Second Litre	
2024 (Spring)	0.011 mg/L	0.0108 mg/L	0.01 mg/L
2025 (Spring)	0.0102 mg/L	0.0078 mg/L	

Given that lead concentrations at 24 Birch Crescent exceeded the ODWQS during both the 2024 and 2025 sampling events, and consistent with the recommendations in the 2024 Annual Corrosion Control Report, Greenstone recommends that a commercially available under-tap carbon filter be installed at this location. Greenstone recommends that lead concentrations be reassessed following the installation of the filter.

As discussed in the 2024 Annual Corrosion Control report completed by KGS Group, consideration should be given to the possibility of acceptable lead concentrations being decreased from 0.01 mg/L to the Health Canada’s Canadian Drinking Water Guideline of 0.005 mg/L. The client should review available short- and long-term mitigation measures should this reduction take place.

5.0 CLOSING

All water samples collected during the 2025 Corrosion Control investigation met the applicable ODWQS for lead, alkalinity, iron, manganese, phosphate, and pH, except for the first-litre sample collected at 24 Birch Crescent on March 26, 2025 which exceed the ODWQS for lead.

Greenstone recommends the corrosion control program continue in 2026 with an effort to keep sampling locations and sampling periods (March/April and September/October) to compare to the available historical data. It is also recommended that efforts are taken to include the following residential addresses to the 2026 sampling program as they have experienced historical lead exceedances: 51 Laurier Avenue, 63 Kenogami Drive, 79 Hudson Drive, and 8 Birch Crescent.

Based upon the review and evaluation of the results of this investigation, it has been determined that the Corrosion Control methods put in place by the Township of Terrace Bay are generally effective at this time. Given that lead concentrations at 24 Birch Crescent have exceeded ODWQS levels during the 2024 and 2025 sampling events, Greenstone recommends that a commercially available under the tap carbon filter be installed at this location. Furthermore, lead concentrations should be reassessed following the installation of the filter.



Greenstone Project: 26091.01
June 5, 2026

If you wish to discuss any aspect of this letter, please contact us at your convenience.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Alex Duchesne", with a long horizontal flourish extending to the right.

Alex Duchesne, M.E.Sc., P. Eng., QP_{ESA}
Project Manager
alexandra@greenstoneengineering.ca
705-688-4587

APPENDICES

APPENDIX A – SUMMARY TABLES

TABLE 1 - 2024 AND 2025 WASTEWATER MONITORING DATA
Corrosion Control Report
Terrace Bay, Ontario

Street Address (for plumbing samples)	Date Sampled (dd/mm/yyyy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
1 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	28	<20	<1	<1	1.53	7.28	13.1	-
1 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	<20	<1	1	1.59	7.12	17.2	-
10 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	31	<20	<1	<1	1.68	7.34	7.5	-
10 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	50	59	72	1	1	1.60	7.13	15.4	-
1008 Highway 17	25/03/2025	kitchen tap	non-residential	<0.0001	<0.0001	49	68	62	<1	<1	1.64	7.29	5.0	-
1008 Highway 17	09/09/2025	kitchen tap	non-residential	<0.0001	<0.0001	51	<20	<20	<1	<1	1.47	7.20	15.0	-
1151 Highway 17	26/03/2025	kitchen tap	non-residential	<0.0001	<0.0001	48	<20	<20	<1	<1	1.64	7.42	5.6	-
1151 Hwy 17	10/09/2025	kitchen tap	non-residential	<0.0001	<0.0001	52	<20	<20	<1	<1	1.44	7.30	12.3	-
12 Terrace Heights	25/03/2025	kitchen tap	residential	0.0001	0.0001	49	69	58	<1	<1	1.54	7.50	7.1	-
12 Terrace Heights	09/09/2025	kitchen tap	residential	0.0002	0.0001	51	<20	<20	<1	<1	1.44	7.17	14.4	-
13 Elizabeth Ave	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	51	<20	<20	<1	<1	1.48	7.2	17.5	-
15 Kenogami Road	26/03/2025	kitchen tap	residential	0.0006	0.0008	48	<20	57	<1	<1	1.76	7.39	13.6	-
15 Kenogami Road	10/09/2025	kitchen tap	residential	0.0009	0.0008	51	<20	<20	<1	<1	1.53	7.21	19.2	-
15 Pine Crescent	25/03/2025	kitchen tap	residential	0.0026	0.0018	49	170	86	2	2	1.52	7.38	19.6	-
15 Pine Crescent	09/09/2025	kitchen tap	residential	0.0014	0.0022	52	201	190	2	2	1.45	7.19	16.5	-
2 Kenogami Road	25/03/2025	kitchen tap	residential	0.0018	0.0050	54	54	50	<1	<1	1.81	7.28	10.2	-
2 Kenogami Road	09/09/2025	kitchen tap	residential	0.0018	0.0076	54	<20	<20	<1	<1	1.37	7.19	16.0	-
24 Birch Crescent	26/03/2025	kitchen tap	residential	0.0102	0.0078	49	100	2	95	2	1.72	7.32	15.7	-
25 Birch Crescent	25/03/2025	kitchen tap	residential	0.0001	0.0001	59	217	180	2	2	1.39	7.3	5.5	-
25 Birch Crescent	09/09/2025	kitchen tap	residential	0.0001	0.0001	52	48	51	2	2	1.59	7.2	16.4	-
25 Elizabeth Ave	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	<20	<1	<1	1.63	7.27	7.9	-
28 Parkway Place	25/03/2025	kitchen tap	residential	<0.0001	<0.0001	57	<20	60	<1	<1	2.10	7.2	10.6	-
3 Strathcona	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	53	<20	<20	1	1	1.59	7.2	18.5	-
33 Elizabeth Ave	26/03/2025	hydrant	distribution	<0.0001	-	48	26	-	1	-	1.7	7.17	6.2	-
33 Elizabeth Ave	10/09/2025	hydrant	distribution	<0.0001	-	53	<20	-	1	-	1.4	7.15	12.9	-
35 Terrace Heights- Hydrant	25/03/2025	hydrant	distribution	<0.0001	-	49	59	-	<1	-	1.63	7.36	3.9	-
35 Terrace Heights	09/09/2025	hydrant	distribution	<0.0001	-	51	<20	-	<1	-	1.43	7.20	12.8	-
41 Kenogami Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	49	52	53	<1	<1	1.72	7.20	9.3	-
41 Kenogami Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	50	<20	<20	<1	<1	1.44	7.10	15.7	-
42 Hudson Drive	25/03/2025	kitchen tap	residential	0.003	0.0019	50	25	26	<1	<1	1.44	7.17	5.3	-
42 Hudson Drive	09/09/2025	kitchen tap	residential	0.003	0.0025	49	<20	<20	<1	<1	1.57	7.15	16.2	-
48 Lakeview Drive	26/03/2025	kitchen tap	residential	0.0003	0.0001	48	<20	<20	<1	<1	1.76	7.33	16.6	-
48 Lakeview Drive	10/09/2025	kitchen tap	residential	0.0002	<0.1	48	<20	<20	<1	<1	1.58	7.14	19.6	-
50 Hudson Drive	25/03/2025	kitchen tap	residential	0.0004	0.0011	77	64	61	<1	<1	1.75	7.34	9.1	-
50 Hudson Drive	09/09/2025	kitchen tap	residential	0.0003	0.0011	53	<20	72	<1	<1	1.61	7.16	15.8	-
50 Superior Ave	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	50	44	40	<1	<1	1.64	7.29	10.2	-
50 Superior Avenue	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	52	<20	<20	<1	1	1.63	6.92	16.9	-
59 Kenogami Road	26/03/2025	hydrant	distribution	<0.0001	-	73	69	-	1	-	1.42	7.26	13.6	-
59 Kenogami Road	10/09/2025	hydrant	distribution	<0.0001	-	57	<20	-	<1	-	1.42	7.1	13.6	-
60 Laurier Ave	25/03/2025	kitchen tap	residential	0.0005	0.0009	48	47	48	<1	<1	1.58	7.29	6.2	-
60 Laurier Ave	09/09/2025	kitchen tap	residential	0.0008	0.0011	51	<20	<20	<1	<1	1.43	7.19	16.0	-
64 Hudson Drive	25/03/2025	kitchen tap	residential	0.0002	0.0001	50	48	58	<1	<1	1.47	7.25	4.7	-
64 Hudson Drive	09/09/2025	kitchen tap	residential	0.0016	0.0028	50	<20	<20	<1	<1	1.46	7.18	16.1	-
64 Hudson Drive	25/03/2025	hydrant	distribution	<0.0001	-	49	<20	-	<1	-	1.81	7.28	5.4	-
64 Hudson Drive	09/09/2025	hydrant	distribution	<0.0001	-	50	<20	-	<1	-	1.40	7.26	11.0	-
8 Timbergrove Crt	09/09/2025	kitchen tap	residential	<0.0001	<0.0001	53	<20	<20	<1	<1	1.44	7.2	18.1	-
81 Terrace Heights	25/03/2025	kitchen tap	residential	<0.0001	0.0001	51	110	100	<1	<1	2.02	7.31	12.6	-
81 Terrace Heights	09/09/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	62	<1	<1	1.47	7.22	16.1	-
87 Lakeview Drive	26/03/2025	kitchen tap	residential	<0.0001	0.0006	49	25	<20	<1	<1	1.7	7.26	16.8	-
87 Lakeview Drive	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	55	<20	<20	<1	<1	1.6	7.21	20.1	-
9 Princess Ave	26/03/2025	kitchen tap	residential	0.0001	<0.0001	55	<20	<1	70	<1	1.63	7.29	9.5	-
9 Princess Ave	10/09/2025	kitchen tap	residential	0.0003	0.0002	52	<20	39	1	<1	1.61	7.14	18.1	-
WTP- POE	25/03/2025	other (specify)	distribution	<0.0001	-	49	49	-	<1	-	1.55	7.6	3.9	-
WTP- POE	09/09/2025	other (specify)	distribution	<0.0001	-	52	<20	-	<1	-	1.33	7.4	10.1	-

TABLE 2 - HISTORICAL WASTEWATER MONITORING DATA
Corrosion Control Report
Terrace Bay, Ontario

Street Address (for plumbing samples)	Date Sampled (dd/mm/yyyy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (µg/L)		Manganese Results (µg/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments	
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)					
10 Elizabeth	13/04/2016	kitchen tap	residential	<0.001	<0.001	44.4	<50	<50	<1.0	<1.0	1.66	7.3	-	-	
10 Elizabeth	05/10/2016	kitchen tap	residential	<0.001	<0.001	48.2	<50	<50	<1.0	<1.0	1.51	7.29	-	-	
10 Elizabeth	05/04/2017	kitchen tap	residential	<0.001	<0.001	49.2	57	57	1.1	1.1	1.6	7.55	4.5	-	
10 Elizabeth	06/10/2017	kitchen tap	residential	<0.001	<0.001	50.9	<50	<50	<1.0	<1.0	1.17	6.77	15.7	-	
10 Elizabeth	11/04/2018	kitchen tap	residential	<0.001	<0.001	47.2	52	<50	1.2	1.2	1.47	7.31	3.2	-	
10 Elizabeth	02/10/2018	kitchen tap	residential	<0.001	<0.001	48.6	51	<50	1.1	1.2	1.53	7.35	14.2	-	
10 Elizabeth	03/04/2019	kitchen tap	residential	<0.001	<0.001	45.5	<50	<50	<1.0	<1.0	1.53	7.2	3.9	-	
10 Elizabeth	31/03/2021	kitchen tap	residential	0.0124	<0.001	49.6	<50	<50	<1.0	<1.0	1.48	7.55	4.7	-	
10 Elizabeth	20/12/2021	kitchen tap	residential	<0.001	<0.001	104	53	51	1.8	1.9	1.8	7.46	8.2	-	
10 Elizabeth	06/04/2022	kitchen tap	residential	<0.001	<0.001	47	<50	<50	1.1	1.2	1.47	7.35	3.8	-	
10 Elizabeth	31/08/2022	kitchen tap	residential	<0.001	<0.001	58.2	52	52	1.9	1.9	1.61	7.38	15.4	-	
10 Elizabeth	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.6	<50	<50	<1.0	<1.0	1.52	7.48	5.2	-	
10 Elizabeth	27/09/2023	kitchen tap	residential	<0.001	<0.001	47.1	85	88	1.4	1.4	1.59	7.39	15.6	-	
10 Elizabeth	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	64	51	55	<1	<1	1.48	7.35	13.2	-	
10 Elizabeth	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	64	51	55	<1	<1	1.48	7.35	13.2	-	
1 Fort Gary Rd	01/09/2022	kitchen tap	residential	<0.001	<0.001	45	72	<50	2.2	<1.0	1.66	7.36	17.7	-	
1 Fort Gary Rd	30/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.54	7.61	2.7	-	
1 Fort Gary Rd	28/09/2023	kitchen tap	residential	<0.001	<0.001	46.6	<50	<50	1.1	1.3	1.45	7.54	16.8	-	
1 Fort Gary Rd	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	65	56	50	<1	<1	1.59	7.15	5.2	-	
1 Fort Gary Rd	26/09/2024	kitchen tap	residential	<0.0001	<0.0001	56	100	80	1	1	1.58	7.16	18.2	-	
1 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	38	<20	<1	<1	1.57	7.29	12.1	-	
1 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	<20	<1	1	1.59	7.12	13.2	-	
10 Fort Gary Rd	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	7.4	-	-	
10 Fort Gary Rd	03/04/2014	kitchen tap	residential	<0.001	<0.001	49	-	-	-	-	0.88	8.1	-	-	
10 Fort Gary Rd	01/08/2014	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	0.85	8.2	-	-	
10 Fort Gary Rd	29/05/2014	kitchen tap	residential	<0.001	<0.001	47.4	-	-	-	-	-	8.3	-	-	
10 Fort Gary Rd	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.4	-	-	-	-	0.9	8	-	-	
10 Fort Gary Rd	15/04/2015	kitchen tap	residential	<0.001	<0.001	45.8	<50	<50	<1.0	<1.0	1.63	7.4	-	-	
10 Fort Gary Rd	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.7	<50	<50	<1.0	<1.0	1.68	7.2	-	-	
10 Fort Gary Rd	04/05/2017	kitchen tap	residential	<0.001	<0.001	47.9	67	66	1.1	1.1	1.6	7.47	3.7	-	
10 Fort Gary Rd	04/10/2017	kitchen tap	residential	<0.001	<0.001	52	60	60	1.2	1.2	1.16	6.99	14.2	-	
10 Fort Gary Rd	02/10/2018	kitchen tap	residential	<0.001	<0.001	48.2	144	143	2.9	2.7	1.65	7.31	14.1	-	
10 Fort Gary Rd	03/04/2019	kitchen tap	residential	<0.001	<0.001	45	<50	<50	1.5	1.5	1.51	7.23	2.5	-	
10 Fort Gary Rd	02/10/2019	kitchen tap	residential	<0.001	<0.001	50.2	85	86	2	2.2	1.75	7.16	14.6	-	
10 Fort Gary Rd	01/04/2021	kitchen tap	residential	0.0036	<0.001	75.9	<50	<50	<1.0	<1.0	1.44	7.46	3.8	-	
10 Fort Gary Rd	31/10/2013	kitchen tap	residential	<0.001	<0.001	49.4	<50	<50	<1.0	<1.0	1.1	7.9	8.9	17.4	
10 Fort Gary Rd	06/04/2022	kitchen tap	residential	<0.001	<0.001	47.3	81	83	1.9	2.1	1.69	7.4	3.1	-	
10 Fort Gary Rd	31/08/2022	kitchen tap	residential	<0.001	<0.001	37.6	<50	66	2.8	2.9	1.57	7.47	15.1	-	
10 Fort Gary Rd	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.46	7.49	3.6	-	
10 Fort Gary Rd	27/09/2023	kitchen tap	residential	<0.001	<0.001	47.3	66	66	1.6	1.6	1.58	7.39	14.7	-	
10 Fort Gary Rd	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	80	94	94	2	2	1.48	7.27	5.4	-	
10 Fort Gary Rd	26/09/2024	kitchen tap	residential	0.0002	<0.001	57	130	95	2	2	1.52	7.27	17	-	
10 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	48	48	<1	<1	1.48	7.34	8	-	
10 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	50	59	72	1	1	1.60	7.13	15	-	
10 Kemogami	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.45	7.31	14.6	-	
10 Kemogami	27/09/2023	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<1.0	<1.0	1.53	7.41	14.8	-	
10 Kemogami	26/03/2024	kitchen tap	residential	<0.0001	<0.0001	41	35	37	<1	<1	1.57	7.06	7.8	-	
100 Lakeview Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	-	2.33	-	-	
100 Lakeview Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	47.5	-	-	-	-	-	1.15	8.2	-	
100 Lakeview Drive	25/07/2013	kitchen tap	residential	0.0012	<0.001	45.9	-	-	-	-	1.54	-	-	-	
100 Lakeview Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	-	0.84	-	-	
100 Lakeview Drive	29/08/2013	kitchen tap	residential	0.0011	<0.001	44.7	-	-	-	-	-	0.95	8	-	
100 Lakeview Drive	26/09/2013	kitchen tap	residential	0.0015	<0.001	50	-	-	-	-	-	0.97	7.8	-	
100 Lakeview Drive	31/10/2013	kitchen tap	residential	<0.001	<0.001	50	-	-	-	-	-	1.45	7.8	-	
100 Lakeview Drive	28/11/2013	kitchen tap	residential	0.0013	<0.001	46	-	-	-	-	-	0.95	7.85	3.4	
100 Lakeview Drive	19/12/2013	kitchen tap	residential	0.0014	<0.001	46	-	-	-	-	-	1.09	8.1	-	
1004 Hwy 17	18/07/2013	bathroom tap	non-residential	0.0026	<0.001	47.9	-	-	-	-	-	1.18	8.2	-	Same as 1004 Hwy 17.
1004 Hwy 17	25/07/2013	kitchen tap	non-residential	0.001	<0.001	44.2	-	-	-	-	-	1.18	-	-	-
1004 Hwy 17	01/08/2013	kitchen tap	non-residential	0.0014	<0.001	45.9	-	-	-	-	-	0.72	-	-	-
1004 Hwy 17	29/08/2013	kitchen tap	non-residential	0.0017	<0.001	45.5	-	-	-	-	-	0.87	8	-	-
1004 Hwy 17	26/09/2013	kitchen tap	non-residential	0.0015	<0.001	48	-	-	-	-	-	0.98	7.8	-	-
1004 Hwy 17	31/10/2013	kitchen tap	non-residential	0.0017	<0.001	47	-	-	-	-	-	1.13	7.8	-	-
1004 Hwy 17	28/11/2013	kitchen tap	non-residential	0.0021	<0.001	43	-	-	-	-	-	0.93	7.8	-	-
1004 Hwy 17	19/12/2013	kitchen tap	non-residential	0.0014	<0.001	44	-	-	-	-	-	1.22	8.1	-	-
1008 Hwy 17	04/03/2014	kitchen tap	non-residential	<0.001	<0.001	49	-	-	-	-	-	0.86	8.1	-	-
1008 Hwy 17	01/05/2014	kitchen tap	non-residential	<0.001	<0.001	46.3	-	-	-	-	-	1.21	8.3	-	-
1008 Hwy 17	29/05/2014	kitchen tap	non-residential	<0.001	<0.001	45.7	-	-	-	-	-	1.02	8.3	-	-
1008 Hwy 17	07/10/2014	kitchen tap	non-residential	<0.001	<0.001	44	-	-	-	-	-	0.9	8	-	-
1008 Hwy 17	15/04/2015	kitchen tap	non-residential	<0.001	<0.001	46.3	<50	<50	1.3	<1.0	1.44	7.6	-	-	
1008 Hwy 17	10/07/2015	kitchen tap	non-residential	<0.001	<0.001	49	<50	<50	<1.0	<1.0	1.24	7.8	-	-	
1008 Hwy 17	13/04/2016	kitchen tap	non-residential	<0.001	<0.001	44.4	<50	<50	<1.0	<1.0	1.63	7.3	-	-	
1008 Hwy 17	05/10/2016	kitchen tap	non-residential	<0.001	<0.001	47.4	<50	<50	<1.0	<1.0	1.55	7.36	-	-	
1008 Hwy 17	04/08/2017	kitchen tap	non-residential	<0.001	<0.001	47.5	<50	<50	<1.0	<1.0	1.63	7.14	-	-	
1008 Hwy 17	05/10/2017	kitchen tap	non-residential	<0.001	<0.001	50.2	<50	<50	<1.0	<1.0	1.55	7.36	-	-	
1008 Hwy 17	11/04/2018	kitchen tap	non-residential	<0.001	<0.001	46.9	60	59	1.3	1.2	1.45	7.41	1.8	-	
1008 Hwy 17	03/10/2018	kitchen tap	non-residential	<0.001	<0.001	48.4	955	842	11.6	10.4	1.85	7.2	14.2	-	
1008 Hwy 17	03/04/2019	kitchen tap	non-residential	<0.001	<0.001	45.5	<50	<50	<1.0	<1.0	1.52	7.2	2.5	-	
1008 Hwy 17	02/10/2019	kitchen tap	non-residential	<0.001	<0.001	48	<50	<50	<1.0	<1.0	1.71	6.91	14.1	-	
1008 Hwy 17	14/04/2020	kitchen tap	non-residential	<0.001	<0.001	49.3	<50	<50	<1.0	<1.0	1.76	7.28	3.7	-	
1008 Hwy 17	24/09/2020	kitchen tap	non-residential	<0.001	<0.001	58	87	86	1.4	1.5	1.73	7.2	14.5	-	
1008 Hwy 17	01/04/2021	kitchen tap	non-residential	<0.001	<0.001	75.3	<50	<50	1.1	<1.0	1.48	7.45	3.4	-	
1008 Hwy 17	21/07/2021	kitchen tap	non-residential	<0.001	<0.001	49.3	<50	<50	<1.0	<1.0	1.93	7.28	15.6	-	
1008 Hwy 17	06/04/2022	kitchen tap	non-residential	<0.001	<0.001	46.6	<50	<50	1.8	1.3	1.58	7.28	2	-	
1008 Hwy 17	21/08/2022	kitchen tap	non-residential	<0.001	<0.001	48.6	<50	<50	<1.0	<1.0	1.67	7.42	1.68	-	
1008 Hwy 17	29/03/2023	kitchen tap	non-residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	1.55	7.55	5.6	-	
1008 Hwy 17	27/09/2023	kitchen tap	non-residential	<0.001	<0.001	46.7	81	85	1.5	1.4	1.51	7.44	15.2	-	
1008 Hwy 17	26/03/2024	kitchen tap	non-residential	0.0001	<0.0001	61	49	41	<1	<1	1.66	7.17	5	-	
1008 Hwy 17	25/09/2024	kitchen tap	non-residential	0.0001</											

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
1151 Hwy 17	22/07/2021	kitchen tap	non-residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.59	6.6	15.9	-
1151 HWY 17	07/04/2022	kitchen tap	non-residential	<0.001	<0.001	46.7	<50	<50	<1.0	<1.0	1.54	7.74	5.2	-
1151 Hwy 17	01/09/2022	kitchen tap	non-residential	<0.001	<0.001	44.3	<50	<50	<1.0	<1.0	1.63	7.4	16	-
1151 Hwy 17	30/03/2023	kitchen tap	non-residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.54	7.55	5.3	-
1151 Hwy 17	28/09/2023	kitchen tap	non-residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	1.55	7.58	14.8	-
1151 Hwy 17	27/03/2024	kitchen tap	non-residential	<0.0001	<0.0001	67	38	30	<1.0	<1.0	1.57	7.28	5.9	-
1151 Hwy 17	26/03/2024	kitchen tap	non-residential	0.0002	0.0002	58	60	57	<1	<1	1.52	7.21	16.7	-
1151 Highway 17	26/03/2025	kitchen tap	non-residential	<0.001	<0.001	48	<20	<20	<1	<1	1.64	7.42	5.6	-
1151 Hwy 17	10/09/2025	kitchen tap	non-residential	<0.0001	<0.0001	52	<20	<20	<1	<1	1.44	7.30	12.3	-
12 Hudson Drive	10/07/2013	kitchen tap	residential	0.0042	0.004	45.3	-	-	-	-	2.62	-	-	-
12 Hudson Drive	17/07/2013	kitchen tap	residential	0.0034	0.0032	47.1	-	-	-	-	1.73	8.3	-	-
12 Hudson Drive	24/07/2013	kitchen tap	residential	0.0035	0.0036	45.5	-	-	-	-	1.72	8.3	-	-
12 Hudson Drive	31/07/2013	kitchen tap	residential	0.0031	0.0028	44.1	-	-	-	-	0.89	-	-	-
12 Hudson Drive	28/08/2013	kitchen tap	residential	0.0077	0.0024	45.6	-	-	-	-	0.91	-	-	-
12 Hudson Drive	25/09/2013	kitchen tap	residential	0.0025	0.0025	48	-	-	-	-	1.02	7.8	-	-
12 Hudson Drive	30/10/2013	kitchen tap	residential	0.0073	0.008	45	-	-	-	-	1.03	7.8	-	-
12 Hudson Drive	27/11/2013	kitchen tap	residential	0.0115	0.0126	44	-	-	-	-	0.9	7.9	-	-
12 Hudson Drive	13/12/2013	kitchen tap	residential	0.0086	0.0087	45	-	-	-	-	1.03	8	-	-
12 Hudson Drive	29/01/2014	kitchen tap	residential	0.0056	0.0058	41	-	-	-	-	1.12	8	-	-
12 Hudson Drive	26/02/2014	kitchen tap	residential	0.0072	0.0067	49	-	-	-	-	1.25	8	-	-
12 Hudson Drive	04/02/2014	kitchen tap	residential	0.0027	0.0044	49	-	-	-	-	0.98	8	-	-
12 Hudson Drive	10/07/2015	kitchen tap	residential	0.007	0.0078	48.8	<50	<50	<1.0	<1.0	1.27	7.8	-	-
12 Hudson Drive	13/04/2016	kitchen tap	residential	0.0042	0.0045	44	<50	<50	<1.0	<1.0	1.72	7.1	-	-
12 Hudson Drive	05/10/2016	kitchen tap	residential	0.005	0.0069	48.7	<50	<50	<1.0	<1.0	1.56	7.25	-	-
12 Hudson Drive	04/05/2017	kitchen tap	residential	0.003	0.0033	47.9	<50	<50	<1.0	<1.0	1.6	7.41	6.5	-
12 Hudson Drive	06/10/2017	kitchen tap	residential	0.0059	0.0063	52.6	<50	<50	<1.0	<1.0	1.46	6.86	16.3	-
12 Hudson Drive	11/04/2018	kitchen tap	residential	0.0021	0.0021	46.5	<50	<50	<1.0	<1.0	1.65	7.28	3.9	-
12 Hudson Drive	04/10/2018	kitchen tap	residential	0.0031	0.0031	45.8	<50	<50	<1.0	<1.0	1.27	7.24	14.2	-
12 Hudson Drive	04/04/2019	kitchen tap	residential	0.0016	0.0016	45.4	<50	<50	<1.0	<1.0	1.57	7.13	4.3	-
12 Hudson Drive	02/10/2019	kitchen tap	residential	0.0025	0.0025	48	<50	<50	<1.0	<1.0	1.78	7.16	14.6	-
12 Kenogami Drive	04/11/2018	kitchen tap	residential	<0.001	<0.001	47	<50	<50	<1.0	<1.0	1.49	7.33	3.2	-
12 Superior Ave	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	8.3	-	-	-
12 Superior Ave	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.6	-	-	-	-	2.8	-	-	-
12 Superior Ave	18/08/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	0.82	8.3	-	-
12 Superior Ave	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.3	-	-	-	-	0.91	-	-	-
12 Superior Ave	01/08/2013	kitchen tap	residential	<0.001	<0.001	43.6	-	-	-	-	0.89	-	-	-
12 Superior Ave	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.5	-	-	-	-	0.67	7.9	-	-
12 Superior Ave	26/09/2013	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	1.11	7.8	-	-
12 Superior Ave	31/10/2013	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	0.95	7.8	-	-
12 Superior Ave	28/11/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	1.05	7.8	-	-
12 Superior Ave	19/12/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.2	8.1	-	-
12 Superior Ave	30/01/2014	kitchen tap	residential	<0.001	<0.001	40	-	-	-	-	0.97	8.3	-	-
12 Superior Ave	04/03/2014	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	0.94	8.4	-	-
12 Superior Ave	01/05/2014	kitchen tap	residential	<0.001	<0.001	45.8	-	-	-	-	0.99	8.2	-	-
12 Superior Ave	26/02/2014	kitchen tap	residential	<0.001	<0.001	47.2	-	-	-	-	0.82	-	-	-
12 Superior Ave	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.9	-	-	-	-	1.02	8	-	-
12 Superior Ave	15/04/2015	kitchen tap	residential	<0.001	<0.001	46.2	<50	<50	<1.0	<1.0	1.42	7.5	-	-
12 Superior Ave	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.2	58	57	1.0	1.0	1.91	7.8	-	-
12 Superior Ave	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.7	<50	<50	<1.0	<1.0	1.76	6.9	-	-
12 Superior Ave	05/10/2016	kitchen tap	residential	<0.001	<0.001	47.5	71	71	1.1	1.1	1.81	7.22	-	-
12 Superior Ave	04/06/2017	kitchen tap	residential	<0.001	<0.001	47.8	54	55	1.2	1.1	-	-	-	-
12 Superior Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	76.3	<50	<50	1.1	1.1	1.81	7.22	-	-
12 Superior Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	46.5	<50	<50	1.1	1.2	1.47	7.43	3.4	-
12 Superior Ave	03/10/2018	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	1.1	1.2	1.56	7.19	14.2	-
12 Superior Ave	03/10/2018	kitchen tap	residential	<0.001	<0.001	48.2	66	61	1.6	1.5	1.56	7.19	14.2	-
12 Superior Ave	03/04/2019	kitchen tap	residential	<0.001	<0.001	45.7	<50	<50	<1.0	1.1	1.49	7.07	2.8	-
12 Superior Ave	02/10/2019	kitchen tap	residential	<0.001	<0.001	49.3	38	38	2.1	2.1	1.71	7.16	14.6	-
12 Superior Ave	31/03/2021	kitchen tap	residential	<0.001	<0.001	48.6	<50	<50	<1.0	<1.0	1.5	7.55	4.9	-
12 Superior Ave	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	1.5	1.6	1.66	7.7	2.9	-
12 Terrace Heights	05/10/2016	kitchen tap	residential	<0.001	<0.001	46.4	<50	<50	<1.0	<1.0	1.54	7.2	-	-
12 Terrace Heights	04/08/2017	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	<1.0	<1.0	1.52	7.2	-	-
12 Terrace Heights	05/10/2017	kitchen tap	residential	<0.001	<0.001	95.6	<50	<50	<1.0	<1.0	1.54	7.2	-	-
12 Terrace Heights	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<1.0	<1.0	1.44	7.24	4.1	-
12 Terrace Heights	04/10/2018	kitchen tap	residential	<0.001	<0.001	47.9	<50	<50	<1.0	<1.0	1.64	7.17	9.7	-
12 Terrace Heights	04/10/2018	kitchen tap	residential	<0.001	<0.001	45.9	<50	<50	<1.0	<1.0	1.44	7.16	14.6	-
12 Terrace Heights	31/03/2021	kitchen tap	residential	<0.001	0.0002	48.8	<50	<50	<1.0	<1.0	1.51	7.58	6	-
12 Terrace Heights	21/07/2021	kitchen tap	residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.67	6.73	10.4	-
12 Terrace Heights	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	<1.0	<1.0	1.67	7.72	4.2	-
12 Terrace Heights	01/09/2022	kitchen tap	residential	0.008	0.001	62.7	141	143	1.9	1.9	1.99	7.37	11.6	-
12 Terrace Heights	30/03/2023	kitchen tap	residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.44	7.29	5.9	-
12 Terrace Heights	27/09/2023	kitchen tap	residential	<0.001	<0.001	46.5	<50	<50	<1.0	<1.0	1.49	7.16	14.9	-
12 Terrace Heights	26/09/2024	kitchen tap	residential	<0.001	<0.001	49	37	35	<1	<1	1.46	7.14	7.8	-
12 Terrace Heights	25/09/2024	kitchen tap	residential	0.0001	0.0001	56	54	49	<1	<1	1.53	7.19	15.7	-
12 Terrace Heights	25/03/2025	kitchen tap	residential	0.0001	0.0001	49	69	58	<1	<1	1.54	7.50	7.1	-
12 Terrace Heights	09/09/2025	hydrant	distribution	0.0002	0.0001	51	<20	<20	<1	<1	1.44	7.17	14.4	-
15 Kenick	04/03/2019	hydrant	distribution	<0.001	-	44.5	<50	<50	<1	<1	1.48	7.31	17.2	-
Selkirk hydrant	25/09/2024	hydrant	distribution	0.0002	-	54	56	-	<1	<1	1.48	7.31	17.2	-
14 Eastgrove Crescent	18/07/2013	kitchen tap	residential	0.0228	0.0018	48.9	-	-	-	-	0.35	8.3	-	-
14 Eastgrove Crescent	25/07/2013	kitchen tap	residential	0.0021	0.0013	46.8	-	-	-	-	1.49	-	-	-
14 Eastgrove Crescent	03/08/2013	kitchen tap	residential	0.0018	0.0018	49.5	-	-	-	-	0.9	-	-	-
14 Eastgrove Crescent	29/08/2013	kitchen tap	residential	0.0067	0.0024	45.6	-	-	-	-	0.66	8	-	-
14 Eastgrove Crescent	26/09/2013	kitchen tap	residential	0.002	0.0012	46	-	-	-	-	1.19	7.8	-	-
14 Eastgrove Crescent	04/10/2013	kitchen tap	residential	0.003	0.0026	46.3	-	-	-	-	1.13	8.3	-	-
14 Eastgrove Crescent	31/10/2013	kitchen tap	residential	0.002	0.0017	41	-	-	-	-	1.01	7.8	-	-
14 Eastgrove Crescent	07/11/2013	kitchen tap	residential	0.0021	0.0015	45.4	-	-	-	-	2.55	-	-	-
14 Eastgrove Crescent	28/11/2013	kitchen tap	residential	0.0018	0.0018	45	-	-	-	-	1.14	7.8	-	-
14 Eastgrove Crescent	19/12/2013	kitchen tap	residential	0.0088	0.004	49	-	-	-	-	1.22	8.1	-	-
14 Eastgrove Crescent	30/01/2014	kitchen tap	residential	0.0016	0.0015	44	-	-	-	-	0.99	8.1	-	-
14 Eastgrove Crescent	04/03/2014	kitchen tap	residential	0.0012	0.0013	48	-	-	-	-	1.07	8.1	-	-
14 Eastgrove Crescent	05/03/2014	kitchen tap	residential	0.0012	0.001	45.6	-	-	-	-	1.08	8.2	-	-
14 Eastgrove Crescent	29/05/2014	kitchen tap	residential	0.0012	0.0011	47.4	-	-	-	-	0.78	-	-	-
14 Eastgrove Crescent	07/10/2014	kitchen tap	residential	0.0018	0.0018	44.9	-	-	-	-	1.02	8.1	-	-

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
15 Kenogami Drive	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0	1.44	7.32	5.9	-
15 Kenogami Drive	27/09/2023	kitchen tap	residential	0.0011	0.0011	47.1	<50	<50	<1.0	<1.0	1.56	7.16	16.2	-
15 Kenogami Drive	27/03/2024	kitchen tap	residential	0.0005	0.0005	63	43	36	<1	<1	1.50	7.26	8	-
15 Kenogami Drive	26/09/2024	kitchen tap	residential	0.0001	0.0008	60	48	49	<1	<1	1.50	7.19	12.8	-
15 Kenogami Road	26/03/2025	kitchen tap	residential	0.0006	0.0008	48	<20	57	<1	<1	1.76	7.39	13.6	-
15 Kenogami Road	10/09/2025	kitchen tap	residential	0.0009	0.0008	51	<20	<20	<1	<1	1.53	7.21	19.2	-
15 Pine	04/02/2014	kitchen tap	residential	0.0035	0.0037	49	-	-	-	-	1.44	8	-	-
15 Pine	30/04/2014	kitchen tap	residential	0.0027	0.0033	46.3	-	-	-	-	1.24	8.2	-	-
15 Pine	28/05/2014	kitchen tap	residential	0.0046	0.0047	45.9	-	-	-	-	1.11	8.3	-	-
15 Pine	07/09/2014	kitchen tap	residential	0.0071	0.0068	45.2	-	-	-	-	1.13	8.1	-	-
15 Pine	15/04/2015	kitchen tap	residential	0.0027	0.0029	47	59	58	1.2	1.3	1.53	7.61	-	-
15 Pine	03/10/2019	kitchen tap	residential	0.0049	0.0049	48.3	130	129	2.9	2.7	1.71	7.11	13.9	-
15 Pine	01/04/2021	kitchen tap	residential	0.0025	0.0045	61.7	81	84	1.9	2.2	1.54	7.56	4.8	-
15 Pine	06/04/2022	kitchen tap	residential	0.0013	0.0016	47.3	88	86	1.8	1.8	1.51	7.77	2.8	-
15 Pine	31/08/2022	kitchen tap	residential	0.0029	0.0048	56.4	<50	<50	1.9	1.9	1.89	7.46	14.6	-
15 Pine	30/03/2023	kitchen tap	residential	0.0016	0.0027	48.4	61	63	1.3	1.5	1.5	7.46	4	-
15 Pine	28/09/2023	kitchen tap	residential	0.0027	0.003	46.4	155	154	2.1	2	1.58	7.42	17.4	-
15 Pine	26/03/2024	kitchen tap	residential	0.001	0.0017	73	120	120	2	2	1.55	7.32	12	-
15 Pine	25/09/2024	kitchen tap	residential	0.0028	0.0043	61	239	242	2	3	1.55	7.24	16.9	-
15 Pine Crescent	25/03/2025	kitchen tap	residential	0.0026	0.0018	49	170	86	2	2	1.52	7.38	19.6	-
15 Pine Crescent	09/09/2025	kitchen tap	residential	0.0014	0.0022	52	201	180	2	2	1.45	7.19	16.5	-
16 East Grove Cres	10/04/2013	kitchen tap	residential	0.001	0.0013	-	-	-	-	-	8.1	-	-	-
16 East Grove Cres	13/04/2016	kitchen tap	residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	1.66	7.3	-	-
19 Elizabeth	04/06/2017	kitchen tap	residential	<0.001	<0.001	48.5	62	63	1.2	1.2	-	-	-	-
18 Parkway	04/10/2018	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0	1.61	7.25	-	-
18 Parkway	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.7	<50	<50	<1.0	<1.0	1.62	7.12	6.8	-
18 Parkway	03/10/2019	kitchen tap	residential	<0.001	<0.001	50.6	<50	<50	<1.0	<1.0	1.75	7.17	9	-
18 Parkway	31/03/2021	kitchen tap	residential	<0.001	0.0056	48.5	<50	<50	<1.0	<1.0	1.58	7.62	7	-
18 Parkway	21/07/2021	kitchen tap	residential	<0.001	<0.001	49.9	<50	<50	<1.0	<1.0	1.91	6.8	15.5	-
18 Parkway	06/01/2022	kitchen tap	residential	<0.001	<0.001	47.3	<50	<50	<1.0	<1.0	1.66	7.28	5.4	-
18 Parkway	01/09/2022	kitchen tap	residential	<0.001	<0.001	26	<50	<50	1.2	<1.0	1.62	7.51	15.3	-
19 Terrace Heights	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.4	<50	<50	<1.0	<1.0	1.81	7.4	-	-
19 Terrace Heights	03/10/2019	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0	1.71	7.07	14.7	-
2 Kenogami	21/09/2023	kitchen tap	residential	0.0024	0.0034	24.2	<50	<50	<1.0	<1.0	1.62	7.46	12.9	-
2 Kenogami	30/03/2023	kitchen tap	residential	0.0032	0.0042	48.5	<50	<50	<1.0	<1.0	1.54	7.37	5.6	-
2 Kenogami	28/09/2023	kitchen tap	residential	0.0024	0.0076	46.3	<50	<50	<1.0	<1.0	1.54	7.39	15.5	-
2 Kenogami	26/03/2024	kitchen tap	residential	0.0014	0.0041	61	39	28	<1	<1	1.48	7.03	6.1	-
2 Kenogami	25/09/2024	kitchen tap	residential	0.0027	0.0061	52	58	55	<1	<1	1.48	7.25	16.7	-
2 Kenogami Road	25/03/2025	kitchen tap	residential	0.0018	0.0050	54	54	50	<1	<1	1.81	7.28	10.2	-
2 Kenogami Road	09/09/2025	kitchen tap	residential	0.0018	0.0076	54	<20	<20	<1	<1	1.37	7.19	16.0	-
20 McDonald Ave	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	-	-	-
20 Strathcona	13/04/2016	kitchen tap	residential	<0.001	<0.001	45.5	86	85	1.5	1.4	1.77	7.3	-	-
20 Strathcona	05/10/2016	kitchen tap	residential	<0.001	0.001	46.5	78	78	1.6	1.5	1.75	7.12	-	-
20 Strathcona	04/06/2017	kitchen tap	residential	<0.001	<0.001	49.3	108	109	2.1	2.1	1.77	7.07	-	-
20 Strathcona	05/01/2018	kitchen tap	residential	<0.001	<0.001	52.3	66	66	1.4	1.4	1.75	7.13	-	-
20 Strathcona	03/10/2018	kitchen tap	residential	<0.001	<0.001	49	94	96	2.1	1.9	1.64	7.18	-	-
22 McDonald Ave	09/04/2013	kitchen tap	residential	0.0012	0.0026	-	-	-	-	-	1.45	7.19	-	-
21 South Camp Road	18/07/2022	kitchen tap	residential	-	-	-	-	-	-	-	1.45	7.19	13.7	-
24 Birch Crescent	10/07/2013	kitchen tap	residential	0.0275	0.0240	45.1	-	-	-	-	2.53	8.3	-	-
24 Birch Crescent	17/07/2013	kitchen tap	residential	0.019	0.0	46.6	-	-	-	-	1.54	8.4	-	-
24 Birch Crescent	24/07/2013	kitchen tap	residential	0.0271	0.0261	44.9	-	-	-	-	8.3	-	-	-
24 Birch Crescent	31/07/2013	kitchen tap	residential	0.0269	0.0267	44.7	-	-	-	-	0.64	-	-	-
24 Birch Crescent	28/08/2013	kitchen tap	residential	0.032	0.026	45.8	-	-	-	-	0.78	8.2	-	-
24 Birch Crescent	25/09/2013	kitchen tap	residential	0.0265	0.0262	47	-	-	-	-	0.99	7.8	-	-
24 Birch Crescent	30/10/2013	kitchen tap	residential	0.024	0.0229	49	-	-	-	-	0.92	7.8	-	-
24 Birch Crescent	27/11/2013	kitchen tap	residential	0.0218	0.0218	44	-	-	-	-	0.94	7.8	-	-
24 Birch Crescent	13/12/2013	kitchen tap	residential	0.0186	0.0154	47	-	-	-	-	1.18	8	-	-
24 Birch Crescent	29/01/2014	kitchen tap	residential	0.0125	0.0115	45	-	-	-	-	0.76	8.2	-	-
24 Birch Crescent	26/02/2014	kitchen tap	residential	0.0077	0.0091	45	-	-	-	-	1.1	8.1	-	-
24 Birch Crescent	04/03/2014	kitchen tap	residential	0.0098	0.0098	49	-	-	-	-	0.87	8	-	-
24 Birch Crescent	30/04/2014	kitchen tap	residential	0.0098	0.0086	45.7	-	-	-	-	1.35	8.3	-	-
24 Birch Crescent	28/05/2014	kitchen tap	residential	0.0076	0.0082	46.1	-	-	-	-	1.32	8.3	-	-
24 Birch Crescent	07/09/2014	kitchen tap	residential	0.00126	0.0132	44.7	-	-	-	-	1.01	7.6	-	-
24 Birch Crescent	04/09/2014	kitchen tap	residential	0.0056	0.0056	45.3	112	76	2.3	2.2	1.29	7.6	-	-
24 Birch Crescent	13/04/2016	kitchen tap	residential	0.0064	0.0064	45.4	180	187	3.5	3.5	1.56	7	-	-
24 Birch Crescent	05/10/2016	kitchen tap	residential	0.0125	0.0122	47.4	111	112	2.2	2.2	1.37	7.09	-	-
24 Birch Crescent	04/05/2017	kitchen tap	residential	0.005	0.006	47.2	212	214	4.6	4.6	1.37	7.2	3.5	-
24 Birch Crescent	06/10/2017	kitchen tap	residential	0.018	0.0186	51.5	133	133	2.9	2.9	1.18	6.91	13.8	-
24 Birch Crescent	12/04/2018	kitchen tap	residential	0.0056	0.0052	46.4	214	219	4.7	4.6	1.32	7.28	3.4	-
24 Birch Crescent	04/10/2018	kitchen tap	residential	0.0343	0.0346	45.3	171	172	4.7	4.7	1.32	7.43	12.9	-
24 Birch Crescent	04/04/2019	kitchen tap	residential	0.007	0.007	45.2	130	129	3.4	3.4	1.37	7.33	12.9	-
24 Birch Crescent	07/04/2022	kitchen tap	residential	0.0055	0.0076	46.6	247	243	4.1	3.9	1.55	7.74	2.1	-
24 Birch Crescent	01/09/2022	kitchen tap	residential	<0.001	<0.001	53.2	57	71	1.6	1.9	1.37	7.61	-	-
24 Birch Crescent	30/03/2023	kitchen tap	residential	0.0084	0.0081	48.5	<50	<50	<1.0	<1.0	1.55	7.49	11.9	-
24 Birch Crescent	28/03/2023	kitchen tap	residential	0.005	0.0062	46.5	113	113	3.7	3.8	1.17	7.15	15.9	-
24 Birch Crescent	27/03/2024	kitchen tap	residential	0.004	0.0038	71	130	140	3	3	1.57	7.43	15.4	-
24 Birch Crescent	25/09/2024	kitchen tap	residential	0.011	0.0108	55	190	190	4	4	1.45	7.22	16.5	-
24 Parkway Place	26/03/2024	kitchen tap	residential	0.0049	0.0078	49	100	2	95	2	1.72	7.32	15.7	-
24 Parkway Place	10/04/2024	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	7.8	-	-	-
24 Parkway Place	05/10/2017	kitchen tap	residential	<0.001	<0.001	50.8	51	54	1.1	1.1	-	-	-	-
24 Parkway Place	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.5	<50	<50	1.2	2.4	1.51	7.29	4.9	-
24 Parkway Place	03/10/2018	kitchen tap	residential	<0.001	<0.001	48.5	<50	<50	<1.0	<1.0	1.66	7.33	6.3	-
24 Parkway Place	02/10/2019	kitchen tap	residential	<0.001	<0.001	55.7	<50	<50	1.4	1.7	1.74	7.17	13	-
24 Parkway Place	01/04/2021	kitchen tap	residential	<0.001	<0.001	47.8	<50	<50	<1.0	<1.0	1.56	7.6	6	-
24 Parkway Place	21/07/2021	kitchen tap	residential	<0.001	<0.001	49.4	<50	<50	<1.0	<1.0	1.72	6.81	13	-
24 Parkway Place	06/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	54	59	1.3	1.7	1.61	7.77	5.5	-
24 Parkway Place	31/08/2022	kitchen tap	residential	<0.001	<0.001	38.2	<50	<50	1.1	1.6	1.68	7.39	13.3	-
24 Parkway Place	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.2	<50	<50	<1.0	<1.0	1.66	7.47	11	-
24 Parkway Place	28/09/2023	kitchen tap	residential	<0.001	<0.001	47	102	100	1.2	1.2	1.56	7.42	14.2	-
25 Birch Crescent	25/09/2025	kitchen tap	residential	0.0001	0.0001	59	217	180	2	2	1.39	7.2	5.5	-
25 Elizabeth	09/09/2025	kitchen tap	residential	0.0001	0.0001	52	48	51	2	2	1.59	7.2	16.4	-
25 Elizabeth	11/04/2018	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50						

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
29 Selkirk Ave	17/07/2013	kitchen tap	residential	0.0071	0.0089	47	-	-	-	-	0.81	8.3	-	-
29 Selkirk Ave	24/07/2013	kitchen tap	residential	0.0081	0.0148	46.5	-	-	-	-	-	8.3	-	-
29 Selkirk Ave	31/07/2013	kitchen tap	residential	0.0074	0.0118	44.5	-	-	-	-	0.81	-	-	-
29 Selkirk Ave	28/08/2013	kitchen tap	residential	0.0079	0.013	45.4	-	-	-	-	-	8.3	-	-
29 Selkirk Ave	25/09/2013	kitchen tap	residential	0.0064	0.0087	49	-	-	-	-	-	1.11	7.8	-
29 Selkirk Ave	30/10/2013	kitchen tap	residential	0.0068	0.011	50	-	-	-	-	-	0.97	7.8	-
29 Selkirk Ave	27/11/2013	kitchen tap	residential	0.0056	0.0098	47	-	-	-	-	-	0.87	7.8	-
29 Selkirk Ave	13/12/2013	kitchen tap	residential	0.0044	0.0075	49	-	-	-	-	-	1.25	8	-
29 Selkirk Ave	29/01/2014	kitchen tap	residential	0.0031	0.0048	53	-	-	-	-	-	1.2	8.3	-
29 Selkirk Ave	26/02/2014	kitchen tap	residential	0.0025	0.0029	48	-	-	-	-	-	1.25	8.3	-
29 Selkirk Ave	04/03/2014	kitchen tap	residential	0.0024	0.0038	45	-	-	-	-	-	1.1	8.1	-
29 Selkirk Ave	30/04/2014	kitchen tap	residential	0.0029	0.005	44.5	-	-	-	-	-	1.3	8.2	-
29 Selkirk Ave	28/05/2014	kitchen tap	residential	0.0024	0.0037	46.1	-	-	-	-	-	1.12	8.3	-
29 Selkirk Ave	07/09/2014	kitchen tap	residential	0.004	0.0062	45.3	-	-	-	-	-	1.38	7.4	-
29 Selkirk Ave	04/08/2015	kitchen tap	residential	0.0017	0.0031	47.6	<50	<50	<1.0	<1.0	-	1.31	7.5	-
29 Selkirk Ave	10/07/2015	kitchen tap	residential	0.003	0.0065	48.6	90	64	<1.0	<1.0	-	1.35	7.9	-
29 Selkirk Ave	13/04/2016	kitchen tap	residential	0.0012	0.0014	45.6	51	51	<1.0	<1.0	-	2.35	7.4	-
29 Selkirk Ave	05/10/2016	kitchen tap	residential	0.0017	0.0017	48	59	60	<1.0	<1.0	-	1.43	7.29	-
29 Selkirk Ave	04/05/2017	kitchen tap	residential	<0.001	<0.001	47.7	62	61	1.2	1.1	-	1.53	7.55	4.0
29 Selkirk Ave	04/10/2017	kitchen tap	residential	0.0011	0.0016	55.9	<50	<50	1.1	1	-	1.39	7.11	14.8
29 Selkirk Ave	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.3	57	56	1.2	1.3	-	1.42	7.26	3.8
29 Selkirk Ave	04/10/2018	kitchen tap	residential	<0.001	<0.001	47.9	64	67	1.5	1.5	-	1.63	7.28	14.3
29 Selkirk Ave	29/08/2019	kitchen tap	residential	<0.001	<0.001	45.4	<50	<50	1.3	1.5	-	1.54	7.12	4.9
29 Selkirk Ave	02/10/2019	kitchen tap	residential	<0.001	<0.001	48	50	<50	1.3	1.4	-	1.69	7.14	14.5
29 Selkirk Ave	31/03/2021	kitchen tap	residential	0.0018	<0.001	49	<50	<50	<1.0	<1.0	-	1.53	7.59	4.9
29 Selkirk Ave	22/07/2021	kitchen tap	residential	<0.001	<0.001	48.6	73	53	1.2	1.1	-	1.86	6.77	18.8
29 Selkirk Ave	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	-	1.69	7.78	5.1
31 Lakeview Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.4	-	-	-	-	-	1.35	-	-
31 Lakeview Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	48.5	-	-	-	-	-	1.46	8.2	-
31 Lakeview Drive	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.3	-	-	-	-	-	0.83	-	-
31 Lakeview Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	45.5	-	-	-	-	-	0.72	-	-
31 Lakeview Drive	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.6	-	-	-	-	-	1.36	8	-
31 Lakeview Drive	26/09/2013	kitchen tap	residential	0.0056	<0.001	45	-	-	-	-	-	1.05	7.9	-
31 Lakeview Drive	13/10/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	-	1.18	7.8	-
31 Lakeview Drive	28/11/2013	kitchen tap	residential	<0.001	<0.001	42	-	-	-	-	-	1.14	7.8	-
31 Lakeview Drive	19/12/2013	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	-	0.89	8.2	-
31 Lakeview Drive	30/03/2014	kitchen tap	residential	<0.001	<0.001	43	-	-	-	-	-	1.04	8.1	-
31 Lakeview Drive	04/04/2014	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	-	1.11	8.3	-
31 Lakeview Drive	05/01/2014	kitchen tap	residential	<0.001	<0.001	46.1	-	-	-	-	-	1.16	8.2	-
31 Lakeview Drive	29/05/2014	kitchen tap	residential	<0.001	<0.001	46.9	-	-	-	-	-	0.9	8.3	-
31 Lakeview Drive	07/10/2014	kitchen tap	residential	<0.001	<0.001	42.6	-	-	-	-	-	1.43	8	-
31 Lakeview Drive	15/04/2015	kitchen tap	residential	<0.001	<0.001	47.5	<50	7.50	<1.0	<1.0	-	1.55	7.8	-
31 Lakeview Drive	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.6	224	199	3.3	2.6	-	1.67	7.94	9.1
3 Sarnock Plaza	23/05/2022	kitchen tap	residential	<0.001	<0.001	53	<20	<20	1	1	-	1.59	7.2	18.5
33 Elizabeth Ave	11/07/2013	hydrant	distribution	<0.001	<0.001	44.4	-	-	-	-	-	0.34	-	-
33 Elizabeth Ave	18/07/2013	hydrant	distribution	0.0017	-	48.3	-	-	-	-	-	0.77	8.3	-
33 Elizabeth Ave	01/08/2013	hydrant	distribution	<0.001	-	44.3	-	-	-	-	-	0.59	7.9	-
33 Elizabeth Ave	29/08/2013	hydrant	distribution	<0.001	-	44.3	-	-	-	-	-	1.15	7.9	-
33 Elizabeth Ave	26/09/2013	hydrant	distribution	<0.001	-	51	-	-	-	-	-	1.13	7.9	-
33 Elizabeth Ave	31/10/2013	hydrant	distribution	<0.001	-	48	-	-	-	-	-	1.12	7.8	-
33 Elizabeth Ave	28/11/2013	hydrant	distribution	<0.001	-	46	-	-	-	-	-	1.1	7.8	-
33 Elizabeth Ave	19/12/2013	hydrant	distribution	<0.001	-	49	-	-	-	-	-	1.03	8.3	-
33 Elizabeth Ave	30/01/2014	hydrant	distribution	<0.001	-	45	-	-	-	-	-	1.2	8	-
33 Elizabeth Ave	04/03/2014	hydrant	distribution	<0.001	-	48	-	-	-	-	-	1.24	7.8	-
33 Elizabeth Ave	05/02/2014	hydrant	distribution	<0.001	-	45.3	-	-	-	-	-	1.21	8.3	-
33 Elizabeth Ave	29/05/2014	hydrant	distribution	<0.001	-	45.8	-	-	-	-	-	1.49	8.3	-
33 Elizabeth Ave	15/04/2015	hydrant	distribution	<0.001	-	47.9	<50	<50	<1.0	<1.0	-	1.52	7.5	-
33 Elizabeth Ave	10/07/2015	hydrant	distribution	<0.001	-	49.7	284	-	2.2	-	-	1.65	7.9	-
33 Elizabeth Ave	12/10/2016	hydrant	distribution	<0.001	-	44.2	<50	<50	1.2	1.2	-	1.12	7.3	-
33 Elizabeth Ave	06/10/2016	hydrant	distribution	<0.001	-	47.6	<50	<50	1.3	-	-	1.43	7.3	-
33 Elizabeth Ave	04/06/2017	hydrant	distribution	<0.001	-	47.9	61	-	1.5	-	-	1.65	7.17	-
33 Elizabeth Ave	15/05/2017	hydrant	distribution	<0.001	-	39.7	<50	<50	1.2	-	-	1.43	7.2	-
33 Elizabeth Ave	11/04/2018	hydrant	distribution	<0.001	-	47.3	<50	<50	1.7	1.7	-	1.07	7.29	4.9
33 Elizabeth Ave	03/10/2018	hydrant	distribution	<0.001	-	47.4	<50	<50	1.5	-	-	1.58	7.53	13.5
33 Elizabeth Ave	03/04/2019	hydrant	distribution	<0.001	-	45	<50	<50	<1.0	<1.0	-	1.53	7.33	4.3
33 Elizabeth Ave	02/10/2019	hydrant	distribution	<0.001	-	48	<50	<50	<1.0	<1.0	-	1.67	7.69	13.3
33 Elizabeth Ave	15/04/2020	hydrant	distribution	<0.001	-	49.4	<50	<50	2.4	2.4	-	1.99	7.45	3.8
33 Elizabeth Ave	24/09/2020	hydrant	distribution	<0.001	-	53.6	542	-	3.8	-	-	1.87	7.26	13.5
33 Elizabeth Ave	01/04/2021	hydrant	distribution	<0.001	-	62.2	<50	<50	<1.0	<1.0	-	1.47	7.35	3.9
33 Elizabeth Ave	21/07/2021	hydrant	distribution	<0.001	-	48.8	67	67	1.3	1.6	-	1.36	6.28	17.5
33 Elizabeth Ave	06/04/2022	hydrant	distribution	<0.001	-	47.2	<50	<50	1.3	-	-	1.64	7.62	2.9
33 Elizabeth Ave	31/08/2022	hydrant	distribution	<0.001	-	23.5	328	-	3.3	-	-	1.68	7.42	16.3
33 Elizabeth Ave	29/03/2023	hydrant	distribution	0.0021	-	48.5	<50	<50	<1.0	<1.0	-	1.5	6.33	6
33 Elizabeth Ave	27/09/2023	hydrant	distribution	<0.001	-	46.7	<50	<50	1.5	1.5	-	1.65	7.1	16
33 Elizabeth Ave	27/03/2024	hydrant	distribution	<0.001	-	62	110	-	1	-	-	1.51	7.31	4.9
33 Elizabeth Ave	26/09/2024	hydrant	distribution	<0.001	-	51	65	-	<1	<1	-	1.5	7.44	17.2
33 Elizabeth Ave	26/03/2025	hydrant	distribution	<0.001	-	48	26	-	1	-	-	1.7	7.17	6.2
33 Elizabeth Ave	10/09/2025	hydrant	distribution	<0.001	-	53	<20	<20	1	-	-	1.4	7.35	12.4
Elizabeth Ave, Hydrant	25/07/2013	hydrant	distribution	<0.001	-	46.7	-	-	-	-	-	-	-	-
Elizabeth Ave, Hydrant	26/02/2014	hydrant	distribution	<0.001	-	46	-	-	-	-	-	-	8.1	-
Elizabeth Ave, Hydrant	07/09/2014	hydrant	distribution	<0.001	-	45.8	-	-	-	-	-	0.69	7.3	-
35 Pine	04/02/2014	kitchen tap	residential	0.0086	0.0163	49	-	-	-	-	-	1.06	7.9	-
35 Pine	30/04/2014	kitchen tap	residential	0.0066	0.01	46.2	-	-	-	-	-	1.32	8.2	-
35 Pine	28/05/2014	kitchen tap	residential	0.0099	0.0115	45.6	-	-	-	-	-	1.11	8.3	-
35 Pine	07/09/2014	kitchen tap	residential	0.0098	0.0099	45.4	-	-	-	-	-	2.75	7.8	-
35 Terrace Heights Hydrant	24/04/2013	hydrant	distribution	<0.001	-	44.7	-	-	-	-	-	-	-	-
35 Terrace Heights Drive	18/07/2013	hydrant	distribution	<0.001	-	49.8	-	-	-	-	-	0.83	8.3	-
35 Terrace Heights Drive	25/07/2013	hydrant	distribution	0.0042	-	46.8	-	-	-	-	-	0.89	-	-
35 Terrace Heights Drive	01/08/2013	hydrant	distribution	<0.001	-	44.3	-	-	-	-	-	0.76	7.29	-
35 Terrace Heights Drive	29/08/2013	hydrant	distribution	<0.001	-	44.5	-	-	-	-	-	1.25	7.9	-
35 Terrace Heights Drive	26/09/2013	hydrant	distribution	<0.001	-	51	-	-	-	-	-	0.94	7.8	-
35 Terrace Heights Hydrant	04/10/2013	hydrant	distribution	0.00189	-	45	-	-	-	-	-	1	8.2	-
35 Terrace Heights Drive	31/10/2013	hydrant	distribution	<0.001	-	45	-	-	-	-	-	1	7.8	-
35 Terrace Heights Drive	07/11/2013	hydrant	distribution	<0.001	-	45.6	-	-	-	-	-	0.47	-	-
35 Terrace Heights Drive	28/11/2013	hydrant	distribution	0.0011	-	47	-	-	-	-	-	1.23	7.8	-
35 Terrace Heights Drive	19/12/2013	hydrant	distribution	<0.001	-	50	-	-	-	-	-	0.87	8.3	-
35 Terrace Heights Drive	05/01/2014	hydrant	distribution	<0.001	-	45.9	-	-	-	-	-	1.1	8.1	-
35 Terrace Heights Drive	30/01/2014	hydrant	distribution	<0.001	-	47	-	-	-	-</				

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (µg/L)		Manganese Results (µg/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
37 East Grove Cres	10/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	8	-	-
4 McDonald Ave	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	8.1	-	-
4 Princess Ave	04/09/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	2.51	7.6	-	-
4 Strathcona Ave	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.4	-	-	-	-	-	0.79	-	-
4 Strathcona Ave	18/07/2013	kitchen tap	residential	<0.001	<0.001	47.5	-	-	-	-	-	0.84	8.1	-
4 Strathcona Ave	25/07/2013	kitchen tap	residential	<0.001	<0.001	44.7	-	-	-	-	-	0.63	-	-
4 Strathcona Ave	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.9	-	-	-	-	-	1.04	-	-
4 Strathcona Ave	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.5	-	-	-	-	-	0.91	8	-
4 Strathcona Ave	26/09/2013	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	-	1.02	7.8	-
4 Strathcona Ave	31/10/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	-	0.99	7.8	-
4 Strathcona Ave	28/11/2013	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	-	1.04	7.8	-
4 Strathcona Ave	29/05/2014	kitchen tap	residential	<0.001	<0.001	48.2	-	-	-	-	-	1.27	8.3	-
4 Strathcona Ave	30/01/2014	kitchen tap	residential	<0.001	<0.001	42	-	-	-	-	-	0.96	8.1	-
4 Strathcona Ave	04/03/2014	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	-	1.06	8.1	-
4 Strathcona Ave	05/04/2014	kitchen tap	residential	<0.001	<0.001	44.3	-	-	-	-	-	1.43	8.2	-
4 Strathcona Ave	29/05/2014	kitchen tap	residential	<0.001	<0.001	48.2	-	-	-	-	-	1.27	8.3	-
4 Strathcona Ave	07/10/2014	kitchen tap	residential	<0.001	<0.001	44.9	-	-	-	-	-	1.43	8.1	-
41 Kenogami	04/02/2014	kitchen tap	residential	0.0066	0.0102	49	-	-	-	-	-	8	-	-
41 Kenogami	05/10/2017	kitchen tap	residential	0.0178	0.0288	87.7	169	173	4.5	4.1	-	-	-	-
41 Kenogami	11/04/2018	kitchen tap	residential	0.0046	0.0049	46.5	114	123	4.3	4.4	-	1.43	7.42	3.2
41 Kenogami	03/10/2018	kitchen tap	residential	0.0068	0.0068	46.9	52	<50	2.6	2.6	-	1.55	7.22	13.7
41 Kenogami	03/04/2019	kitchen tap	residential	0.001	0.004	45.9	<50	<50	1.7	1.7	-	1.54	7.3	3.2
41 Kenogami	02/06/2019	kitchen tap	residential	0.0062	0.0088	49.3	<50	<50	1.6	1.6	-	1.62	7.03	13.6
41 Kenogami	01/04/2021	kitchen tap	residential	0.0053	0.0085	78.9	<50	<50	<1.0	<1.0	-	1.46	7.43	3.8
41 Kenogami	22/07/2021	kitchen tap	residential	0.005	0.0078	48.5	70	69	1.2	1.2	-	1.93	6.8	16.2
41 Kenogami	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.5	<50	<50	1.9	<1.0	-	1.52	7.73	2.3
41 Kenogami	31/08/2022	kitchen tap	residential	<0.001	<0.001	23.9	<50	<50	1.5	1.4	-	1.65	7.44	15.2
41 Kenogami	29/03/2023	kitchen tap	residential	<0.001	<0.001	49.6	<50	<50	6.3	6.3	-	1.5	7.45	3.3
41 Kenogami	28/09/2023	kitchen tap	residential	<0.001	<0.001	46	<50	<50	<1.0	<1.0	-	1.57	7.4	15.7
41 Kenogami	26/03/2024	kitchen tap	residential	<0.001	<0.001	70	38	33	<1	<1	-	1.43	6.85	6.8
41 Kenogami	26/09/2024	kitchen tap	residential	0.0001	<0.001	72	53	48	<1	<1	-	1.46	7.23	16.8
41 Kenogami Road	26/03/2025	kitchen tap	residential	<0.001	<0.001	49	52	53	<1	<1	-	1.72	7.20	9.3
41 Kenogami Road	10/09/2025	kitchen tap	residential	<0.001	<0.001	50	<20	<20	<1	<1	-	1.44	7.10	15.7
42 East Grove Cres	10/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	8	-	-
42 Hudson	26/03/2024	kitchen tap	residential	0.0003	0.0021	63	37	36	<1	<1	-	1.62	7.03	8
42 Hudson	25/09/2024	kitchen tap	residential	0.003	0.0039	-	-	-	-	-	-	-	-	-
42 Hudson Drive	25/03/2025	kitchen tap	residential	0.003	0.0039	50	25	26	<1	<1	-	1.44	7.17	5.3
42 Hudson Drive	09/09/2025	kitchen tap	residential	0.003	0.0021	49	<20	<20	<1	<1	-	1.57	7.12	16.2
42 Parkway	03/04/2019	kitchen tap	residential	0.0015	0.017	46.4	<50	<50	<1.0	<1.0	-	1.61	7.17	6.2
42 Parkway	02/10/2019	kitchen tap	residential	<0.001	<0.001	51.4	<50	<50	<1.0	<1.0	-	1.8	7.26	11.8
42 Parkway	03/04/2021	kitchen tap	residential	<0.001	0.0074	57.5	<50	<50	<1.0	<1.0	-	1.55	7.59	6
42 Parkway	22/08/2021	kitchen tap	residential	<0.001	<0.001	48.9	<50	<50	<1.0	<1.0	-	1.77	6.72	13.3
42 Parkway	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	-	1.67	7.5	5.6
42 Parkway	01/09/2022	kitchen tap	residential	<1.0	<1.0	-	<50	<50	<1.0	<1.0	-	1.61	7.33	17.1
42 Parkway	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	-	1.55	7.5	8.6
42 Parkway	28/09/2023	kitchen tap	residential	<0.001	<0.001	46	<50	<50	<1.0	<1.0	-	1.64	7.4	16.6
43 East Grove Cres	10/04/2013	kitchen tap	residential	0.0012	0.0012	-	-	-	-	-	-	1.56	7.8	-
48 Lakeview	13/04/2016	kitchen tap	residential	<0.001	<0.001	44.3	<50	<50	<1.0	<1.0	-	1.72	7.2	-
48 Lakeview	05/10/2016	kitchen tap	residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	-	1.63	7.34	-
48 Lakeview	04/04/2017	kitchen tap	residential	<0.001	<0.001	48	<50	<50	<1.0	<1.0	-	1.36	7.41	4.4
48 Lakeview	06/10/2017	kitchen tap	residential	<0.001	<0.001	51.2	<50	<50	<1.0	<1.0	-	1.15	7.22	14.5
48 Lakeview	04/04/2019	kitchen tap	residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	-	1.69	7.09	3.4
48 Lakeview	03/10/2019	kitchen tap	residential	<0.001	<0.001	49.3	71	71	1.4	1.4	-	1.72	7.12	13.5
48 Lakeview	31/03/2021	kitchen tap	residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	-	1.44	7.59	4.7
48 Lakeview	21/07/2021	kitchen tap	residential	<0.001	<0.001	49.3	<50	<50	<1.0	<1.0	-	1.92	6.83	15.5
48 Lakeview	06/04/2022	kitchen tap	residential	<0.001	<0.001	46.6	<50	<50	<1.0	<1.0	-	1.51	7.39	5.4
48 Lakeview	28/09/2022	kitchen tap	residential	<0.001	<0.001	48.5	<50	<50	<1.0	<1.0	-	1.69	7.5	20.5
48 Lakeview	27/09/2023	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	-	1.66	7.5	14.4
48 Lakeview	27/03/2024	kitchen tap	residential	0.0001	<0.001	66	56	52	<1	<1	-	1.59	7.31	16.1
48 Lakeview	26/09/2024	kitchen tap	residential	0.0001	<0.001	57	54	50	<1	<1	-	1.59	7.33	16.7
48 Lakeview Drive	26/03/2025	kitchen tap	residential	0.0003	0.0003	48	<20	<20	<1	<1	-	1.76	7.33	16.6
48 Lakeview Drive	10/09/2025	kitchen tap	residential	0.0002	<0.1	48	<20	<20	<1	<1	-	1.58	7.14	19.6
48 Parkway Place	10/04/2013	kitchen tap	residential	0.0358	0.037	-	-	-	-	-	-	2.48	7.9	-
48 Terrace Heights Drive	11/07/2013	kitchen tap	residential	0.0016	0.001	44.5	-	-	-	-	-	2.5	7.8	-
48 Terrace Heights Drive	18/07/2013	kitchen tap	residential	0.0022	0.001	48.9	-	-	-	-	-	1.05	8.2	-
48 Terrace Heights Drive	25/07/2013	kitchen tap	residential	0.0023	0.001	47.1	-	-	-	-	-	0.74	-	-
48 Terrace Heights Drive	01/08/2013	kitchen tap	residential	0.002	0.001	44.9	-	-	-	-	-	0.97	-	-
48 Terrace Heights Drive	29/08/2013	kitchen tap	residential	0.0022	0.001	45.8	-	-	-	-	-	1.18	8	-
48 Terrace Heights Drive	26/09/2013	kitchen tap	residential	0.0021	0.0014	49	-	-	-	-	-	0.96	7.9	-
48 Terrace Heights Drive	31/10/2013	kitchen tap	residential	0.0029	0.001	49	-	-	-	-	-	1.01	7.8	-
48 Terrace Heights Drive	28/11/2013	kitchen tap	residential	0.002	0.0015	48	-	-	-	-	-	1.44	7.8	-
48 Terrace Heights Drive	19/12/2013	kitchen tap	residential	0.0015	0.0015	48	-	-	-	-	-	0.83	7.8	-
48 Terrace Heights Drive	30/01/2014	kitchen tap	residential	0.0015	0.0014	45	-	-	-	-	-	1.02	8.1	-
48 Terrace Heights Drive	04/03/2014	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	-	1.54	8.3	-
48 Terrace Heights Drive	26/03/2014	kitchen tap	residential	0.0014	0.001	44.8	-	-	-	-	-	1.17	8.2	-
48 Terrace Heights Drive	29/05/2014	kitchen tap	residential	0.0019	0.001	48.6	-	-	-	-	-	0.74	8.3	-
48 Terrace Heights Drive	07/10/2014	kitchen tap	residential	0.0016	0.0013	44.4	-	-	-	-	-	1.21	8.3	-
48 Laurier Ave	10/07/2015	kitchen tap	residential	0.0184	0.0229	48.6	<50	<50	<1.0	<1.0	-	2.75	7.7	-
48 Laurier Ave	10/07/2015	kitchen tap	residential	0.0107	0.0123	45.2	-	-	-	-	-	0.7	-	-
48 Laurier Ave	17/07/2015	kitchen tap	residential	0.012	0.0268	46.8	-	-	-	-	-	0.78	-	-
48 Laurier Ave	24/07/2015	kitchen tap	residential	0.0112	0.0174	45.2	-	-	-	-	-	2.75	8.3	-
48 Laurier Ave	31/07/2015	kitchen tap	residential	0.0098	0.021	44.4	-	-	-	-	-	0.97	-	-
48 Laurier Ave	28/08/2015	kitchen tap	residential	0.0113	0.0256	48.9	-	-	-	-	-	0.97	-	-
48 Laurier Ave	25/09/2015	kitchen tap	residential	0.0127	0.0264	46	-	-	-	-	-	0.95	7.8	-
48 Laurier Ave	30/10/2015	kitchen tap	residential	0.0092	0.0204	44	-	-	-	-	-	2.75	7.8	-
48 Laurier Ave	27/11/2015	kitchen tap	residential	0.0054	0.013	44	54	50	<1	<1	-	1.29	7.8	-
48 Laurier Ave	13/12/2015	kitchen tap	residential	0.0059	0.0071	46	-	-	-	-	-	1.03	8	-
48 Laurier Ave	29/01/2014	kitchen tap	residential	0.0088	0.0109	45	-	-	-	-	-	1.18	8.1	-
48 Laurier Ave	26/02/2014	kitchen tap	residential	0.0067	0.009	50	-	-	-	-	-	0.98	8.1	-
48 Laurier Ave	04/03/2014	kitchen tap	residential	0.0068	0.0101	45	-	-	-	-	-	1.18	8.1	-
48 Laurier Ave	30/04/2014	kitchen tap	residential	0.0044	0.0056	44.4	-	-	-	-	-	1.37	8.2	-
48 Laurier Ave	28/05/2014	kitchen tap	residential	0.0095	0.0118	46.4	-	-	-	-	-	1.04	8.3	-
48 Laurier Ave	07/09/2014	kitchen tap	residential	0.0054	0.015	45.1	-	-	-	-	-	1.43	8.1	-
48 Laurier Ave	13/04/2015	kitchen tap	residential	0.0013	0.0088	47.4	<50	<5						


Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Iron Results (µg/L)	Manganese Results (µg/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments		
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)					1st Litre	2nd Litre (if plumbing)
50 Hudson Drive	27/09/2023	kitchen tap	residential	<0.001	0.0022	46.4	<50	<50	<1.0	<1.0	1.66	7.42	16	-
50 Hudson Drive	26/03/2024	kitchen tap	residential	0.0003	0.001	61	29	35	<1	<1	1.63	7.15	10.2	-
50 Hudson Drive	25/09/2024	kitchen tap	residential	0.0003	0.0009	56	35	60	<1	<1	1.64	7.25	16.8	-
50 Hudson Drive	23/03/2025	kitchen tap	residential	0.0004	0.0021	77	64	61	<1	<1	1.75	7.34	9.1	-
50 Hudson Drive	09/09/2025	kitchen tap	residential	0.0003	0.0013	53	<20	72	<1	<1	1.61	7.16	15.8	-
50 Superior Ave	11/07/2013	kitchen tap	residential	<0.001	<0.003	44.9	-	-	-	-	0.61	-	-	-
50 Superior Ave	18/07/2013	kitchen tap	residential	<0.001	<0.001	48.1	-	-	-	-	2.75	8.2	-	-
50 Superior Ave	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.2	-	-	-	-	0.78	-	-	-
50 Superior Ave	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.7	-	-	-	-	1.00	-	-	-
50 Superior Ave	29/08/2013	kitchen tap	residential	0.0025	<0.001	45.5	-	-	-	-	0.89	7.9	-	-
50 Superior Ave	26/09/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	1.02	7.8	-	-
50 Superior Ave	31/10/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	0.92	7.8	-	-
50 Superior Ave	28/11/2013	kitchen tap	residential	0.114	<0.0012	45	-	-	-	-	1.02	7.8	-	-
50 Superior Ave	19/12/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	0.9	8.1	-	-
50 Superior Ave	30/01/2014	kitchen tap	residential	<0.001	<0.001	38	-	-	-	-	0.99	8	-	-
50 Superior Ave	04/03/2014	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.24	8.3	-	-
50 Superior Ave	29/05/2014	kitchen tap	residential	<0.001	<0.001	46.9	-	-	-	-	1.06	8.3	-	-
50 Superior Ave	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.5	-	-	-	-	1.99	8	-	-
50 Superior Ave	15/04/2015	kitchen tap	residential	<0.001	<0.001	46.8	<50	<50	<1.0	<1.0	1.52	7.6	-	-
50 Superior Ave	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.5	68	68	1.0	1.1	1.69	7.5	-	-
50 Superior Ave	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.8	65	65	1.2	1.2	1.22	7.5	-	-
50 Superior Ave	06/10/2016	kitchen tap	residential	<0.001	<0.001	46.2	72	75	2.1	1.2	1.58	7.32	-	-
50 Superior Ave	04/06/2017	kitchen tap	residential	<0.001	<0.001	49.2	144	143	2.4	2.4	1.69	7.49	-	-
50 Superior Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	57	<50	<50	1.6	1.8	1.58	7.32	-	-
50 Superior Ave	11/04/2018	kitchen tap	residential	<0.001	<0.001	46.1	<50	<50	1.1	1.1	1.59	7.42	6.0	-
50 Superior Ave	03/10/2018	kitchen tap	residential	<0.001	<0.001	49.8	77	76	1.7	1.6	1.6	7.19	14.3	-
50 Superior Ave	02/09/2019	kitchen tap	residential	<0.001	<0.001	50.2	106	76	2.3	2.9	1.24	7.07	14.6	-
50 Superior Ave	01/04/2021	kitchen tap	residential	<0.001	<0.001	<50	<50	<50	<1.0	<1.0	1.42	7.5	3.7	-
50 Superior Ave	22/07/2021	kitchen tap	residential	<0.001	<0.001	<50	<50	48.8	<1.0	<1.0	1.85	6.59	14.9	-
50 Superior Ave	02/09/2023	kitchen tap	residential	<0.001	<0.001	44.8	<50	<50	<1.0	<1.0	1.38	7.38	15.8	-
50 Superior Ave	30/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.49	7.54	3.8	-
50 Superior Ave	26/09/2024	kitchen tap	residential	0.0002	<0.001	55	120	120	1	1	1.57	7.22	16.6	-
50 Superior Ave	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	50	44	40	<1	<1	1.64	7.29	10.2	-
50 Superior Avenue	10/07/2025	kitchen tap	residential	<0.001	<0.001	52	<20	<20	<1	<1	1.63	6.92	16.9	-
51 Laurier Ave	10/07/2013	kitchen tap	residential	0.0194	0.0404	44.2	-	-	-	-	2.43	-	-	-
51 Laurier Ave	17/07/2013	kitchen tap	residential	0.0082	0.015	48.4	-	-	-	-	8.3	-	-	-
51 Laurier Ave	24/07/2013	kitchen tap	residential	0.00274	0.0306	45.2	-	-	-	-	0.84	8.3	-	-
51 Laurier Ave	31/07/2013	kitchen tap	residential	0.00141	0.0305	44.8	-	-	-	-	0.85	7.8	-	-
51 Laurier Ave	28/08/2013	kitchen tap	residential	0.0182	0.0228	45.6	-	-	-	-	1.15	-	-	-
51 Laurier Ave	25/09/2013	kitchen tap	residential	0.0219	0.0315	46	-	-	-	-	1.14	7.8	-	-
51 Laurier Ave	30/10/2013	kitchen tap	residential	0.0038	0.0223	47	-	-	-	-	0.97	7.8	-	-
51 Laurier Ave	27/11/2013	kitchen tap	residential	0.0029	0.0186	47	-	-	-	-	7.47	7.8	-	-
58 Hudson Ave	05/10/2017	kitchen tap	residential	0.0153	0.0159	100	<50	<50	<1.0	<1.0	1.47	7.41	3.6	-
58 Hudson Ave	12/04/2018	kitchen tap	residential	0.0019	0.0057	46.6	<50	<50	<1.0	<1.0	1.47	7.41	3.6	-
58 Hudson Ave	04/02/2018	kitchen tap	residential	0.0022	0.01	48.5	<50	<50	<1.0	<1.0	1.53	7.25	13.8	-
58 Hudson Ave	04/04/2019	kitchen tap	residential	0.0016	0.0019	45.1	<50	<50	<1.0	<1.0	1.58	7.16	2.7	-
58 Hudson Ave	03/10/2019	kitchen tap	residential	0.0027	0.0073	47.7	<50	<50	<1.0	<1.0	1.73	7.06	13.9	-
58 Hudson Ave	01/04/2021	kitchen tap	residential	0.0013	0.003	80.8	<50	<50	<1.0	<1.0	1.62	7.43	5.2	-
59 Kenogami Hydrant	10/07/2013	hydrant	distribution	<0.001	-	45.2	-	-	-	-	1.11	-	-	-
59 Kenogami Hydrant	17/07/2013	hydrant	distribution	<0.001	-	46.8	-	-	-	-	8	-	-	-
59 Kenogami Hydrant	24/07/2013	hydrant	distribution	<0.001	-	44.2	-	-	-	-	0.98	8.3	-	-
59 Kenogami Hydrant	28/08/2013	hydrant	distribution	<0.001	-	44.7	-	-	-	-	1.14	-	-	-
59 Kenogami Hydrant	24/09/2013	hydrant	distribution	<0.001	-	53.1	-	-	-	-	1.84	7.9	-	-
59 Kenogami Hydrant	30/10/2013	hydrant	distribution	<0.001	-	49	-	-	-	-	1.01	7.8	-	-
59 Kenogami Hydrant	27/11/2013	hydrant	distribution	0.001	-	46	-	-	-	-	1.01	7.8	-	-
59 Kenogami Hydrant	29/01/2014	hydrant	distribution	<0.001	-	45	-	-	-	-	1.06	8.5	-	-
59 Kenogami Hydrant	28/05/2014	hydrant	distribution	<0.001	-	49.2	-	-	-	-	1.08	8.5	-	-
59 Kenogami Hydrant	07/09/2014	hydrant	distribution	<0.001	-	45.9	-	-	-	-	1.46	7.2	-	-
59 Kenogami Hydrant	04/03/2015	hydrant	distribution	<0.001	-	47.4	758	-	7.1	-	1.37	7.5	-	-
59 Kenogami Hydrant	10/07/2015	hydrant	distribution	<0.001	-	49.2	294	-	3.0	-	1.51	7.3	-	-
59 Kenogami Hydrant	13/04/2016	hydrant	distribution	<0.001	-	45.9	588	-	6.5	-	1.49	7.1	-	-
59 Kenogami Hydrant	05/10/2016	hydrant	distribution	<0.001	-	47.7	165	-	4.0	-	1.49	7.14	-	-
59 Kenogami Hydrant	04/05/2017	hydrant	distribution	<0.001	-	48.4	340	-	3.9	-	1.51	7.14	-	-
59 Kenogami Hydrant	05/10/2017	hydrant	distribution	<0.001	-	53.4	263	-	4.4	-	1.49	7.14	-	-
59 Kenogami Hydrant	11/04/2018	hydrant	distribution	<0.001	-	46.2	209	-	4.8	-	1.5	7.47	3.8	-
59 Kenogami Hydrant	03/10/2018	hydrant	distribution	<0.001	-	47.7	306	-	8.3	-	1.46	7.67	13.9	-
59 Kenogami Hydrant	03/04/2019	hydrant	distribution	<0.001	-	46.3	844	-	8.2	-	1.56	7.2	3.5	-
59 Kenogami Hydrant	02/10/2019	hydrant	distribution	<0.001	-	48	417	-	5	-	1.74	7.68	13.7	-
59 Kenogami Hydrant	14/04/2020	hydrant	distribution	<0.001	-	49.8	1650	-	9.5	-	1.76	7.41	3.8	-
59 Kenogami Hydrant	24/09/2020	hydrant	distribution	<0.001	-	58.5	811	-	4.1	-	1.72	7.44	12.9	-
59 Kenogami Hydrant	04/02/2021	hydrant	distribution	<0.001	-	79.2	485	-	1.5	-	1.47	7.45	4.7	-
59 Kenogami Hydrant	22/07/2021	hydrant	distribution	<0.001	-	47.8	188	-	2.9	-	1.75	7.15	17.2	-
59 Kenogami Hydrant	07/04/2022	hydrant	distribution	<0.001	-	46.9	106	-	2.4	-	1.58	7.6	2.3	-
59 Kenogami Hydrant	31/08/2022	hydrant	distribution	<0.001	-	60.6	243	-	2.9	-	1.68	7.45	16.2	-
59 Kenogami Hydrant	09/03/2023	hydrant	distribution	<0.001	-	48.1	45	-	<1.0	<1.0	1.47	7.35	4.7	-
59 Kenogami Hydrant	28/09/2023	hydrant	distribution	<0.001	-	46.5	<50	-	<1.0	<1.0	1.66	7.57	13.7	-
59 Kenogami Hydrant	26/09/2024	hydrant	distribution	<0.0001	-	53	110	-	1	-	1.46	6.96	16.8	-
59 Kenogami Road	26/03/2025	hydrant	distribution	<0.0001	-	73	69	-	-	-	1.42	7.26	13.6	-
59 Kenogami Road	10/09/2025	hydrant	distribution	<0.0001	-	57	<20	<20	<1	<1	1.42	7.09	13.6	-
Kenogami Hydrant	11/07/2013	hydrant	distribution	<0.001	-	45.5	-	-	-	-	-	-	-	-
Kenogami Hydrant	13/12/2013	hydrant	distribution	<0.001	-	44	-	-	-	-	1.12	8	-	-
Kenogami Hydrant	26/03/2014	hydrant	distribution	<0.001	-	33	-	-	-	-	0.81	8.3	-	-
Kenogami Hydrant	04/02/2014	hydrant	distribution	<0.001	-	46	-	-	-	-	1.03	7.7	-	-
Kenogami Hydrant	30/04/2014	hydrant	distribution	<0.001	-	44.6	588							

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Iron Results (ug/L)	Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments		
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)					1st Litre	2nd Litre (if plumbing)
64 Hudson Drive	25/03/2025	kitchen tap	residential	0.0002	0.0001	50	48	58	<1	<1	1.47	7.25	4.7	-
64 Hudson Drive	09/09/2025	kitchen tap	residential	0.0016	0.0028	50	<20	<20	<1	<1	1.46	7.18	16.1	-
64 Hudson Drive	26/03/2024	hydrant	distribution	<0.0001	-	68	22	-	<1	-	1.5	7.03	5.3	-
64 Hudson Drive	25/03/2025	hydrant	distribution	<0.0001	-	49	<20	-	<1	-	1.81	7.28	5.4	-
64 Hudson Drive	09/09/2025	hydrant	distribution	<0.0001	-	50	<20	-	<1	-	1.40	7.26	11.0	-
7 McDonald Ave	04/09/2013	kitchen tap	residential	0.0011	<0.001	-	-	-	-	-	2.45	7.7	-	-
77 Lakewood Drive	22/07/2021	kitchen tap	residential	0.0035	<0.001	48.7	<50	<50	1.2	<1.0	1.65	6.94	16.3	-
77 Lakewood Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	44.8	-	-	-	-	2.05	-	-	-
77 Lakewood Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	48.1	-	-	-	-	1.39	8.3	-	-
77 Lakewood Drive	25/07/2013	kitchen tap	residential	0.0012	<0.001	46.4	-	-	-	-	0.81	-	-	-
77 Lakewood Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.6	-	-	-	-	0.96	-	-	-
77 Lakewood Drive	29/08/2013	kitchen tap	residential	0.0011	<0.001	45.7	-	-	-	-	0.94	7.9	-	-
77 Lakewood Drive	26/09/2013	kitchen tap	residential	0.0014	<0.001	49	-	-	-	-	0.97	7.8	-	-
77 Lakewood Drive	31/10/2013	kitchen tap	residential	0.0014	<0.001	48	-	-	-	-	1.01	7.8	-	-
77 Lakewood Drive	28/11/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.59	7.8	-	-
77 Lakewood Drive	19/12/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	0.98	8	-	-
77 Lakewood Drive	30/01/2014	kitchen tap	residential	0.0014	<0.001	46	-	-	-	-	1.13	8.1	-	-
77 Lakewood Drive	04/03/2014	kitchen tap	residential	0.0022	<0.001	46	-	-	-	-	1.09	8.3	-	-
77 Lakewood Drive	05/01/2014	kitchen tap	residential	<0.001	<0.001	44.8	-	-	-	-	1.19	8.2	-	-
77 Lakewood Drive	29/05/2014	kitchen tap	residential	<0.001	<0.001	47.5	-	-	-	-	0.85	8.3	-	-
77 Lakewood Drive	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.7	-	-	-	-	2.72	8	-	-
79 Hudson Drive	10/07/2013	kitchen tap	residential	0.0082	0.0129	44.7	-	-	-	-	0.54	-	-	-
79 Hudson Drive	17/07/2013	kitchen tap	residential	0.0044	0.0096	46.3	-	-	-	-	0.83	-	-	-
79 Hudson Drive	24/07/2013	kitchen tap	residential	0.0073	0.009	45.9	-	-	-	-	0.81	8.3	-	-
79 Hudson Drive	31/07/2013	kitchen tap	residential	0.005	0.0045	44.5	-	-	-	-	0.82	-	-	-
79 Hudson Drive	28/08/2013	kitchen tap	residential	0.0088	0.0033	45.3	-	-	-	-	1.2	-	-	-
79 Hudson Drive	29/08/2013	kitchen tap	residential	0.0041	0.0041	48	-	-	-	-	1.11	7.8	-	-
79 Hudson Drive	30/10/2013	kitchen tap	residential	0.005	0.0072	48	-	-	-	-	1.08	7.8	-	-
79 Hudson Drive	27/11/2013	kitchen tap	residential	0.004	0.0066	46	-	-	-	-	1.32	7.8	-	-
79 Hudson Drive	19/12/2013	kitchen tap	residential	0.0021	0.0021	48	-	-	-	-	0.88	-	-	-
79 Hudson Drive	29/01/2014	kitchen tap	residential	0.0035	0.0049	46	-	-	-	-	1.14	8.1	-	-
79 Hudson Drive	26/02/2014	kitchen tap	residential	0.0033	0.0053	49	-	-	-	-	1.06	8.3	-	-
79 Hudson Drive	30/04/2014	kitchen tap	residential	0.0029	0.0044	44.7	-	-	-	-	1.1	8.2	-	-
79 Hudson Drive	28/05/2014	kitchen tap	residential	0.0025	0.0021	45.3	-	-	-	-	0.91	8.3	-	-
79 Hudson Drive	07/09/2014	kitchen tap	residential	0.0035	0.0053	46.7	-	-	-	-	1.47	7.7	-	-
79 Hudson Drive	10/07/2015	kitchen tap	residential	0.0055	0.0065	48.4	<50	<50	<1.0	<1.0	1.49	7.8	-	-
79 Hudson Drive	04/08/2015	kitchen tap	residential	0.0021	0.0028	46.1	<50	<50	<1.0	<1.0	1.64	7.5	-	-
79 Hudson Drive	13/04/2016	kitchen tap	residential	0.0021	0.0021	44.4	<50	<50	<1.0	<1.0	1.8	7.4	-	-
79 Hudson Drive	05/10/2016	kitchen tap	residential	0.0044	0.0055	48.4	<50	<50	<1.0	<1.0	2.02	7.25	-	-
79 Hudson Drive	22/07/2021	kitchen tap	residential	0.0266	0.0021	48.2	<50	<50	<1.0	<1.0	1.69	6.69	18.2	-
8 Birch Crescent	10/07/2013	kitchen tap	residential	0.0188	0.007	45.8	-	-	-	-	0.52	-	-	-
8 Birch Crescent	17/07/2013	kitchen tap	residential	0.0217	0.007	46.1	-	-	-	-	0.84	-	-	-
8 Birch Crescent	24/07/2013	kitchen tap	residential	0.0165	0.0394	46.1	-	-	-	-	0.58	8.4	-	-
8 Birch Crescent	31/07/2013	kitchen tap	residential	0.0128	0.0307	45.1	-	-	-	-	1.25	-	-	-
8 Birch Crescent	28/08/2013	kitchen tap	residential	0.0224	0.0095	45.5	-	-	-	-	0.97	-	-	-
8 Birch Crescent	25/09/2013	kitchen tap	residential	0.0123	0.0213	45	-	-	-	-	1.03	7.8	-	-
8 Birch Crescent	30/10/2013	kitchen tap	residential	0.0123	0.0167	46	-	-	-	-	0.89	7.8	-	-
8 Birch Crescent	27/11/2013	kitchen tap	residential	0.01	0.0183	46	-	-	-	-	0.96	7.8	-	-
8 Birch Crescent	13/12/2013	kitchen tap	residential	0.0296	0.029	48	-	-	-	-	0.81	8	-	-
8 Birch Crescent	29/01/2014	kitchen tap	residential	0.0069	0.0131	42	-	-	-	-	0.96	8.2	-	-
8 Birch Crescent	26/02/2014	kitchen tap	residential	0.0086	0.0108	47	-	-	-	-	1.03	8.2	-	-
8 Birch Crescent	30/04/2014	kitchen tap	residential	0.0047	0.0076	44.2	-	-	-	-	1.23	8.4	-	-
8 Birch Crescent	28/05/2014	kitchen tap	residential	0.0041	0.0061	45.5	-	-	-	-	1.1	8.4	-	-
8 Birch Crescent	07/09/2014	kitchen tap	residential	0.007	0.0099	45.5	-	-	-	-	1.19	7.6	-	-
8 Birch Crescent	04/08/2015	kitchen tap	residential	0.006	0.0081	46.1	210	213	3.9	3.5	1.06	7.4	-	-
8 Birch Crescent	10/07/2015	kitchen tap	residential	0.0094	0.0088	48.4	152	178	2.7	2.4	1.47	7.9	-	-
8 Birch Crescent	13/04/2016	kitchen tap	residential	0.0041	0.0044	44.2	329	333	6.1	5.9	2.69	7	-	-
8 Birch Crescent	06/10/2016	kitchen tap	residential	0.0074	0.0105	48.9	145	144	3.1	3	1.46	7.21	-	-
8 Birch Crescent	04/08/2017	kitchen tap	residential	<0.001	<0.001	48.9	<50	<50	<1.0	<1.0	1.47	7.03	-	-
8 Birch Crescent	12/04/2018	kitchen tap	residential	0.0026	0.0027	79.2	210	266	7.2	7.1	1.46	7.21	-	-
8 Birch Crescent	04/10/2018	kitchen tap	residential	0.002	0.0023	47	210	207	6.6	6.2	1.3	7.28	3.4	-
8 Birch Crescent	04/10/2018	kitchen tap	residential	0.0074	0.0264	47.9	278	278	8.8	7.9	1.42	7.2	14.2	-
81 Terrace Heights Drive	09/09/2025	kitchen tap	residential	<0.0001	<0.0001	33	<20	<20	<1	<1	1.02	7.2	18.1	-
81 Terrace Heights Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	45.3	-	-	-	-	0.49	-	-	-
81 Terrace Heights Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	49.2	-	-	-	-	1.02	8.3	-	-
81 Terrace Heights Drive	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.9	-	-	-	-	0.79	-	-	-
81 Terrace Heights Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.6	-	-	-	-	0.75	-	-	-
81 Terrace Heights Drive	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.4	-	-	-	-	1.12	8	-	-
81 Terrace Heights Drive	26/09/2013	kitchen tap	residential	<0.001	<0.001	49	-	-	-	-	0.97	7.8	-	-
81 Terrace Heights Drive	31/10/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.12	7.8	-	-
81 Terrace Heights Drive	28/11/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	1.03	7.8	-	-
81 Terrace Heights Drive	19/12/2013	kitchen tap	residential	<0.001	<0.001	49	-	-	-	-	0.95	8.1	-	-
81 Terrace Heights Drive	30/01/2014	kitchen tap	residential	<0.001	<0.001	41	-	-	-	-	1	8.3	-	-
81 Terrace Heights Drive	04/03/2014	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	0.89	8.1	-	-
81 Terrace Heights Drive	05/01/2014	kitchen tap	residential	<0.001	<0.001	46.2	-	-	-	-	0.82	8.3	-	-
81 Terrace Heights Drive	29/05/2014	kitchen tap	residential	<0.001	<0.001	46.5	-	-	-	-	1.31	8.2	-	-
81 Terrace Heights Drive	07/10/2014	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	1.56	8	-	-
81 Terrace Heights Drive	25/04/2015	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	1.55	7.6	-	-
81 Terrace Heights Drive	10/07/2015	kitchen tap	residential	0.001	<0.001	48.9	<50	<50	<1.0	<1.0	1.58	7.8	-	-
81 Terrace Heights Drive	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.9	<50	<50	<1.0	<1.0	1.45	7.4	-	-
81 Terrace Heights Drive	04/10/2016	kitchen tap	residential	<0.001	<0.001	47.5	<50	<50	<1.0	<1.0	1.56	7.36	-	-
81 Terrace Heights Drive	04/08/2017	kitchen tap	residential	<0.001	<0.001	47.8	<50	<50	<1.0	<1.0	1.48	7.44	-	-
81 Terrace Heights Drive	05/10/2017	kitchen tap	residential	<0.001	<0.001	51.4	<50	<50	<1.0	<1.0	1.56	7.36	-	-
81 Terrace Heights Drive	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.9	<50	<50	<1.0	<1.0	1.52	7.28	3.8	-
81 Terrace Heights Drive	04/10/2018	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<1.0	<1.0	1.57	7.17	13.1	-
81 Terrace Heights Drive	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.3	<50	<50	<1.0	<1.0	1.63	7.15	4.1	-
81 Terrace Heights Drive	03/10/2019	kitchen tap	residential	<0.001	<0.001	45	<50	<50	<1.0	<1.0	1.71	7.14	14.3	-
81 Terrace Heights Drive	31/03/2021	kitchen tap	residential	0.0049	0.0268	48.4	<50	<50	<1.0	<1.0	1.47	7.57	5.9	-
81 Terrace Heights Drive	22/07/2021	kitchen tap	residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.77	6.62	14.1	-
81 Terrace Heights Drive	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	1.56	7.67	4.7	-
81 Terrace Heights Drive	01/09/2022	kitchen tap	residential	<0.001	<0.001	51	<50	<50	<1.0	<1.0	1.63	7.44	15.8	-
81 Terrace Heights Drive	28/09/2023	kitchen tap	residential	<0.001	<0.001	46.5	59	60	<1.0	<1.0	1.55	7.47	15.6	-
81 Terrace Heights Drive	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	74	58	45	<1	<1	1.51	7.31	11	-
81 Terrace Heights Drive	25/09/2024	kitchen tap	residential	<0.0001	<0.0001	53	86	80	<1	<1	1.57	7.27	17.2	-
81 Terrace Heights Drive	25/03/2025	kitchen tap	residential	<0.0001	<0.0001	51	110	100	<1	<1	2.02	7.31	12.6	-

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Iron Results (ug/L)	Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments		
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)						
9 Elizabeth Ave	04/06/2017	kitchen tap	residential	<0.001	<0.001	47.7	64	67	1.1	1.2	1.77	7.28	-	
9 Elizabeth Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	82.1	<50	<50	1	1.1	1.48	7.31	-	
9 Elizabeth Ave	11/04/2018	kitchen tap	residential	<0.001	<0.001	47.8	<50	<50	1	1.1	1.49	7.26	2.9	
9 Elizabeth Ave	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.6	<50	<50	<1.0	1.1	1.6	7.11	2.6	
9 Elizabeth Ave	03/10/2019	kitchen tap	residential	<0.001	<0.001	47.2	76	76	1.3	1.4	1.72	7.14	14.7	
9 Elizabeth Ave	01/04/2021	kitchen tap	residential	<0.001	<0.001	75.6	<50	<50	<1.0	<1.0	1.52	7.44	3.7	
9 Elizabeth Ave	22/07/2021	kitchen tap	residential	<0.001	<0.001	48.5	53	54	1	1.1	1.74	6.71	16.2	
9 Elizabeth Ave	06/04/2022	kitchen tap	residential	<0.001	<0.001	46.6	<50	<50	1.2	1.2	1.52	7.25	2.6	
9 Princess Ave	09/04/2013	kitchen tap	residential	0.0018	<0.001	-	-	-	-	-	-	7.9	-	
9 Princess Ave	27/03/2024	kitchen tap	residential	0.0145	0.0001	71	46	59	1	1	1.5	7.28	7.4	
9 Princess Ave	26/09/2024	kitchen tap	residential	0.0002	<0.0001	57	110	120	2	2	1.54	7.86	22.5	
9 Princess Ave	26/03/2025	kitchen tap	residential	0.0001	<0.0001	55	<20	<20	<1	<1	1.63	7.29	9.5	
9 Princess Ave	10/09/2025	kitchen tap	residential	0.0003	0.0002	52	<20	<20	1	1	1.61	7.14	18.1	
95 Lakeview	04/02/2014	hydrant	residential	<0.001	<0.001	47.9	<50	<50	<1.0	<1.0	1.66	7.9	-	
95 Lakeview	15/04/2016	kitchen tap	residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	1.61	7.5	-	
95 Lakeview	13/04/2016	kitchen tap	residential	<0.001	<0.001	44.8	53	53	1.2	1.1	1.61	7.5	-	
95 Lakeview	05/10/2016	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	1.61	7.27	-	
95 Lakeview	04/06/2017	kitchen tap	residential	<0.001	<0.001	47.9	76	73	1.4	1.2	1.61	7.31	-	
95 Lakeview	03/10/2018	kitchen tap	residential	0.0107	<0.001	47.8	73	66	1.4	1.4	1.63	7.17	-	
95 Lakeview	03/04/2019	kitchen tap	residential	<0.001	<0.001	45.3	<50	<50	1.1	<1.0	1.54	7.08	4.9	
95 Lakeview	02/10/2019	kitchen tap	residential	<0.001	<0.001	49	65	65	1.4	1.4	1.74	6.97	14.7	
East Grove Cree. Hydrant	10/04/2013	hydrant	distribution	0.0015	-	45.4	-	-	-	-	-	8.2	-	
McDonalds Ave Hydrant	09/04/2013	hydrant	distribution	0.0206	-	45.3	-	-	-	-	-	8.2	-	
MNR Building Hwy 17	11/07/2013	bathroom tap	non-residential	0.0014	<0.001	45.4	-	-	-	-	-	2.62	8.2	
Selkirk hydrant	10/07/2013	hydrant	distribution	0.0012	-	45.8	-	-	-	-	-	2.75	-	
Selkirk hydrant	17/07/2013	hydrant	distribution	0.012	-	47.5	-	-	-	-	-	8.1	-	
Selkirk hydrant	24/07/2013	hydrant	distribution	<0.001	-	44	-	-	-	-	-	2.65	8.3	
Selkirk hydrant	26/07/2013	hydrant	distribution	<0.001	-	45.9	-	-	-	-	-	0.8	-	
Selkirk hydrant	31/07/2013	hydrant	distribution	<0.001	-	43.7	-	-	-	-	-	0.81	-	
Selkirk hydrant	28/08/2013	hydrant	distribution	<0.001	-	44.9	-	-	-	-	-	1.86	-	
Selkirk hydrant	25/09/2013	hydrant	distribution	<0.001	-	49	-	-	-	-	-	1.15	7.8	
Selkirk hydrant	30/10/2013	hydrant	distribution	0.0013	-	51	-	-	-	-	-	1.28	7.8	
Selkirk hydrant	27/11/2013	hydrant	distribution	<0.001	-	46	-	-	-	-	-	7.8	-	
Selkirk hydrant	18/12/2013	hydrant	distribution	<0.001	-	146	-	-	-	-	-	1.33	8	
Selkirk hydrant	29/01/2014	hydrant	distribution	<0.001	-	45	-	-	-	-	-	0.95	8.3	
Selkirk hydrant	26/02/2014	hydrant	distribution	<0.001	-	48	-	-	-	-	-	1.14	8	
Selkirk hydrant	04/02/2014	hydrant	distribution	<0.001	-	46	-	-	-	-	-	1.07	7.6	
Selkirk hydrant	30/04/2014	hydrant	distribution	<0.001	-	44.5	-	-	-	-	-	1.93	8.1	
Selkirk hydrant	28/05/2014	hydrant	distribution	<0.001	-	45.9	-	-	-	-	-	1.09	8.3	
Selkirk hydrant	07/09/2014	hydrant	distribution	<0.001	-	45.4	-	-	-	-	-	7.4	-	
Selkirk hydrant	15/04/2015	hydrant	distribution	<0.001	-	47.3	<50	<50	<1.0	<1.0	-	1.85	7.5	
Selkirk hydrant	10/07/2015	hydrant	distribution	<0.001	-	48.9	<50	<50	<1.0	<1.0	-	1.61	7.8	
Selkirk hydrant	13/04/2016	hydrant	distribution	<0.001	-	44.2	<50	<50	<1.0	<1.0	-	7.2	-	
Selkirk hydrant	05/10/2016	hydrant	distribution	<0.001	-	49.5	<50	<50	<1.0	<1.0	-	1.59	7.14	
Selkirk hydrant	04/05/2017	hydrant	distribution	<0.001	-	47.8	<50	<50	<1.0	<1.0	-	1.65	7.29	
Selkirk hydrant	04/10/2017	hydrant	distribution	<0.001	-	63.2	<50	<50	<1.0	<1.0	-	1.59	7.14	
Selkirk hydrant	12/04/2018	hydrant	distribution	<0.001	-	46.4	<50	<50	<1.0	<1.0	-	1.44	7.56	
Selkirk hydrant	04/10/2018	hydrant	distribution	<0.001	-	46.5	107	<50	<1.0	<1.0	-	1.58	7.59	
Selkirk hydrant	04/04/2019	hydrant	distribution	<0.001	-	44.9	<50	<50	<1.0	<1.0	-	1.57	7.47	4.9
Selkirk hydrant	02/10/2019	hydrant	distribution	<0.001	-	47.4	<50	<50	<1.0	<1.0	-	1.63	7.64	14.1
Selkirk hydrant	14/04/2020	hydrant	distribution	<0.001	-	49.1	<50	<50	<1.0	<1.0	-	1.6	7.37	3.6
Selkirk hydrant	24/09/2020	hydrant	distribution	0.0011	-	55.1	<50	<50	<1.0	<1.0	-	1.8	7.23	12.9
Selkirk hydrant	31/03/2021	hydrant	distribution	<0.001	-	53.4	<50	<50	<1.0	<1.0	-	1.41	7.7	4.9
Selkirk hydrant	22/07/2021	hydrant	distribution	<0.001	-	48.6	69	<50	<1.0	<1.0	-	1.33	6.73	17.6
Selkirk hydrant	07/04/2022	hydrant	distribution	<0.001	-	46.9	<50	<50	<1.0	<1.0	-	1.64	7.57	2.3
Selkirk hydrant	01/09/2022	hydrant	distribution	<0.001	-	53.1	<50	<50	<1.0	<1.0	-	1.63	7.45	18.3
Selkirk hydrant	30/03/2023	hydrant	distribution	<0.001	-	48.3	<50	<50	<1.0	<1.0	-	1.42	7.62	3.9
Selkirk hydrant	27/09/2023	hydrant	distribution	<0.001	-	46.7	<50	<50	<1.0	<1.0	-	1.54	7.35	16.8
Selkirk hydrant	25/09/2024	hydrant	distribution	0.0002	-	54	56	<50	<1	<1	-	1.48	7.31	17.2
Selkirk hydrant	25/09/2024	hydrant	distribution	0.0003	-	54	56	<50	<1	<1	-	1.48	7.31	17.2
Seddon Motors	10/04/2013	other (specify)	non-residential	<0.001	<1	-	-	-	-	-	-	2.75	7.5	Lunchroom Tap
Subway Restaurant Hwy 11	10/07/2013	bathroom tap	non-residential	<0.001	<1	44.7	-	-	-	-	-	-	8.2	-
Tourist Info Centre	09/04/2013	kitchen tap	non-residential	<0.001	<0.001	-	-	-	-	-	-	-	8.2	-
Water Plant	17/07/2013	other (specify)	distribution	<0.001	-	49.3	-	-	-	-	-	0.51	8.1	-
11 Beaver Creek Rd. WTP	24/07/2013	other (specify)	distribution	<0.001	-	46.6	-	-	-	-	-	-	8.5	-
Water Plant	01/08/2013	other (specify)	distribution	<0.001	-	44.9	-	-	-	-	-	0.91	-	-
Water Plant	29/08/2013	other (specify)	distribution	<0.001	-	44.3	-	-	-	-	-	1.07	7.8	-
Water Plant	26/09/2013	other (specify)	distribution	<0.001	-	49	-	-	-	-	-	1.91	7.8	-
Point of Entry WTP	07/10/2013	other (specify)	distribution	<0.001	-	44.9	-	-	-	-	-	-	-	-
WTP	31/10/2013	other (specify)	distribution	<0.001	-	46	-	-	-	-	-	3	7.8	-
Water Plant	28/11/2013	other (specify)	distribution	<0.001	-	46	-	-	-	-	-	1.33	7.8	-
WTP	19/12/2013	other (specify)	distribution	<0.001	-	45	-	-	-	-	-	1.27	7.8	-
Water Plant	30/01/2014	other (specify)	distribution	<0.001	-	47	-	-	-	-	-	0.99	7.9	-
Water Plant	26/02/2014	other (specify)	distribution	<0.001	-	44	-	-	-	-	-	1.26	8	-
Water Plant	04/03/2014	other (specify)	distribution	<0.001	-	46	-	-	-	-	-	1.21	8	-
Water Plant	29/05/2014	other (specify)	distribution	<0.001	-	46.5	-	-	-	-	-	1.27	8.3	-
Water Plant	07/10/2014	other (specify)	distribution	<0.001	-	47.6	-	-	-	-	-	8.1	-	-
Water Plant Point of Entry	07/09/2014	other (specify)	distribution	<0.001	-	47	-	-	-	-	-	1.07	7.8	-
11 Beaver Creek Rd. WTP	15/04/2015	other (specify)	distribution	<0.001	-	46.3	-	-	-	-	-	1.53	7.7	-
Water Plant 11 Beaver Creek	10/07/2015	other (specify)	distribution	<0.001	-	50.1	-	-	-	-	-	1.53	7.6	-
Water Plant	13/04/2016	other (specify)	distribution	<0.001	-	44.3	-	-	-	-	-	1.57	7.6	-
11 Beaver Creek Rd. WTP	06/10/2016	other (specify)	distribution	<0.001	-	47.9	<50	<50	<1.0	<1.0	-	1.56	7.63	-
11 Beaver Creek Rd. WTP	04/06/2017	other (specify)	distribution	<0.001	-	48.2	<50	<50	<1.0	<1.0	-	1.57	7.57	-
11 Beaver Creek Rd. WTP	05/10/2017	other (specify)	distribution	<0.001	-	114	<50	<50	<1.0	<1.0	-	1.56	7.63	-
11 Beaver Creek Rd. WTP	11/04/2018	other (specify)	distribution	<0.001	-	47.7	<50	<50	<1.0	<1.0	-	1.49	7.69	3.7
11 Beaver Creek Rd. WTP	04/10/2018	other (specify)	distribution	<0.001	-	46.5	<50	<50	<1.0	<1.0	-	1.55	7.61	12.3
E1 Point of Entry	03/04/2019	other (specify)	distribution	<0.001	-	47.1	<50	<50	<1.0	<1.0	-	1.55	7.62	3.3
Point of Entry WTP	03/10/2019	other (specify)	distribution	<0.001	-	46.6	<50	<50	<1.0	<1.0	-	1.68	7.44	13.9
Point of Entry WTP	14/04/2020	other (specify)	distribution	<0.001	-	49.4	<50	<50	<1.0	<1.0	-	1.72	7.46	4.4
Point of Entry WTP	24/09/2020	other (specify)	distribution	<0.001	-	52.6	<50	<50	<1.0	<1.0	-	1.29	7.37	13.8
Point of Entry WTP	01/04/2021	other (specify)	distribution	<0.001	-	78.5	<50	<50	<1.0	<1.0	-	1.52	7.23	4.5
Point of Entry WTP	23/07/2021	other (specify)	distribution	<0.001	-	49.4	<50	<50	<1.0	<1.0	-	1.74	7.45	16.3
Point of Entry WTP	06/04/2022	other (specify)	distribution	<0.001	-	46.9	<50	<50	<1.0	<1.0	-	1.63	7.59	3.4
Point of Entry WTP	31/08/2022	other (specify)	distribution	<0.001	-	23	<50	<50	<1.0	<1.0	-	1.59	7.02	16.7
Point of Entry WTP	29/03/2023	other (specify)	distribution	<0.002	-	48.8	<50	<50	<1.0	<1.0	-	1.49	7.36	3.7
Point of Entry WTP	27/09/2023	other (specify)	distribution	<0.001	-	46.3	<50	<50	<1.0	<1.0	-	1.48	7.22	15.2
Point of Entry WTP	26/03/2024	other (specify)	distribution	<0.001	-	73	44	<50	<1	<1	-	1.52	7.36	5.2

APPENDIX B – GRAPHS

Lead Concentration Over Time



GRAPH 1: LEAD CONCENTRATION OVER TIME




Report Name: Corrosion Control Report

Client: Township of Terrace Bay

Project Number: 26091.01

Date: June 2026

pH Over Time



GRAPH 2: pH CONCENTRATION OVER TIME




Report Name: Corrosion Control Report

Client: Township of Terrace Bay

Project Number: 26091.01

Date: June 2026

Phosphate Concentrations Over Time



GRAPH 3: PHOSPHATE CONCENTRATIONS OVER TIME



Report Name: Corrosion Control Report

Client: Township of Terrace Bay

Project Number: 26091.01

Date: June 2026

APPENDIX C – COMPLAINT LETTER

Community Complaint Form

Created: Apr-29-2020



Ontario Clean Water Agency
Agence Ontarienne Des Eaux

Facility: _____ Org#: _____

Date: _____ Time: _____ AM/PM

Operator Responding to Complaint: _____

Name of Person with Complaint: _____

Address: _____

Phone: _____

Nature of Complaint:

- Noise
 Odour
 Service Problems
 Sludge Related
 Visual
 Taste/Colour
 Other _____

Description: _____

Actions Taken in Response: _____

Was the source of the problem identified? No Yes (Please describe below)

Was the source an OCWA facility/activity? No Yes (Please describe below)

Operator Name: _____ Operator Signature: *Ad Gude*

Email to PCTs: Nwopct@ocwa.com

Reporting	Verbal Notification	Written Notification
	Date	Date
Manager:		
PCT:		
Owner (to be completed by manager/PCT):		

PCTs	Date Entered in OPEX:	By:
------	-----------------------	-----

REPORT LIMITATIONS & GUIDELINES FOR USE

This report has been prepared for the exclusive use and sole benefit of the Client or its authorized agent(s) and may not be used by any third party without the express written consent of Greenstone Engineering Ltd. and the Client. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of third parties. This report is not to be construed as legal advice. Greenstone Engineering Ltd. disclaims responsibility of consequential financial effects on transactions or property values, or requirements for follow-up actions and costs. No other warranty is expressed or implied.

Misinterpretation of this report by other design or project team members or contractors could result in significant financial and/or safety issues. Retaining Greenstone Engineering Ltd. to confer with the appropriate members of future related project teams can substantially lower those potential issues.

BASIS OF THE REPORT

The information, opinions, and/or recommendations made in this report are in accordance with Greenstone Engineering Ltd.'s present understanding of the site-specific conditions as described by the Client. The applicability of this report is restricted to the current site conditions encountered at the time of the investigation or study. If the proposed site-specific conditions differs or is modified from what is described in this report or if the site conditions are altered, this report is no longer valid unless Greenstone Engineering Ltd. is requested by the Client to review and revise the report to reflect the differing or modified project specifics and/or the altered site conditions.

STANDARD OF CARE

Based on the limitations of the scope of work, schedule, and budget, the preparation of this report, and all associated work, was carried out in accordance with the normally accepted standard of care for the specific professional service provided to the Client. The environmental conditions that have been presented are based on the factual data obtained from this investigation. No other warranty is expressed or implied.

INTERPRETATION OF SITE CONDITIONS

Descriptions of environmental conditions made in this report are based on site conditions encountered by Greenstone Engineering Ltd. at the time of the work, and at the specific inspected, tested, monitored and/or sampled locations. Classifications and statements of condition(s) have been made in accordance with commonly accepted practices, which are judgmental in nature; no specific description should be considered exact. Extrapolation of in-situ conditions can only be made to some limited extent beyond the sampling or test points, if completed. The extent depends on variability of the specific media conditions (building materials, soil, groundwater, rock, sediment, etc.) as influenced by natural, environmental, geological and/or hydrogeological processes, construction activity, and site/building use. No warranty or other conditions, expressed or implied, should be understood.

VARYING OR UNEXPECTED CONDITIONS

Regardless of how exhaustive an environmental investigation is performed, the investigation cannot identify all the subsurface conditions, which may differ from the conditions encountered at the test locations at the time of our investigation. Further, subsurface conditions can change with time due to natural and direct or indirect human impacts at or away from the site. As such, no warranty is expressed or implied that the entire site is representative of the subsurface information obtained at the specific locations of our investigation, which may also change with time.

Should any site or subsurface conditions be encountered that are different from those described in this report or encountered at the test locations, Greenstone Engineering Ltd. must be notified immediately to assess if the varying or unexpected conditions are substantial and if reassessments of the report conclusions or recommendations are required. Greenstone Engineering Ltd. will not be responsible to any party for damages incurred as a result of failing to notify Greenstone Engineering Ltd. that differing site or subsurface conditions are present upon becoming aware of such conditions.

PLANNING, DESIGN, AND CONSTRUCTION

If there are any changes in the project scope or development features, which may affect our assessment, the information obtained during the investigation may be inadequate. In this case, Greenstone Engineering Ltd. should be retained to review the project changes to evaluate if the changes will affect the conclusions and recommendations within our report, and if additional field investigation work, as well as reporting is required as part of the reassessment.

Development or design plans and specifications should be reviewed by Greenstone Engineering Ltd., sufficiently ahead of initiating the next project stage (property acquisition, financing, tender, construction, etcetera), to confirm that this report completely addresses the elaborated project specifics and that the contents of this report have been properly interpreted. Specialty quality assurance services (field observations and testing) during construction can be a necessary part of the evaluation of subsurface conditions and site preparation works. Site work relating to the recommendations included in this report should only be carried out in the presence of a qualified environmental engineer. Greenstone Engineering Ltd. cannot be responsible for site work carried out without being present or consulted.

FINANCIAL DISCLAIMER

Greenstone Engineering Ltd. will not be responsible for any consequential or indirect damages. Greenstone Engineering Ltd. will only be held liable for damages resulting from the negligence of our work completed. Any liability resulting from negligence of Greenstone Engineering Ltd. and its officers shall be limited to the lesser of fees paid and/or actual damages incurred by the Client.

LEGAL DISCLAIMER

Greenstone Engineering Ltd. makes no other representations whatsoever, including those concerning the legal significance of its findings, or as to other legal matters that could be construed within this report, including, but not limited to, ownership of any property, or the application of any law to the facts set forth herein. With respect to regulatory compliance issues, regulatory statutes are subject to interpretation and these interpretations may change over time.

REGULATORY DISCLAIMER

This report has been prepared for due diligence purposes only and in accordance with standard environmental engineering and consulting practices in accordance with the applicable CSA Standards. This report has not been completed for the purpose of obtaining a Record of Site Condition and does not meet the reporting requirements as set out in Ontario Regulation 153/04.



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Ryan Falzetta, Operations Manager
Date: June 15, 2026
Subject: Corrosion Control Report

Recommendation:

THAT Council accept the 2025 Corrosion Control Program Report from Greenstone Engineering for the Terrace Bay Drinking Water System as information.

Background Information:

Each year, the Township contracts an engineering firm to complete a report on the effectiveness of our Corrosion Control Plan. Monitoring is done through town-wide lead testing twice a year.

Current Discussion:

Administration is sharing the report on the effectiveness of the program. The laboratory data, to date, shows that the corrosion control measure continues to reduce lead levels to below the Ontario Drinking Water Standard (OWDS) of 0.01 mg/L at both residential and non-residential sampling locations since implantation in 2013.

There was one lead exceedance in the Spring Sampling Event in 2025. This location was not tested in the Fall event due to homeowner availability. This residence sees a higher than normal lead content historically.

Financial Implications:

None at this time.

Options:

There are no options as this report is being presented for information only.

Recommendation:

THAT Council accept the 2025 Corrosion Control Program Report from Greenstone Engineering for the Terrace Bay Drinking Water System as information.

Attached:

[Corrosion Control-2025 Report](#)

Township of Terrace Bay*Attention: Ryan Falzetta*

1 Selkirk Avenue

Terrace Bay, ON P0T 2W0

RE: Annual Corrosion Control Reporting – Summary Letter

Good day Ryan,

Please consider this letter as a summary of the corrosion control assessment completed for the Township of Terrace Bay. We are pleased to submit this summary letter to Township of Terrace Bay (the “client”) to complete the 2025 annual corrosion control reporting. The intent of the corrosion control reporting is to document the effectiveness of the corrosion control measures in place, using the data collected and provided by the client.

1.0 OWNERS TECHNICAL EVALUATION OF CORROSION CONTROL METHOD EFFECTIVENESS

Greenstone was provided with the 2025 sample data, as well as the historical sample results, by the client. In 2025, spring samples were collected by the client between March 25 and 26, 2025, and fall samples were collected by the client between September 9 and 10, 2025. All analytical results were compared against the following Ministry of Environment, Conservation and Parks (MECP) standards and guidelines:

- Ontario Drinking Water Quality Standards (ODWQS) based on Government of Ontario documents entitled "*O. Reg. 169/03: Ontario Drinking Water Quality Standards*" under Safe Drinking Water Act, 2002, S.O. 2002, c. 32
- "*Technical Support Document for Ontario Drinking-Water Quality Standards, Objectives and Guidelines*" dated June 2003, revised June 2006.

All water samples collected and submitted for laboratory analysis met the maximum allowable concentrations noted within the ODWQS for all parameters with the exception of the following:

- The water sample collected and submitted from residential address 24 Birch Crescent, exceeded the ODWQS for lead (0.01 mg/L) during the initial litre sample (0.0102 mg/L).

Concentrations of parameters assessed during this investigation compared to the ODWQS are provided in Table 2. Tables summarizing 2025 and historical data are provided in Appendix C.

Lead concentrations at several residential historical sampling points have appeared to spike during the fall sampling period while remaining below ODWQS in the spring. In 2024 this trend was observed at 24 Birch Crescent, though a fall sample could not be collected in 2025 to confirm continuation of the trend. A spike in lead concentrations may be indicative of an increase in lead dissolution as water temperatures

relatively increase in the fall. Historically, this information has been confirmed by temperature data collected by Ontario Clean Water Agency personnel at the water treatment plant (WTP). This is also true for water leaving the WTP, which has been observed to have 10°C difference from spring to fall. Lead levels at the point of entry and distribution system have typically been non-detectable.

2.0 SUMMARY OF LEAD AND OTHER METAL CONCENTRATIONS

A summary of the 2025 laboratory analysis is included in Table 1. A summary of all historical (2013-2025) laboratory analysis is included in Table 2. Trend Analysis Graphs 1 to 3 illustrate lead, pH and phosphate change over time data using both historical and 2025 analytical data. These graphs are included in Appendix B.

In 2024, Kontzamanis Graumann Smith MacMillian Inc. (KGS Group) indicated sites of future regulatory concern would include: 8 Birch Crescent, 24 Birch Crescent, 50 Hudson Drive, 79 Hudson Drive, 63 Kenogami Drive, 15 Kenogami Drive, and 51 Laurier Avenue. Three of the proposed locations were sampled as part of the 2025 program: 24 Birch Crescent, 15 Kenogami Drive, and 50 Hudson Drive. 15 Kenogami Drive and 50 Hudson Drive both produced samples with concentrations meeting ODWQS. 24 Birch Crescent had an exceedance of lead during the spring sample event and was not sampled during the fall sample event.

No exceedances were observed at any property which did not have a historical exceedance, during the 2025 monitoring period. It must be noted that lead concentrations in the water sample collected at 24 Birch Crescent exceeded the ODWQS in the first litre sampled during the 2025 spring sampling event.

3.0 EVALUATION OF SECONDARY IMPACTS

On November 14, 2025, the Ontario Clean Water Agency (OCWA) received a community complaint. The residents of 35 Terrace Heights reported that their drinking water had a sewage odour. It was reported that the odour occurred periodically and was not present at the time of inspection. A chlorine residual of 1.09 mg/L was measured during this inspection on the same day the call was made. On November 17, 2025, a bacterial sample was collected and results returned November 20, 2025 indicated absence of E. Coli and total coliforms. Complaint form concluded the odour was likely due to a lack of P-trap under the tub drain, not due to OCWA facility or activity.

No other complaints were received in 2025. No secondary impacts have been identified. A copy of the complaint is included in Appendix B.

4.0 SUMMARY OF OTHER MITIGATION MEASURES IMPLEMENTED

Terrace Bay implemented and began annual sampling for specific contaminants of potential concern (COPCs), including lead, alkalinity, iron, manganese, phosphate, and pH. Over the last thirteen years of monitoring, the only COPC with a recorded exceedance has been lead. Multiple sample properties with historical lead exceedances have resulted in reduced concentrations over subsequent sample events.

In 2024, 24 Birch Crescent was within an acceptable range during the spring sampling event, but was the only property sampled with a resulting lead exceedance during fall sampling event. In 2025, 24 Birch Crescent had a lead exceedance during the spring sampling. It was not sampled in the fall and no other sample exceeded ODWQS in 2025.

Event	Lead Results		ODWQS
	First Litre	Second Litre	
2024 (Spring)	0.011 mg/L	0.0108 mg/L	0.01 mg/L
2025 (Spring)	0.0102 mg/L	0.0078 mg/L	

Given that lead concentrations at 24 Birch Crescent exceeded the ODWQS during both the 2024 and 2025 sampling events, and consistent with the recommendations in the 2024 Annual Corrosion Control Report, Greenstone recommends that a commercially available under-tap carbon filter be installed at this location. Greenstone recommends that lead concentrations be reassessed following the installation of the filter.

As discussed in the 2024 Annual Corrosion Control report completed by KGS Group, consideration should be given to the possibility of acceptable lead concentrations being decreased from 0.01 mg/L to the Health Canada’s Canadian Drinking Water Guideline of 0.005 mg/L. The client should review available short- and long-term mitigation measures should this reduction take place.

5.0 CLOSING

All water samples collected during the 2025 Corrosion Control investigation met the applicable ODWQS for lead, alkalinity, iron, manganese, phosphate, and pH, except for the first-litre sample collected at 24 Birch Crescent on March 26, 2025 which exceed the ODWQS for lead.

Greenstone recommends the corrosion control program continue in 2026 with an effort to keep sampling locations and sampling periods (March/April and September/October) to compare to the available historical data. It is also recommended that efforts are taken to include the following residential addresses to the 2026 sampling program as they have experienced historical lead exceedances: 51 Laurier Avenue, 63 Kenogami Drive, 79 Hudson Drive, and 8 Birch Crescent.

Based upon the review and evaluation of the results of this investigation, it has been determined that the Corrosion Control methods put in place by the Township of Terrace Bay are generally effective at this time. Given that lead concentrations at 24 Birch Crescent have exceeded ODWQS levels during the 2024 and 2025 sampling events, Greenstone recommends that a commercially available under the tap carbon filter be installed at this location. Furthermore, lead concentrations should be reassessed following the installation of the filter.



Greenstone Project: 26091.01
June 5, 2026

If you wish to discuss any aspect of this letter, please contact us at your convenience.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Alex Duchesne", with a long horizontal flourish extending to the right.

Alex Duchesne, M.E.Sc., P. Eng., QP_{ESA}
Project Manager
alexandra@greenstoneengineering.ca
705-688-4587



Greenstone Project: 26091.01
June 5, 2026

APPENDICES

APPENDIX A – SUMMARY TABLES

TABLE 1 - 2024 AND 2025 WASTEWATER MONITORING DATA
Corrosion Control Report
Terrace Bay, Ontario

Street Address (for plumbing samples)	Date Sampled (dd/mm/yyyy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
1 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	28	<20	<1	<1	1.53	7.28	13.1	-
1 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	<20	<1	1	1.59	7.12	17.2	-
10 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	31	<20	<1	<1	1.68	7.34	7.5	-
10 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	50	59	72	1	1	1.60	7.13	15.4	-
1008 Highway 17	25/03/2025	kitchen tap	non-residential	<0.0001	<0.0001	49	68	62	<1	<1	1.64	7.29	5.0	-
1008 Highway 17	09/09/2025	kitchen tap	non-residential	<0.0001	<0.0001	51	<20	<20	<1	<1	1.47	7.20	15.0	-
1151 Highway 17	26/03/2025	kitchen tap	non-residential	<0.0001	<0.0001	48	<20	<20	<1	<1	1.64	7.42	5.6	-
1151 Hwy 17	10/09/2025	kitchen tap	non-residential	<0.0001	<0.0001	52	<20	<20	<1	<1	1.44	7.30	12.3	-
12 Terrace Heights	25/03/2025	kitchen tap	residential	0.0001	0.0001	49	69	58	<1	<1	1.54	7.50	7.1	-
12 Terrace Heights	09/09/2025	kitchen tap	residential	0.0002	0.0001	51	<20	<20	<1	<1	1.44	7.17	14.4	-
13 Elizabeth Ave	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	51	<20	<20	<1	<1	1.48	7.2	17.5	-
15 Kenogami Road	26/03/2025	kitchen tap	residential	0.0006	0.0008	48	<20	57	<1	<1	1.76	7.39	13.6	-
15 Kenogami Road	10/09/2025	kitchen tap	residential	0.0009	0.0008	51	<20	<20	<1	<1	1.53	7.21	19.2	-
15 Pine Crescent	25/03/2025	kitchen tap	residential	0.0026	0.0018	49	170	86	2	2	1.52	7.38	19.6	-
15 Pine Crescent	09/09/2025	kitchen tap	residential	0.0014	0.0022	52	201	190	2	2	1.45	7.19	16.5	-
2 Kenogami Road	25/03/2025	kitchen tap	residential	0.0018	0.0050	54	54	50	<1	<1	1.81	7.28	10.2	-
2 Kenogami Road	09/09/2025	kitchen tap	residential	0.0018	0.0076	54	<20	<20	<1	<1	1.37	7.19	16.0	-
24 Birch Crescent	26/03/2025	kitchen tap	residential	0.0102	0.0078	49	100	2	95	2	1.72	7.32	15.7	-
25 Birch Crescent	25/03/2025	kitchen tap	residential	0.0001	0.0001	59	217	180	2	2	1.39	7.3	5.5	-
25 Birch Crescent	09/09/2025	kitchen tap	residential	0.0001	0.0001	52	48	51	2	2	1.59	7.2	16.4	-
25 Elizabeth Ave	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	<20	<1	<1	1.63	7.27	7.9	-
28 Parkway Place	25/03/2025	kitchen tap	residential	<0.0001	<0.0001	57	<20	60	<1	<1	2.10	7.2	10.6	-
3 Strathcona	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	53	<20	<20	1	1	1.59	7.2	18.5	-
33 Elizabeth Ave	26/03/2025	hydrant	distribution	<0.0001	-	48	26	-	1	-	1.7	7.17	6.2	-
33 Elizabeth Ave	10/09/2025	hydrant	distribution	<0.0001	-	53	<20	-	1	-	1.4	7.15	12.9	-
35 Terrace Heights- Hydrant	25/03/2025	hydrant	distribution	<0.0001	-	49	59	-	<1	-	1.63	7.36	3.9	-
35 Terrace Heights	09/09/2025	hydrant	distribution	<0.0001	-	51	<20	-	<1	-	1.43	7.20	12.8	-
41 Kenogami Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	49	52	53	<1	<1	1.72	7.20	9.3	-
41 Kenogami Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	50	<20	<20	<1	<1	1.44	7.10	15.7	-
42 Hudson Drive	25/03/2025	kitchen tap	residential	0.003	0.0019	50	25	26	<1	<1	1.44	7.17	5.3	-
42 Hudson Drive	09/09/2025	kitchen tap	residential	0.003	0.0025	49	<20	<20	<1	<1	1.57	7.15	16.2	-
48 Lakeview Drive	26/03/2025	kitchen tap	residential	0.0003	0.0001	48	<20	<20	<1	<1	1.76	7.33	16.6	-
48 Lakeview Drive	10/09/2025	kitchen tap	residential	0.0002	<0.1	48	<20	<20	<1	<1	1.58	7.14	19.6	-
50 Hudson Drive	25/03/2025	kitchen tap	residential	0.0004	0.0011	77	64	61	<1	<1	1.75	7.34	9.1	-
50 Hudson Drive	09/09/2025	kitchen tap	residential	0.0003	0.0011	53	<20	72	<1	<1	1.61	7.16	15.8	-
50 Superior Ave	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	50	44	40	<1	<1	1.64	7.29	10.2	-
50 Superior Avenue	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	52	<20	<20	<1	1	1.63	6.92	16.9	-
59 Kenogami Road	26/03/2025	hydrant	distribution	<0.0001	-	73	69	-	1	-	1.42	7.26	13.6	-
59 Kenogami Road	10/09/2025	hydrant	distribution	<0.0001	-	57	<20	-	<1	-	1.42	7.1	13.6	-
60 Laurier Ave	25/03/2025	kitchen tap	residential	0.0005	0.0009	48	47	48	<1	<1	1.58	7.29	6.2	-
60 Laurier Ave	09/09/2025	kitchen tap	residential	0.0008	0.0011	51	<20	<20	<1	<1	1.43	7.19	16.0	-
64 Hudson Drive	25/03/2025	kitchen tap	residential	0.0002	0.0001	50	48	58	<1	<1	1.47	7.25	4.7	-
64 Hudson Drive	09/09/2025	kitchen tap	residential	0.0016	0.0028	50	<20	<20	<1	<1	1.46	7.18	16.1	-
64 Hudson Drive	25/03/2025	hydrant	distribution	<0.0001	-	49	<20	-	<1	-	1.81	7.28	5.4	-
64 Hudson Drive	09/09/2025	hydrant	distribution	<0.0001	-	50	<20	-	<1	-	1.40	7.26	11.0	-
8 Timbergrove Crt	09/09/2025	kitchen tap	residential	<0.0001	<0.0001	53	<20	<20	<1	<1	1.44	7.2	18.1	-
81 Terrace Heights	25/03/2025	kitchen tap	residential	<0.0001	0.0001	51	110	100	<1	<1	2.02	7.31	12.6	-
81 Terrace Heights	09/09/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	62	<1	<1	1.47	7.22	16.1	-
87 Lakeview Drive	26/03/2025	kitchen tap	residential	<0.0001	0.0006	49	25	<20	<1	<1	1.7	7.26	16.8	-
87 Lakeview Drive	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	55	<20	<20	<1	<1	1.6	7.21	20.1	-
9 Princess Ave	26/03/2025	kitchen tap	residential	0.0001	<0.0001	55	<20	<1	70	<1	1.63	7.29	9.5	-
9 Princess Ave	10/09/2025	kitchen tap	residential	0.0003	0.0002	52	<20	39	1	<1	1.61	7.14	18.1	-
WTP- POE	25/03/2025	other (specify)	distribution	<0.0001	-	49	49	-	<1	-	1.55	7.6	3.9	-
WTP- POE	09/09/2025	other (specify)	distribution	<0.0001	-	52	<20	-	<1	-	1.33	7.4	10.1	-

TABLE 2 - HISTORICAL WASTEWATER MONITORING DATA
Corrosion Control Report
Terrace Bay, Ontario

Street Address (for plumbing samples)	Date Sampled (dd/mm/yyyy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (µg/L)		Manganese Results (µg/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments	
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)					
10 Elizabeth	13/04/2016	kitchen tap	residential	<0.001	<0.001	44.4	<50	<50	<1.0	<1.0	1.66	7.3	-	-	
10 Elizabeth	05/10/2016	kitchen tap	residential	<0.001	<0.001	48.2	<50	<50	<1.0	<1.0	1.51	7.29	-	-	
10 Elizabeth	05/04/2017	kitchen tap	residential	<0.001	<0.001	49.2	57	57	<1.0	1.1	1.6	7.55	4.5	-	
10 Elizabeth	10/06/2017	kitchen tap	residential	<0.001	<0.001	50.9	<50	<50	<1.0	<1.0	1.17	6.77	15.7	-	
10 Elizabeth	11/04/2018	kitchen tap	residential	<0.001	<0.001	47.2	52	<50	1.2	1.2	1.47	7.31	3.2	-	
10 Elizabeth	02/10/2018	kitchen tap	residential	<0.001	<0.001	48.6	51	<50	1.1	1.2	1.53	7.35	14.2	-	
10 Elizabeth	03/04/2019	kitchen tap	residential	<0.001	<0.001	45.5	<50	<50	<1.0	<1.0	1.53	7.2	3.9	-	
10 Elizabeth	31/03/2021	kitchen tap	residential	0.0124	<0.001	49.6	<50	<50	<1.0	<1.0	1.48	7.55	4.7	-	
10 Elizabeth	20/12/2021	kitchen tap	residential	<0.001	<0.001	104	53	51	1.8	1.9	1.8	7.46	8.2	-	
10 Elizabeth	06/04/2022	kitchen tap	residential	<0.001	<0.001	47	<50	<50	1.1	1.2	1.47	7.35	3.8	-	
10 Elizabeth	31/08/2022	kitchen tap	residential	<0.001	<0.001	58.2	52	52	1.9	1.9	1.61	7.38	15.4	-	
10 Elizabeth	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.6	<50	<50	<1.0	<1.0	1.52	7.48	5.2	-	
10 Elizabeth	27/09/2023	kitchen tap	residential	<0.001	<0.001	47.1	85	88	1.4	1.4	1.59	7.39	15.6	-	
10 Elizabeth	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	64	51	55	<1	<1	1.48	7.35	13.2	-	
10 Elizabeth	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	64	51	55	<1	<1	1.48	7.35	13.2	-	
1 Fort Gary Rd	01/09/2022	kitchen tap	residential	<0.001	<0.001	45	72	<50	2.2	<1.0	1.66	7.36	17.7	-	
1 Fort Gary Rd	30/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.54	7.61	2.7	-	
1 Fort Gary Rd	28/09/2023	kitchen tap	residential	<0.001	<0.001	46.6	<50	<50	1.1	1.3	1.45	7.54	16.8	-	
1 Fort Gary Rd	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	65	56	50	<1	<1	1.59	7.15	5.2	-	
1 Fort Gary Rd	26/09/2024	kitchen tap	residential	<0.0001	<0.0001	56	100	80	1	1	1.58	7.16	18.2	-	
1 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	38	<20	<1	<1	1.57	7.29	12.1	-	
1 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	48	<20	<20	<1	1	1.59	7.12	13.2	-	
10 Fort Gary Rd	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	7.4	-	-	
10 Fort Gary Rd	03/04/2014	kitchen tap	residential	<0.001	<0.001	49	-	-	-	-	0.88	8.1	-	-	
10 Fort Gary Rd	03/08/2014	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	0.85	8.2	-	-	
10 Fort Gary Rd	29/05/2014	kitchen tap	residential	<0.001	<0.001	47.4	-	-	-	-	-	8.3	-	-	
10 Fort Gary Rd	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.4	-	-	-	-	0.9	8	-	-	
10 Fort Gary Rd	15/04/2015	kitchen tap	residential	<0.001	<0.001	45.8	<50	<50	<1.0	<1.0	1.63	7.4	-	-	
10 Fort Gary Rd	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.7	<50	<50	<1.0	<1.0	1.68	7.2	-	-	
10 Fort Gary Rd	04/05/2017	kitchen tap	residential	<0.001	<0.001	47.9	67	66	1.1	1.1	1.6	7.47	3.7	-	
10 Fort Gary Rd	04/10/2017	kitchen tap	residential	<0.001	<0.001	52	60	60	1.2	1.2	1.16	6.99	14.2	-	
10 Fort Gary Rd	02/10/2018	kitchen tap	residential	<0.001	<0.001	48.2	144	143	2.9	2.7	1.65	7.31	14.2	-	
10 Fort Gary Rd	03/04/2019	kitchen tap	residential	<0.001	<0.001	45	<50	<50	1.5	1.5	1.51	7.23	2.5	-	
10 Fort Gary Rd	02/10/2019	kitchen tap	residential	<0.001	<0.001	50.2	85	86	2	2.2	1.75	7.16	14.6	-	
10 Fort Gary Rd	01/04/2021	kitchen tap	residential	0.0036	<0.001	75.9	<50	<50	<1.0	<1.0	1.44	7.46	3.8	-	
10 Fort Gary Rd	31/10/2013	kitchen tap	residential	<0.001	<0.001	49.4	<50	<50	<1.0	<1.0	1.1	7.9	8.9	17.4	-
10 Fort Gary Rd	06/04/2022	kitchen tap	residential	<0.001	<0.001	47.3	81	83	1.9	2.1	1.69	7.4	3.1	-	
10 Fort Gary Rd	31/08/2022	kitchen tap	residential	<0.001	<0.001	37.6	<50	66	2.8	2.9	1.57	7.47	15.1	-	
10 Fort Gary Rd	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.46	7.49	3.6	-	
10 Fort Gary Rd	27/09/2023	kitchen tap	residential	<0.001	<0.001	47.3	66	66	1.6	1.6	1.58	7.39	14.7	-	
10 Fort Gary Rd	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	80	94	94	2	2	1.48	7.27	5.4	-	
10 Fort Gary Rd	26/09/2024	kitchen tap	residential	0.0002	<0.0001	57	130	95	2	2	1.52	7.27	17	-	
10 Fort Gary Road	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	48	48	48	<1	<1	1.48	7.34	8	-	
10 Fort Gary Road	10/09/2025	kitchen tap	residential	<0.0001	<0.0001	50	59	72	1	1	1.60	7.13	15	-	
10 Kemogami	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.45	7.31	14.6	-	
10 Kemogami	27/09/2023	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<1.0	<1.0	1.53	7.41	14.8	-	
10 Kemogami	26/03/2024	kitchen tap	residential	<0.0001	<0.0001	41	35	37	<1	<1	1.57	7.06	7.8	-	
100 Lakeview Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	-	2.33	-	-	
100 Lakeview Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	47.5	-	-	-	-	-	1.15	8.2	-	
100 Lakeview Drive	25/07/2013	kitchen tap	residential	0.0012	<0.001	45.9	-	-	-	-	1.54	-	-	-	
100 Lakeview Drive	03/08/2013	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	-	0.84	-	-	
100 Lakeview Drive	29/08/2013	kitchen tap	residential	0.0011	<0.001	44.7	-	-	-	-	-	0.95	8	-	
100 Lakeview Drive	26/09/2013	kitchen tap	residential	0.0015	<0.001	50	-	-	-	-	-	0.97	7.8	-	
100 Lakeview Drive	31/10/2013	kitchen tap	residential	<0.001	<0.001	50	-	-	-	-	-	1.45	7.8	-	
100 Lakeview Drive	28/11/2013	kitchen tap	residential	0.0013	<0.001	46	-	-	-	-	-	0.95	7.85	3.4	-
100 Lakeview Drive	19/12/2013	kitchen tap	residential	0.0014	<0.001	46	-	-	-	-	-	1.09	8.1	-	-
1004 Hwy 17	18/07/2013	bathroom tap	non-residential	0.0026	<0.001	47.9	-	-	-	-	-	1.18	8.2	-	Same as 1004 Hwy 17.
1004 Hwy 17	25/07/2013	kitchen tap	non-residential	0.001	<0.001	44.2	-	-	-	-	-	1.18	-	-	-
1004 Hwy 17	01/08/2013	kitchen tap	non-residential	0.0014	<0.001	45.9	-	-	-	-	-	0.72	-	-	-
1004 Hwy 17	29/08/2013	kitchen tap	non-residential	0.0017	<0.001	45.5	-	-	-	-	-	0.87	8	-	-
1004 Hwy 17	26/09/2013	kitchen tap	non-residential	0.0015	<0.001	48	-	-	-	-	-	0.98	7.8	-	-
1004 Hwy 17	31/10/2013	kitchen tap	non-residential	0.0017	<0.001	47	-	-	-	-	-	1.13	7.8	-	-
1004 Hwy 17	28/11/2013	kitchen tap	non-residential	0.0021	<0.001	43	-	-	-	-	-	0.93	7.8	-	-
1004 Hwy 17	19/12/2013	kitchen tap	non-residential	0.0014	<0.001	44	-	-	-	-	-	1.22	8.1	-	-
1008 Hwy 17	04/03/2014	kitchen tap	non-residential	<0.001	<0.001	49	-	-	-	-	-	0.86	8.1	-	-
1008 Hwy 17	01/05/2014	kitchen tap	non-residential	<0.001	<0.001	46.3	-	-	-	-	-	1.21	8.3	-	-
1008 Hwy 17	29/05/2014	kitchen tap	non-residential	<0.001	<0.001	45.7	-	-	-	-	-	1.02	8.3	-	-
1008 Hwy 17	07/10/2014	kitchen tap	non-residential	<0.001	<0.001	44	-	-	-	-	-	0.9	8	-	-
1008 Hwy 17	15/04/2015	kitchen tap	non-residential	<0.001	<0.001	46.3	<50	<50	1.3	<1.0	1.44	7.6	-	-	
1008 Hwy 17	10/07/2015	kitchen tap	non-residential	<0.001	<0.001	49	<50	<50	<1.0	<1.0	1.24	7.8	-	-	
1008 Hwy 17	13/04/2016	kitchen tap	non-residential	<0.001	<0.001	44.4	<50	<50	<1.0	<1.0	1.63	7.3	-	-	
1008 Hwy 17	05/10/2016	kitchen tap	non-residential	<0.001	<0.001	47.4	<50	<50	<1.0	<1.0	1.55	7.36	-	-	
1008 Hwy 17	04/08/2017	kitchen tap	non-residential	<0.001	<0.001	47.5	<50	<50	<1.0	<1.0	1.63	7.14	-	-	
1008 Hwy 17	05/10/2017	kitchen tap	non-residential	<0.001	<0.001	50.2	<50	<50	<1.0	<1.0	1.55	7.36	-	-	
1008 Hwy 17	11/04/2018	kitchen tap	non-residential	<0.001	<0.001	46.9	60	59	1.3	1.2	1.45	7.41	1.8	-	
1008 Hwy 17	03/10/2018	kitchen tap	non-residential	<0.001	<0.001	48.4	955	842	11.6	10.4	1.85	7.2	14.2	-	
1008 Hwy 17	03/04/2019	kitchen tap	non-residential	<0.001	<0.001	45.5	<50	<50	<1.0	<1.0	1.52	7.2	2.5	-	
1008 Hwy 17	02/10/2019	kitchen tap	non-residential	<0.001	<0.001	48	<50	<50	<1.0	<1.0	1.71	6.91	14.1	-	
1008 Hwy 17	14/04/2020	kitchen tap	non-residential	<0.001	<0.001	49.3	<50	<50	<1.0	1.4	1.76	7.28	3.7	-	
1008 Hwy 17	24/09/2020	kitchen tap	non-residential	<0.001	<0.001	58	87	86	1.4	1.5	1.73	7.2	16.5	-	
1008 Hwy 17	01/04/2021	kitchen tap	non-residential	<0.001	<0.001	75.3	<50	<50	1.1	<1.0	1.48	7.45	3.4	-	
1008 Hwy 17	21/07/2021	kitchen tap	non-residential	<0.001	<0.001	49.3	<50	<50	<1.0	<1.0	1.93	7.28	15.6	-	
1008 Hwy 17	06/04/2022	kitchen tap	non-residential	<0.001	<0.001	46.6	<50	<50	1.8	1.3	1.58	7.28	2	-	
1008 Hwy 17	21/08/2022	kitchen tap	non-residential	<0.001	<0.001	48.6	<50	<50	<1.0	<1.0	1.67	7.42	1.68	-	
1008 Hwy 17	29/03/2023	kitchen tap	non-residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	1.55	7.55	5.6	-	
1008 Hwy 17	27/09/2023	kitchen tap	non-residential	<0.001	<0.001	46.7	81	85	1.5	1.4	1.51	7.44	15.2	-	
1008 Hwy 17	26/03/2024	kitchen tap	non-residential	0.0001	<0.0001	61	49	41	<1	<1	1.66	7.17	5	-	
1008 Hwy 17	25/09/2024	kitchen tap													

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
1151 Hwy 17	22/07/2021	kitchen tap	non-residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.59	6.6	15.9	-
1151 HWY 17	07/04/2022	kitchen tap	non-residential	<0.001	<0.001	46.7	<50	<50	<1.0	<1.0	1.54	7.4	5.2	-
1151 Hwy 17	01/09/2022	kitchen tap	non-residential	<0.001	<0.001	44.3	<50	<50	<1.0	<1.0	1.63	7.4	16	-
1151 Hwy 17	30/03/2023	kitchen tap	non-residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.54	7.55	5.3	-
1151 Hwy 17	28/09/2023	kitchen tap	non-residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	1.55	7.58	14.8	-
1151 Hwy 17	27/03/2024	kitchen tap	non-residential	<0.0001	<0.0001	67	38	30	<1.0	<1.0	1.57	7.28	5.9	-
1151 Hwy 17	26/09/2024	kitchen tap	non-residential	0.0002	0.0002	58	60	57	<1	<1	1.52	7.21	16.7	-
1151 Highway 17	26/03/2025	kitchen tap	non-residential	<0.001	<0.001	48	<20	<20	<1	<1	1.64	7.42	5.6	-
1151 Hwy 17	10/09/2025	kitchen tap	non-residential	<0.0001	<0.0001	52	<20	<20	<1	<1	1.44	7.30	12.3	-
12 Hudson Drive	10/07/2013	kitchen tap	residential	0.0042	0.004	45.3	-	-	-	-	2.62	-	-	-
12 Hudson Drive	17/07/2013	kitchen tap	residential	0.0034	0.0032	47.1	-	-	-	-	1.73	8.3	-	-
12 Hudson Drive	24/07/2013	kitchen tap	residential	0.0035	0.0036	45.5	-	-	-	-	1.71	8.3	-	-
12 Hudson Drive	31/07/2013	kitchen tap	residential	0.0031	0.0028	44.1	-	-	-	-	0.89	-	-	-
12 Hudson Drive	28/08/2013	kitchen tap	residential	0.0077	0.0024	45.6	-	-	-	-	0.91	-	-	-
12 Hudson Drive	25/09/2013	kitchen tap	residential	0.0025	0.0025	48	-	-	-	-	1.02	7.8	-	-
12 Hudson Drive	30/10/2013	kitchen tap	residential	0.0028	0.0028	45	-	-	-	-	1.03	7.8	-	-
12 Hudson Drive	27/11/2013	kitchen tap	residential	0.0115	0.0126	44	-	-	-	-	0.9	7.9	-	-
12 Hudson Drive	13/12/2013	kitchen tap	residential	0.0086	0.0087	45	-	-	-	-	1.03	8	-	-
12 Hudson Drive	29/01/2014	kitchen tap	residential	0.0056	0.0058	41	-	-	-	-	1.12	8	-	-
12 Hudson Drive	26/02/2014	kitchen tap	residential	0.0072	0.0067	49	-	-	-	-	1.25	8	-	-
12 Hudson Drive	04/02/2014	kitchen tap	residential	0.0027	0.0044	49	-	-	-	-	0.98	8	-	-
12 Hudson Drive	10/07/2015	kitchen tap	residential	0.007	0.0078	48.8	<50	<50	<1.0	<1.0	1.27	7.8	-	-
12 Hudson Drive	13/04/2016	kitchen tap	residential	0.0042	0.0045	44	<50	<50	<1.0	<1.0	1.72	7.1	-	-
12 Hudson Drive	05/10/2016	kitchen tap	residential	0.005	0.0069	48.7	<50	<50	<1.0	<1.0	1.56	7.25	-	-
12 Hudson Drive	04/05/2017	kitchen tap	residential	0.003	0.0033	47.9	<50	<50	<1.0	<1.0	1.6	7.41	6.5	-
12 Hudson Drive	06/10/2017	kitchen tap	residential	0.0059	0.0063	52.6	<50	<50	<1.0	<1.0	1.46	6.86	16.3	-
12 Hudson Drive	12/04/2018	kitchen tap	residential	0.0021	0.0021	46.5	<50	<50	<1.0	<1.0	1.65	7.28	3.9	-
12 Hudson Drive	04/10/2018	kitchen tap	residential	0.0031	0.0031	45.8	<50	<50	<1.0	<1.0	1.27	7.24	14.2	-
12 Hudson Drive	04/04/2019	kitchen tap	residential	0.0016	0.0016	45.4	<50	<50	<1.0	<1.0	1.57	7.13	4.3	-
12 Hudson Drive	02/10/2019	kitchen tap	residential	0.0025	0.0025	48	<50	<50	<1.0	<1.0	1.71	7.16	14.6	-
12 Kenogami Drive	04/11/2018	kitchen tap	residential	<0.001	<0.001	47	<50	<50	<1.0	<1.0	1.49	7.33	3.2	-
12 Superior Ave	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	8.3	-	-	-
12 Superior Ave	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.6	-	-	-	-	2.8	-	-	-
12 Superior Ave	18/08/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	0.82	8.3	-	-
12 Superior Ave	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.3	-	-	-	-	0.91	-	-	-
12 Superior Ave	01/08/2013	kitchen tap	residential	<0.001	<0.001	43.6	-	-	-	-	0.89	-	-	-
12 Superior Ave	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.5	-	-	-	-	0.67	7.9	-	-
12 Superior Ave	26/09/2013	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	1.11	7.8	-	-
12 Superior Ave	31/10/2013	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	0.95	7.8	-	-
12 Superior Ave	28/11/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	1.05	7.8	-	-
12 Superior Ave	19/12/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.2	8.1	-	-
12 Superior Ave	30/01/2014	kitchen tap	residential	<0.001	<0.001	40	-	-	-	-	0.97	8.3	-	-
12 Superior Ave	04/03/2014	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	0.94	8.4	-	-
12 Superior Ave	01/05/2014	kitchen tap	residential	<0.001	<0.001	45.8	-	-	-	-	0.99	8.2	-	-
12 Superior Ave	26/02/2014	kitchen tap	residential	<0.001	<0.001	47.2	-	-	-	-	0.82	-	-	-
12 Superior Ave	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.9	-	-	-	-	1.02	8	-	-
12 Superior Ave	15/04/2015	kitchen tap	residential	<0.001	<0.001	46.2	<50	<50	<1.0	<1.0	1.42	7.5	-	-
12 Superior Ave	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.2	58	57	1.0	<1.0	1.91	7.8	-	-
12 Superior Ave	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.7	<50	<50	<1.0	<1.0	1.76	6.9	-	-
12 Superior Ave	05/10/2016	kitchen tap	residential	<0.001	<0.001	47.5	71	71	1.1	1.1	1.81	7.22	-	-
12 Superior Ave	04/06/2017	kitchen tap	residential	<0.001	<0.001	47.8	54	55	1.2	1.1	-	-	-	-
12 Superior Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	76.3	<50	<50	1.1	1.1	1.81	7.22	-	-
12 Superior Ave	12/04/2018	kitchen tap	residential	<0.001	<0.001	46.5	<50	<50	1.1	1.2	1.47	7.43	3.4	-
12 Superior Ave	03/10/2018	kitchen tap	residential	<0.001	<0.001	48.2	66	61	1.6	1.5	1.56	7.19	14.2	-
12 Superior Ave	03/04/2019	kitchen tap	residential	<0.001	<0.001	45.7	<50	<50	<1.0	1.1	1.49	7.07	2.8	-
12 Superior Ave	02/10/2019	kitchen tap	residential	<0.001	<0.001	49.3	38	38	2.1	2.1	1.71	7.16	14.6	-
12 Superior Ave	31/03/2021	kitchen tap	residential	<0.001	<0.001	48.6	<50	<50	<1.0	<1.0	1.5	7.55	4.9	-
12 Superior Ave	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	1.5	1.6	1.66	7.7	2.9	-
12 Terrace Heights	05/10/2016	kitchen tap	residential	<0.001	<0.001	46.4	<50	<50	<1.0	<1.0	1.54	7.2	-	-
12 Terrace Heights	04/08/2017	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	<1.0	<1.0	1.52	7.2	-	-
12 Terrace Heights	05/10/2017	kitchen tap	residential	<0.001	<0.001	95.6	<50	<50	<1.0	<1.0	1.54	7.2	-	-
12 Terrace Heights	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<1.0	<1.0	1.44	7.24	4.1	-
12 Terrace Heights	04/10/2018	kitchen tap	residential	<0.001	<0.001	47.9	<50	<50	<1.0	<1.0	1.64	7.17	9.7	-
12 Terrace Heights	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.9	<50	<50	<1.0	<1.0	1.54	7.16	14.6	-
12 Terrace Heights	31/03/2021	kitchen tap	residential	<0.001	<0.002	48.8	<50	<50	<1.0	<1.0	1.51	7.58	6	-
12 Terrace Heights	21/07/2021	kitchen tap	residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.67	6.73	10.4	-
12 Terrace Heights	04/08/2022	kitchen tap	residential	<0.001	<0.001	46.7	<50	<50	<1.0	<1.0	1.67	7.72	4.2	-
12 Terrace Heights	01/09/2022	kitchen tap	residential	<0.001	<0.001	62.7	141	143	1.9	1.9	1.99	7.37	11.6	-
12 Terrace Heights	30/03/2023	kitchen tap	residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.44	7.29	5.9	-
12 Terrace Heights	27/09/2023	kitchen tap	residential	<0.001	<0.001	46.5	<50	<50	<1.0	<1.0	1.49	7.16	14.9	-
12 Terrace Heights	26/09/2024	kitchen tap	residential	<0.001	<0.001	59	37	35	<1	<1	1.46	7.14	7.8	-
12 Terrace Heights	25/09/2024	kitchen tap	residential	<0.001	<0.001	56	54	49	<1	<1	1.53	7.19	15.7	-
12 Terrace Heights	25/03/2025	kitchen tap	residential	0.0001	0.0001	49	69	58	<1	<1	1.54	7.50	7.1	-
12 Terrace Heights	09/09/2025	hydrant	distribution	0.0002	0.0001	51	<20	<20	<1	<1	1.44	7.17	14.4	-
15 Kenick	04/03/2019	hydrant	distribution	<0.001	-	44.5	<50	<50	<1	<1	1.48	7.31	17.2	-
Selkirk hydrant	25/09/2024	hydrant	-	-	-	54	56	-	<1	<1	1.48	7.31	17.2	-
14 Eastgrove Crescent	18/07/2013	kitchen tap	residential	0.0228	0.0018	48.9	-	-	-	-	0.35	8.3	-	-
14 Eastgrove Crescent	25/07/2013	kitchen tap	residential	0.0021	0.0013	46.8	-	-	-	-	1.49	-	-	-
14 Eastgrove Crescent	03/08/2013	kitchen tap	residential	0.0018	0.0018	49.5	-	-	-	-	0.9	-	-	-
14 Eastgrove Crescent	29/08/2013	kitchen tap	residential	0.0067	0.0024	45.6	-	-	-	-	0.66	8	-	-
14 Eastgrove Crescent	26/09/2013	kitchen tap	residential	0.002	0.0012	46	-	-	-	-	1.19	7.8	-	-
14 Eastgrove Crescent	04/10/2013	kitchen tap	residential	0.003	0.0026	46.3	-	-	-	-	1.13	8.3	-	-
14 Eastgrove Crescent	31/10/2013	kitchen tap	residential	0.002	0.0017	41	-	-	-	-	1.01	7.8	-	-
14 Eastgrove Crescent	07/11/2013	kitchen tap	residential	0.0021	0.0015	45.4	-	-	-	-	2.55	-	-	-
14 Eastgrove Crescent	28/11/2013	kitchen tap	residential	0.0018	0.0018	45	-	-	-	-	1.14	7.8	-	-
14 Eastgrove Crescent	19/12/2013	kitchen tap	residential	0.0208	0.024	49	-	-	-	-	1.22	8.1	-	-
14 Eastgrove Crescent	30/01/2014	kitchen tap	residential	0.0016	0.0015	44	-	-	-	-	0.99	8.1	-	-
14 Eastgrove Crescent	04/03/2014	kitchen tap	residential	0.0012	0.0013	48	-	-	-	-	1.07	8.1	-	-
14 Eastgrove Crescent	05/03/2014	kitchen tap	residential	0.0012	0.001	45.6	-	-	-	-	1.08	8.2	-	-
14 Eastgrove Crescent	29/05/2014	kitchen tap	residential	0.0012	0.0011	47.4	<50	<50	<1.0	<1.0	1.35	8.3	-	-
14 Eastgrove Crescent	07/10/2014	kitchen tap	residential	0.0018	0.0018	44.9	-	-	-	-	1.02	8.1	-	-
14 Eastgrove Crescent	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0				

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
15 Kenogami Drive	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0	1.44	7.32	5.9	-
15 Kenogami Drive	27/09/2023	kitchen tap	residential	0.0011	0.0011	47.1	<50	<50	<1.0	<1.0	1.56	7.16	16.2	-
15 Kenogami Drive	27/03/2024	kitchen tap	residential	0.0005	0.0005	63	43	36	<1	<1	1.50	7.26	8	-
15 Kenogami Drive	26/09/2024	kitchen tap	residential	0.0001	0.0008	60	48	49	<1	<1	1.50	7.19	12.8	-
15 Kenogami Road	26/03/2025	kitchen tap	residential	0.0006	0.0008	48	<20	57	<1	<1	1.76	7.39	13.6	-
15 Kenogami Road	10/09/2025	kitchen tap	residential	0.0009	0.0008	51	<20	<20	<1	<1	1.53	7.21	19.2	-
15 Pine	04/02/2014	kitchen tap	residential	0.0035	0.0037	49	-	-	-	-	1.44	8	-	-
15 Pine	30/04/2014	kitchen tap	residential	0.0027	0.0033	46.3	-	-	-	-	1.24	8.2	-	-
15 Pine	28/05/2014	kitchen tap	residential	0.0046	0.0047	45.9	-	-	-	-	1.11	8.3	-	-
15 Pine	07/09/2014	kitchen tap	residential	0.0071	0.0068	45.2	-	-	-	-	1.13	8.1	-	-
15 Pine	15/04/2015	kitchen tap	residential	0.0027	0.0029	47	59	58	1.2	1.3	1.53	7.61	-	-
15 Pine	03/10/2019	kitchen tap	residential	0.0049	0.0049	48.3	130	129	2.9	2.7	1.71	7.11	13.9	-
15 Pine	01/04/2021	kitchen tap	residential	0.0025	0.0045	61.7	81	84	1.9	2.2	1.54	7.56	4.8	-
15 Pine	06/04/2022	kitchen tap	residential	0.0013	0.0016	47.3	88	86	1.8	1.8	1.51	7.77	2.8	-
15 Pine	31/08/2022	kitchen tap	residential	0.0029	0.0048	56.4	<50	<50	1.9	1.9	1.89	7.46	14.6	-
15 Pine	30/03/2023	kitchen tap	residential	0.0016	0.0021	48.4	61	63	1.3	1.5	1.5	7.46	4	-
15 Pine	28/09/2023	kitchen tap	residential	0.0027	0.003	46.1	155	154	2.1	2	1.58	7.42	17.4	-
15 Pine	26/03/2024	kitchen tap	residential	0.001	0.0017	73	120	120	2	2	1.55	7.32	12	-
15 Pine	25/09/2024	kitchen tap	residential	0.0028	0.0043	61	239	242	2	3	1.55	7.24	16.9	-
15 Pine Crescent	25/03/2025	kitchen tap	residential	0.0026	0.0018	49	170	86	2	2	1.52	7.38	19.6	-
15 Pine Crescent	09/09/2025	kitchen tap	residential	0.0014	0.0022	52	201	180	2	2	1.45	7.19	16.5	-
16 East Grove Cres	10/04/2013	kitchen tap	residential	0.001	0.0013	-	-	-	-	-	8.1	-	-	-
16 East Grove Cres	13/04/2016	kitchen tap	residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	1.66	7.31	-	-
19 Elizabeth	04/06/2017	kitchen tap	residential	<0.001	<0.001	48.5	62	63	1.2	1.2	-	-	-	-
18 Parkway	04/10/2018	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0	1.61	7.25	-	-
18 Parkway	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.7	<50	<50	<1.0	<1.0	1.62	7.12	6.8	-
18 Parkway	03/10/2019	kitchen tap	residential	<0.001	<0.001	50.6	<50	<50	<1.0	<1.0	1.75	7.17	9	-
18 Parkway	31/03/2021	kitchen tap	residential	<0.001	0.0056	48.5	<50	<50	<1.0	<1.0	1.58	7.62	7	-
18 Parkway	21/07/2021	kitchen tap	residential	<0.001	<0.001	49.9	<50	<50	<1.0	<1.0	1.91	6.8	15.5	-
18 Parkway	06/01/2023	kitchen tap	residential	<0.001	<0.001	47.3	<50	<50	<1.0	<1.0	1.66	7.23	5.4	-
18 Parkway	01/09/2022	kitchen tap	residential	<0.001	<0.001	26	<50	<50	1.2	<1.0	1.62	7.51	15.3	-
19 Terrace Heights	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.4	<50	<50	<1.0	<1.0	1.81	7.4	-	-
19 Terrace Heights	03/10/2019	kitchen tap	residential	<0.001	<0.001	48.7	<50	<50	<1.0	<1.0	1.71	7.07	14.7	-
2 Kenogami	21/04/2023	kitchen tap	residential	0.0024	0.0024	44.2	<50	<50	<1.0	<1.0	1.62	7.46	12.9	-
2 Kenogami	30/03/2023	kitchen tap	residential	0.0032	0.0042	48.5	<50	<50	<1.0	<1.0	1.54	7.37	5.6	-
2 Kenogami	28/09/2023	kitchen tap	residential	0.0024	0.0076	46.3	<50	<50	<1.0	<1.0	1.54	7.39	15.5	-
2 Kenogami	26/03/2024	kitchen tap	residential	0.0014	0.0041	61	39	28	<1	<1	1.48	7.03	6.1	-
2 Kenogami	25/09/2024	kitchen tap	residential	0.0027	0.0061	52	58	55	<1	<1	1.48	7.25	16.7	-
2 Kenogami Road	25/03/2025	kitchen tap	residential	0.0018	0.0050	54	54	50	<1	<1	1.81	7.28	10.2	-
2 Kenogami Road	09/09/2025	kitchen tap	residential	0.0018	0.0076	54	<20	<20	<1	<1	1.37	7.19	16.0	-
20 McDonald Ave	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	-	-	-
20 Strathcona	13/04/2016	kitchen tap	residential	<0.001	<0.001	45.5	86	85	1.5	1.4	1.77	7.3	-	-
20 Strathcona	05/10/2016	kitchen tap	residential	<0.001	0.0003	46.5	78	78	1.6	1.5	1.75	7.12	-	-
20 Strathcona	04/06/2017	kitchen tap	residential	<0.001	<0.001	49.3	108	109	2.1	2.1	1.77	7.07	-	-
20 Strathcona	05/01/2021	kitchen tap	residential	<0.001	<0.001	52.3	66	66	1.4	1.4	1.75	7.13	-	-
20 Strathcona	03/10/2018	kitchen tap	residential	<0.001	<0.001	49	94	96	2.1	1.9	1.64	7.18	-	-
22 McDonald Ave	09/04/2013	kitchen tap	residential	0.0012	0.0026	-	-	-	-	-	-	-	-	-
21 South Camp Road	18/07/2022	kitchen tap	residential	-	-	-	-	-	-	-	1.45	7.19	11.7	-
24 Birch Crescent	10/07/2013	kitchen tap	residential	0.0275	0.0240	45.1	-	-	-	-	2.53	-	-	-
24 Birch Crescent	17/07/2013	kitchen tap	residential	0.019	0.0	46.6	-	-	-	-	1.54	8.4	-	-
24 Birch Crescent	24/07/2013	kitchen tap	residential	0.0271	0.0261	44.9	-	-	-	-	8.3	-	-	-
24 Birch Crescent	31/07/2013	kitchen tap	residential	0.0269	0.0267	44.7	-	-	-	-	0.64	-	-	-
24 Birch Crescent	28/08/2013	kitchen tap	residential	0.032	0.026	45.8	-	-	-	-	0.78	-	-	-
24 Birch Crescent	25/09/2013	kitchen tap	residential	0.0265	0.0262	47	-	-	-	-	0.99	7.8	-	-
24 Birch Crescent	30/10/2013	kitchen tap	residential	0.024	0.0229	49	-	-	-	-	0.92	7.8	-	-
24 Birch Crescent	27/11/2013	kitchen tap	residential	0.0218	0.0218	44	-	-	-	-	0.84	7.8	-	-
24 Birch Crescent	13/12/2013	kitchen tap	residential	0.0186	0.0154	47	-	-	-	-	1.18	8	-	-
24 Birch Crescent	29/01/2014	kitchen tap	residential	0.0125	0.0115	45	-	-	-	-	0.76	8.2	-	-
24 Birch Crescent	26/02/2014	kitchen tap	residential	0.0077	0.0091	45	-	-	-	-	1.1	8.1	-	-
24 Birch Crescent	04/03/2014	kitchen tap	residential	0.0098	0.0098	49	-	-	-	-	0.87	8	-	-
24 Birch Crescent	30/04/2014	kitchen tap	residential	0.0098	0.0086	45.7	-	-	-	-	1.35	8.3	-	-
24 Birch Crescent	28/05/2014	kitchen tap	residential	0.0076	0.0082	46.1	-	-	-	-	1.32	8.3	-	-
24 Birch Crescent	07/09/2014	kitchen tap	residential	0.00126	0.0132	44.7	-	-	-	-	1.01	7.6	-	-
24 Birch Crescent	04/08/2015	kitchen tap	residential	0.0056	0.0056	45.5	112	76	2.3	2.2	1.29	7.6	-	-
24 Birch Crescent	13/04/2016	kitchen tap	residential	0.0064	0.0064	45.4	180	177	3.5	3.5	1.56	7	-	-
24 Birch Crescent	05/10/2016	kitchen tap	residential	0.0125	0.0122	47.4	111	112	2.2	2.2	1.37	7.09	-	-
24 Birch Crescent	04/05/2017	kitchen tap	residential	0.006	0.006	47.2	212	214	4.6	4.6	1.37	7.2	3.5	-
24 Birch Crescent	06/10/2017	kitchen tap	residential	0.018	0.0186	51.5	133	133	2.9	2.9	1.18	6.91	13.8	-
24 Birch Crescent	12/04/2018	kitchen tap	residential	0.0056	0.0052	46.4	214	219	4.7	4.6	1.32	7.28	3.4	-
24 Birch Crescent	04/10/2018	kitchen tap	residential	0.0143	0.0146	45.3	171	172	4.7	4.7	1.32	7.43	12.9	-
24 Birch Crescent	04/04/2019	kitchen tap	residential	0.0076	0.0076	45.2	130	129	3.4	3.4	1.37	7.31	12.9	-
24 Birch Crescent	07/04/2022	kitchen tap	residential	0.0055	0.0076	46.6	247	243	4.1	3.9	1.55	7.74	2.1	-
24 Birch Crescent	01/09/2022	kitchen tap	residential	<0.001	<0.001	53.2	57	71	1.6	1.9	1.37	7.16	16.1	-
24 Birch Crescent	30/03/2023	kitchen tap	residential	0.0084	0.0081	48.5	<50	<50	<1.0	<1.0	1.55	7.49	11.9	-
24 Birch Crescent	28/03/2023	kitchen tap	residential	0.0085	0.0082	46.5	114	113	3.7	3.8	1.17	7.15	15.9	-
24 Birch Crescent	27/03/2024	kitchen tap	residential	0.004	0.0038	71	130	140	3	3	1.57	7.43	15.4	-
24 Birch Crescent	25/09/2024	kitchen tap	residential	0.011	0.0108	55	190	190	4	4	1.45	7.22	16.5	-
24 Parkway Place	26/03/2024	kitchen tap	residential	0.0049	0.0078	49	100	2	95	2	1.72	7.32	15.7	-
24 Parkway Place	10/04/2021	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	7.8	-	-	-
24 Parkway Place	05/10/2017	kitchen tap	residential	<0.001	<0.001	50.8	51	54	1.1	1.1	-	-	-	-
24 Parkway Place	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.5	<50	<50	1.2	2.4	1.51	7.29	4.9	-
24 Parkway Place	03/10/2019	kitchen tap	residential	<0.001	<0.001	48.5	<50	<50	<1.0	<1.0	1.66	7.33	6.3	-
24 Parkway Place	02/10/2019	kitchen tap	residential	<0.001	<0.001	55.7	<50	51	1.4	1.7	1.74	7.17	13	-
24 Parkway Place	01/04/2021	kitchen tap	residential	<0.001	<0.001	47.8	<50	<50	<1.0	<1.0	1.56	7.6	6	-
24 Parkway Place	21/07/2021	kitchen tap	residential	<0.001	<0.001	49.4	<50	<50	<1.0	<1.0	1.72	6.81	13	-
24 Parkway Place	06/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	54	59	1.3	1.7	1.61	7.77	5.5	-
24 Parkway Place	31/08/2022	kitchen tap	residential	<0.001	<0.001	38.2	<50	<50	1.1	1.6	1.68	7.39	13.3	-
24 Parkway Place	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.2	<50	<50	<1.0	<1.0	1.66	7.47	11	-
24 Parkway Place	28/09/2023	kitchen tap	residential	<0.001	<0.001	47	102	100	1.2	1.2	1.56	7.42	14.2	-
25 Birch Crescent	25/09/2025	kitchen tap	residential	0.0001	0.0001	59	217	180	2	2	1.39	7.2	5.5	-
25 Birch Crescent	09/09/2025	kitchen tap	residential	0.0001	0.0001	52	48	51	2	2	1.59	7.2	16.4	-
25 Elizabeth	11/04/2018	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<					

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
29 Selkirk Ave	17/07/2013	kitchen tap	residential	0.0071	0.0089	47	-	-	-	-	0.81	8.3	-	-
29 Selkirk Ave	24/07/2013	kitchen tap	residential	0.0081	0.0148	46.5	-	-	-	-	-	8.3	-	-
29 Selkirk Ave	31/07/2013	kitchen tap	residential	0.0074	0.0118	44.5	-	-	-	-	0.81	-	-	-
29 Selkirk Ave	28/08/2013	kitchen tap	residential	0.0079	0.013	45.4	-	-	-	-	-	8.3	-	-
29 Selkirk Ave	25/09/2013	kitchen tap	residential	0.0064	0.0087	49	-	-	-	-	-	1.11	7.8	-
29 Selkirk Ave	20/10/2013	kitchen tap	residential	0.0068	0.011	50	-	-	-	-	-	0.97	7.8	-
29 Selkirk Ave	27/11/2013	kitchen tap	residential	0.0056	0.0098	47	-	-	-	-	-	0.87	7.8	-
29 Selkirk Ave	13/12/2013	kitchen tap	residential	0.0044	0.0075	49	-	-	-	-	-	1.25	8	-
29 Selkirk Ave	29/01/2014	kitchen tap	residential	0.0031	0.0048	53	-	-	-	-	-	1.2	8.3	-
29 Selkirk Ave	26/02/2014	kitchen tap	residential	0.0025	0.0029	48	-	-	-	-	-	1.25	8.3	-
29 Selkirk Ave	04/03/2014	kitchen tap	residential	0.0024	0.0038	45	-	-	-	-	-	1.1	8.1	-
29 Selkirk Ave	30/04/2014	kitchen tap	residential	0.0029	0.005	44.5	-	-	-	-	-	1.3	8.2	-
29 Selkirk Ave	28/05/2014	kitchen tap	residential	0.0024	0.0037	46.1	-	-	-	-	-	1.12	8.3	-
29 Selkirk Ave	07/09/2014	kitchen tap	residential	0.004	0.0062	45.3	-	-	-	-	-	1.38	7.4	-
29 Selkirk Ave	04/08/2015	kitchen tap	residential	0.0017	0.0031	47.6	<50	<50	<1.0	<1.0	-	1.31	7.5	-
29 Selkirk Ave	10/07/2015	kitchen tap	residential	0.003	0.0065	48.6	90	64	<1.0	<1.0	-	1.35	7.9	-
29 Selkirk Ave	13/04/2016	kitchen tap	residential	0.0012	0.0014	45.6	51	51	<1.0	<1.0	-	2.35	7.4	-
29 Selkirk Ave	05/10/2016	kitchen tap	residential	0.0017	0.0017	48	59	60	<1.0	<1.0	-	1.43	7.29	-
29 Selkirk Ave	04/05/2017	kitchen tap	residential	<0.001	<0.001	47.7	62	61	1.2	1.1	-	1.53	7.55	4.0
29 Selkirk Ave	04/10/2017	kitchen tap	residential	0.0011	0.0016	55.9	<50	<50	1.1	1	-	1.39	7.11	14.8
29 Selkirk Ave	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.3	57	56	1.2	1.3	-	1.42	7.26	3.8
29 Selkirk Ave	04/10/2018	kitchen tap	residential	<0.001	<0.001	47.9	64	67	1.5	1.5	-	1.63	7.28	14.3
29 Selkirk Ave	29/08/2019	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	1.3	1.5	-	1.54	7.12	4.9
29 Selkirk Ave	02/10/2019	kitchen tap	residential	<0.001	<0.001	48	50	<50	1.3	1.4	-	1.69	7.14	14.5
29 Selkirk Ave	31/03/2021	kitchen tap	residential	0.0018	<0.001	49	<50	<50	<1.0	<1.0	-	1.53	7.59	4.9
29 Selkirk Ave	22/07/2021	kitchen tap	residential	<0.001	<0.001	48.6	73	53	1.2	1.1	-	1.86	6.77	18.8
29 Selkirk Ave	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	-	1.69	7.78	5.1
31 Lakeview Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.4	-	-	-	-	-	1.35	-	-
31 Lakeview Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	48.5	-	-	-	-	-	1.46	8.2	-
31 Lakeview Drive	26/08/2013	kitchen tap	residential	<0.001	<0.001	45.3	-	-	-	-	-	0.83	-	-
31 Lakeview Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	45.5	-	-	-	-	-	0.72	-	-
31 Lakeview Drive	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.6	-	-	-	-	-	1.36	8	-
31 Lakeview Drive	26/09/2013	kitchen tap	residential	0.0056	<0.001	45	-	-	-	-	-	1.05	7.9	-
31 Lakeview Drive	23/09/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	-	1.18	7.8	-
31 Lakeview Drive	28/11/2013	kitchen tap	residential	<0.001	<0.001	42	-	-	-	-	-	1.14	7.5	-
31 Lakeview Drive	19/12/2013	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	-	0.89	8.2	-
31 Lakeview Drive	30/03/2014	kitchen tap	residential	<0.001	<0.001	43	-	-	-	-	-	1.04	8.1	-
31 Lakeview Drive	04/04/2014	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	-	1.11	8.3	-
31 Lakeview Drive	05/01/2014	kitchen tap	residential	<0.001	<0.001	46.1	-	-	-	-	-	1.16	8.2	-
31 Lakeview Drive	29/05/2014	kitchen tap	residential	<0.001	<0.001	46.9	-	-	-	-	-	0.9	8.3	-
31 Lakeview Drive	07/10/2014	kitchen tap	residential	<0.001	<0.001	42.6	-	-	-	-	-	1.43	8	-
31 Lakeview Drive	13/04/2015	kitchen tap	residential	<0.001	<0.001	47.5	<50	7.50	<1.0	<1.0	-	1.55	7.8	-
31 Lakeview Drive	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.6	224	199	3.3	2.6	-	1.67	7.94	9.1
3 Simeone Plaza	23/05/2022	kitchen tap	residential	<0.001	<0.001	53	<20	<20	1	1	-	1.59	7.2	18.5
33 Elizabeth Ave	11/07/2013	hydrant	distribution	<0.001	<0.001	44.4	-	-	-	-	-	0.34	-	-
33 Elizabeth Ave	18/07/2013	hydrant	distribution	0.0017	-	48.3	-	-	-	-	-	0.77	8.3	-
33 Elizabeth Ave	01/08/2013	hydrant	distribution	<0.001	-	44.3	-	-	-	-	-	0.59	7.9	-
33 Elizabeth Ave	29/08/2013	hydrant	distribution	<0.001	-	44.3	-	-	-	-	-	1.15	7.9	-
33 Elizabeth Ave	26/09/2013	hydrant	distribution	<0.001	-	51	-	-	-	-	-	1.13	7.9	-
33 Elizabeth Ave	31/10/2013	hydrant	distribution	<0.001	-	48	-	-	-	-	-	1.12	7.8	-
33 Elizabeth Ave	28/11/2013	hydrant	distribution	<0.001	-	46	-	-	-	-	-	1.1	7.8	-
33 Elizabeth Ave	19/12/2013	hydrant	distribution	<0.001	-	49	-	-	-	-	-	1.03	8.3	-
33 Elizabeth Ave	30/01/2014	hydrant	distribution	<0.001	-	45	-	-	-	-	-	1.2	8	-
33 Elizabeth Ave	04/03/2014	hydrant	distribution	<0.001	-	48	-	-	-	-	-	1.24	7.8	-
33 Elizabeth Ave	05/02/2014	hydrant	distribution	<0.001	-	45.3	-	-	-	-	-	1.21	8.3	-
33 Elizabeth Ave	29/05/2014	hydrant	distribution	<0.001	-	45.8	-	-	-	-	-	1.49	8.3	-
33 Elizabeth Ave	15/04/2015	hydrant	distribution	<0.001	-	47.9	<50	<50	<1.0	<1.0	-	1.52	7.5	-
33 Elizabeth Ave	10/07/2015	hydrant	distribution	<0.001	-	49.7	284	-	2.2	-	-	1.65	7.9	-
33 Elizabeth Ave	12/04/2016	hydrant	distribution	<0.001	-	44.2	<50	<50	1.2	1.2	-	1.12	7.3	-
33 Elizabeth Ave	06/10/2016	hydrant	distribution	<0.001	-	47.6	<50	<50	1.3	-	-	1.43	7.3	-
33 Elizabeth Ave	04/06/2017	hydrant	distribution	<0.001	-	47.9	61	-	1.5	-	-	1.65	7.17	-
33 Elizabeth Ave	15/03/2017	hydrant	distribution	<0.001	-	39.7	<50	<50	1.2	-	-	1.43	7.2	-
33 Elizabeth Ave	11/04/2018	hydrant	distribution	<0.001	-	47.3	<50	<50	1.2	1.7	-	1.07	7.29	4.9
33 Elizabeth Ave	03/10/2018	hydrant	distribution	<0.001	-	47.4	<50	<50	1.5	-	-	1.58	7.53	13.5
33 Elizabeth Ave	03/04/2019	hydrant	distribution	<0.001	-	45	<50	<50	<1.0	<1.0	-	1.53	7.33	4.3
33 Elizabeth Ave	02/10/2019	hydrant	distribution	<0.001	-	48	<50	<50	<1.0	<1.0	-	1.67	7.69	13.3
33 Elizabeth Ave	14/04/2020	hydrant	distribution	<0.001	-	49.4	<50	<50	2.4	1.46	-	1.79	7.45	3.8
33 Elizabeth Ave	24/09/2020	hydrant	distribution	<0.001	-	53.6	542	-	3.8	-	-	1.87	7.26	13.5
33 Elizabeth Ave	01/04/2021	hydrant	distribution	<0.001	-	62.2	<50	<50	<1.0	<1.0	-	1.47	7.35	3.9
33 Elizabeth Ave	19/12/2021	hydrant	distribution	<0.001	-	48.8	67	67	1.3	1.6	-	1.31	8.3	2.5
33 Elizabeth Ave	06/04/2022	hydrant	distribution	<0.001	-	47.2	<50	<50	1.3	-	-	1.64	7.62	2.9
33 Elizabeth Ave	31/08/2022	hydrant	distribution	<0.001	-	23.5	328	-	3.3	-	-	1.68	7.42	16.3
33 Elizabeth Ave	29/03/2023	hydrant	distribution	0.0021	-	48.5	<50	<50	<1.0	<1.0	-	1.5	6.33	6
33 Elizabeth Ave	27/09/2023	hydrant	distribution	<0.001	-	46.7	<50	<50	1.5	1.5	-	1.65	7.1	16
33 Elizabeth Ave	27/03/2024	hydrant	distribution	<0.001	-	62	110	-	1	-	-	1.51	7.31	4.9
33 Elizabeth Ave	26/09/2024	hydrant	distribution	<0.001	-	51	65	-	<1	<1	-	1.5	7.44	17.2
33 Elizabeth Ave	26/03/2025	hydrant	distribution	<0.001	-	48	26	-	1	-	-	1.7	7.17	6.2
33 Elizabeth Ave	10/09/2025	hydrant	distribution	<0.001	-	53	<20	<20	1	-	-	1.4	7.35	12.4
Elizabeth Ave, Hydrant	25/07/2013	hydrant	distribution	<0.001	-	46.7	-	-	-	-	-	-	-	-
Elizabeth Ave, Hydrant	26/02/2014	hydrant	distribution	<0.001	-	46	-	-	-	-	-	-	8.1	-
Elizabeth Ave, Hydrant	07/09/2014	hydrant	distribution	<0.001	-	45.8	-	-	-	-	-	0.69	7.3	-
35 Pine	04/02/2014	kitchen tap	residential	0.0086	0.0163	49	-	-	-	-	-	1.06	7.9	-
35 Pine	30/04/2014	kitchen tap	residential	0.0066	0.01	46.2	-	-	-	-	-	1.32	8.2	-
35 Pine	28/05/2014	kitchen tap	residential	0.0099	0.0115	45.6	-	-	-	-	-	1.11	8.3	-
35 Pine	07/09/2014	kitchen tap	residential	0.0098	0.0099	45.4	-	-	-	-	-	2.75	7.3	-
35 Terrace Heights Hydrant	24/04/2013	hydrant	distribution	<0.001	-	44.7	-	-	-	-	-	-	-	-
35 Terrace Heights Drive	18/07/2013	hydrant	distribution	<0.001	-	49.8	-	-	-	-	-	0.83	8.3	-
35 Terrace Heights Drive	25/07/2013	hydrant	distribution	0.0042	-	46.8	-	-	-	-	-	0.89	-	-
35 Terrace Heights Drive	01/08/2013	hydrant	distribution	<0.001	-	44.3	-	-	-	-	-	0.76	7.29	-
35 Terrace Heights Drive	29/08/2013	hydrant	distribution	<0.001	-	44.5	-	-	-	-	-	1.25	7.9	-
35 Terrace Heights Drive	26/09/2013	hydrant	distribution	<0.001	-	51	-	-	-	-	-	0.94	7.8	-
35 Terrace Heights Hydrant	04/10/2013	hydrant	distribution	0.00189	-	45	-	-	-	-	-	1	8.2	-
35 Terrace Heights Drive	31/10/2013	hydrant	distribution	<0.001	-	45	-	-	-	-	-	1	7.8	-
35 Terrace Heights Drive	07/11/2013	hydrant	distribution	<0.001	-	45.6	-	-	-	-	-	0.47	-	-
35 Terrace Heights Drive	28/11/2013	hydrant	distribution	0.0011	-	47	-	-	-	-	-	1.23	7.8	-
35 Terrace Heights Drive	19/12/2013	hydrant	distribution	<0.001	-	50	-	-	-	-	-	0.87	8.3	-
35 Terrace Heights Drive	05/01/2014	hydrant	distribution	<0.001	-	45.9	-	-	-	-	-	1.1	8.1	-
35 Terrace Heights Drive	30/01/2014	hydrant	distribution	<0.001	-	47	-	-	-	-				

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (µg/L)		Manganese Results (µg/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
37 East Grove Cres	10/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	8	-	-
4 McDonald Ave	09/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	8.1	-	-
4 Princess Ave	04/09/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	2.51	7.6	-	-
4 Strathcona Ave	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.4	-	-	-	-	-	0.91	8	-
4 Strathcona Ave	18/07/2013	kitchen tap	residential	<0.001	<0.001	47.5	-	-	-	-	-	0.84	8.1	-
4 Strathcona Ave	25/07/2013	kitchen tap	residential	<0.001	<0.001	44.7	-	-	-	-	-	0.63	-	-
4 Strathcona Ave	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.9	-	-	-	-	-	1.04	-	-
4 Strathcona Ave	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.5	-	-	-	-	-	0.91	8	-
4 Strathcona Ave	26/09/2013	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	-	1.02	7.8	-
4 Strathcona Ave	31/10/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	-	0.99	7.8	-
4 Strathcona Ave	28/11/2013	kitchen tap	residential	<0.001	<0.001	45	-	-	-	-	-	1.04	7.8	-
4 Strathcona Ave	29/05/2014	kitchen tap	residential	<0.001	<0.001	48.2	-	-	-	-	-	1.27	8.3	-
4 Strathcona Ave	30/01/2014	kitchen tap	residential	<0.001	<0.001	42	-	-	-	-	-	0.96	8.1	-
4 Strathcona Ave	04/03/2014	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	-	1.06	8.1	-
4 Strathcona Ave	05/03/2014	kitchen tap	residential	<0.001	<0.001	44.3	-	-	-	-	-	1.43	8.2	-
4 Strathcona Ave	29/05/2014	kitchen tap	residential	<0.001	<0.001	48.2	-	-	-	-	-	1.27	8.3	-
4 Strathcona Ave	07/10/2014	kitchen tap	residential	<0.001	<0.001	44.9	-	-	-	-	-	1.43	8.1	-
41 Kenogami	04/02/2014	kitchen tap	residential	0.0066	0.0102	49	-	-	-	-	-	8	-	-
41 Kenogami	05/10/2017	kitchen tap	residential	0.0178	0.0288	87.7	169	173	4.5	4.1	-	-	-	-
41 Kenogami	11/04/2018	kitchen tap	residential	0.0046	0.0049	46.5	114	123	4.3	4.4	-	1.43	7.42	3.2
41 Kenogami	03/10/2018	kitchen tap	residential	0.0068	0.0068	46.9	52	<50	2.6	2.6	-	1.55	7.22	13.7
41 Kenogami	03/04/2019	kitchen tap	residential	0.001	0.004	45.9	<50	<50	1.7	1.7	-	1.54	7.3	3.2
41 Kenogami	02/06/2019	kitchen tap	residential	0.0062	0.0088	49.3	<50	<50	1.6	1.6	-	1.62	7.03	13.6
41 Kenogami	01/04/2021	kitchen tap	residential	0.0053	0.0085	78.9	<50	<50	<1.0	<1.0	-	1.46	7.43	3.8
41 Kenogami	22/07/2021	kitchen tap	residential	0.005	0.0078	48.5	70	69	1.2	1.2	-	1.93	6.8	16.2
41 Kenogami	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.5	<50	<50	1.9	<1.0	-	1.52	7.73	2.3
41 Kenogami	31/08/2022	kitchen tap	residential	<0.001	<0.001	23.9	38	39	<1	1.5	-	1.65	7.44	15.2
41 Kenogami	29/03/2023	kitchen tap	residential	<0.001	<0.001	49.6	<50	<50	6.3	6.3	-	1.5	7.45	3.3
41 Kenogami	28/09/2023	kitchen tap	residential	<0.001	<0.001	46	<50	<50	<1.0	<1.0	-	1.57	7.4	15.7
41 Kenogami	26/03/2024	kitchen tap	residential	<0.001	<0.001	70	38	39	<1	<1	-	1.43	6.85	6.8
41 Kenogami	26/09/2024	kitchen tap	residential	0.0001	<0.001	72	53	48	<1	<1	-	1.46	7.23	16.8
41 Kenogami Road	26/03/2025	kitchen tap	residential	<0.001	<0.001	49	52	53	<1	<1	-	1.72	7.20	9.3
41 Kenogami Road	10/09/2025	kitchen tap	residential	<0.001	<0.001	50	<20	<20	<1	<1	-	1.44	7.10	15.7
42 East Grove Cres	10/04/2013	kitchen tap	residential	<0.001	<0.001	-	-	-	-	-	-	8	-	-
42 Hudson	26/03/2024	kitchen tap	residential	0.0002	0.0021	63	37	36	<1	<1	-	1.62	7.03	8
42 Hudson	25/09/2024	kitchen tap	residential	0.003	0.0039	-	-	-	-	-	-	-	-	-
42 Hudson Drive	25/03/2025	kitchen tap	residential	0.003	0.0039	50	25	26	<1	<1	-	1.44	7.17	5.3
42 Hudson Drive	09/09/2025	kitchen tap	residential	0.003	0.0029	49	<20	<20	<1	<1	-	1.57	7.12	16.2
42 Parkway	03/04/2019	kitchen tap	residential	0.0015	0.017	46.4	<50	<50	<1.0	<1.0	-	1.61	7.17	6.2
42 Parkway	02/10/2019	kitchen tap	residential	<0.001	<0.001	51.4	<50	<50	<1.0	<1.0	-	1.8	7.26	11.8
42 Parkway	03/04/2021	kitchen tap	residential	<0.001	0.0074	57.5	<50	<50	<1.0	<1.0	-	1.55	7.59	6
42 Parkway	22/08/2021	kitchen tap	residential	<0.001	<0.001	48.9	<50	<50	<1.0	<1.0	-	1.77	6.72	13.3
42 Parkway	07/04/2022	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	-	1.67	7.5	5.6
42 Parkway	01/09/2022	kitchen tap	residential	<1.0	<1.0	-	<50	<50	<1.0	<1.0	-	1.61	7.33	17.1
42 Parkway	29/03/2023	kitchen tap	residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	-	1.55	7.5	8.6
42 Parkway	28/09/2023	kitchen tap	residential	<0.001	<0.001	46	<50	<50	<1.0	<1.0	-	1.64	7.4	16.6
43 East Grove Cres	10/04/2013	kitchen tap	residential	0.0012	0.0012	-	-	-	-	-	-	1.56	7.8	-
48 Lakeview	13/04/2016	kitchen tap	residential	<0.001	<0.001	44.3	<50	<50	<1.0	<1.0	-	1.63	7.2	-
48 Lakeview	05/10/2016	kitchen tap	residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	-	1.51	7.34	-
48 Lakeview	04/04/2017	kitchen tap	residential	<0.001	<0.001	48	<50	<50	<1.0	<1.0	-	1.36	7.41	4.4
48 Lakeview	06/10/2017	kitchen tap	residential	<0.001	<0.001	51.2	<50	<50	<1.0	<1.0	-	1.15	7.22	14.5
48 Lakeview	04/04/2019	kitchen tap	residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	-	1.69	7.09	3.4
48 Lakeview	03/10/2019	kitchen tap	residential	<0.001	<0.001	49.3	71	71	1.4	1.4	-	1.72	7.12	13.5
48 Lakeview	31/03/2021	kitchen tap	residential	<0.001	<0.001	48.3	<50	<50	<1.0	<1.0	-	1.44	7.59	4.7
48 Lakeview	21/07/2021	kitchen tap	residential	<0.001	<0.001	49.3	<50	<50	<1.0	<1.0	-	1.92	6.83	15.5
48 Lakeview	06/04/2022	kitchen tap	residential	<0.001	<0.001	46.6	<50	<50	<1.0	<1.0	-	1.51	7.39	5.4
48 Lakeview	28/09/2022	kitchen tap	residential	<0.001	<0.001	48.9	<50	<50	<1.0	<1.0	-	1.69	7.5	20.5
48 Lakeview	27/09/2023	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	-	1.66	7.5	14.4
48 Lakeview	27/03/2024	kitchen tap	residential	0.0001	<0.001	66	56	52	<1	<1	-	1.59	7.31	16.1
48 Lakeview	26/09/2024	kitchen tap	residential	0.0001	<0.001	57	54	50	<1	<1	-	1.59	7.33	16.7
48 Lakeview Drive	26/03/2025	kitchen tap	residential	0.0003	0.0003	48	<20	<20	<1	<1	-	1.76	7.33	16.6
48 Lakeview Drive	10/09/2025	kitchen tap	residential	0.0002	<0.1	48	<20	<20	<1	<1	-	1.58	7.14	19.6
48 Parkway Place	10/04/2013	kitchen tap	residential	0.0358	0.037	-	-	-	-	-	-	2.48	7.9	-
48 Terrace Heights Drive	11/07/2013	kitchen tap	residential	0.016	0.01	44.5	-	-	-	-	-	2.5	7.5	-
48 Terrace Heights Drive	18/07/2013	kitchen tap	residential	0.0022	<0.001	48.9	-	-	-	-	-	1.05	8.2	-
48 Terrace Heights Drive	25/07/2013	kitchen tap	residential	0.0023	0.001	47.1	-	-	-	-	-	0.74	-	-
48 Terrace Heights Drive	01/08/2013	kitchen tap	residential	0.002	0.001	44.9	-	-	-	-	-	0.97	-	-
48 Terrace Heights Drive	29/08/2013	kitchen tap	residential	0.0022	0.001	45.8	-	-	-	-	-	1.18	8	-
48 Terrace Heights Drive	26/09/2013	kitchen tap	residential	0.0021	0.0014	49	-	-	-	-	-	0.96	7.9	-
48 Terrace Heights Drive	31/10/2013	kitchen tap	residential	0.0029	<0.001	49	-	-	-	-	-	1.01	7.8	-
48 Terrace Heights Drive	28/11/2013	kitchen tap	residential	0.002	<0.001	48	-	-	-	-	-	1.44	7.8	-
48 Terrace Heights Drive	19/12/2013	kitchen tap	residential	0.0015	0.0011	48	-	-	-	-	-	0.83	-	-
48 Terrace Heights Drive	30/01/2014	kitchen tap	residential	0.0015	<0.001	45	-	-	-	-	-	1.02	8.1	-
48 Terrace Heights Drive	04/03/2014	kitchen tap	residential	<0.001	<0.001	48	-	-	-	-	-	1.54	8.3	-
48 Terrace Heights Drive	26/03/2014	kitchen tap	residential	0.0014	<0.001	44.8	-	-	-	-	-	1.17	8.2	-
48 Terrace Heights Drive	29/05/2014	kitchen tap	residential	0.0019	0.001	48.6	-	-	-	-	-	0.74	8.3	-
48 Terrace Heights Drive	07/10/2014	kitchen tap	residential	0.0016	0.0013	44.4	-	-	-	-	-	1.21	8.3	-
48 Laurier Ave	10/07/2015	kitchen tap	residential	0.0184	0.0229	48.6	<50	<50	<1.0	<1.0	-	2.75	7.7	-
48 Laurier Ave	10/07/2015	kitchen tap	residential	0.0107	0.0121	45.2	-	-	-	-	-	0.7	8.1	-
48 Laurier Ave	17/07/2015	kitchen tap	residential	0.012	0.0268	46.8	-	-	-	-	-	0.78	8	-
48 Laurier Ave	24/07/2015	kitchen tap	residential	0.0112	0.0174	45.2	-	-	-	-	-	2.75	8.3	-
48 Laurier Ave	31/07/2015	kitchen tap	residential	0.0098	0.021	44.4	-	-	-	-	-	0.97	-	-
48 Laurier Ave	28/08/2015	kitchen tap	residential	0.0113	0.0256	48.9	-	-	-	-	-	0.97	-	-
48 Laurier Ave	25/09/2015	kitchen tap	residential	0.0127	0.0264	46	-	-	-	-	-	0.95	7.8	-
48 Laurier Ave	30/10/2015	kitchen tap	residential	0.0092	0.0204	44	-	-	-	-	-	2.75	7.8	-
48 Laurier Ave	27/11/2015	kitchen tap	residential	0.0054	0.013	44	54	50	<1	<1	-	1.29	7.8	-
48 Laurier Ave	13/12/2015	kitchen tap	residential	0.0059	0.0071	46	-	-	-	-	-	1.03	8	-
48 Laurier Ave	29/01/2014	kitchen tap	residential	0.0088	0.0109	45	-	-	-	-	-	1.18	8.1	-
48 Laurier Ave	26/02/2014	kitchen tap	residential	0.0067	0.009	50	-	-	-	-	-	0.98	8.1	-
48 Laurier Ave	04/03/2014	kitchen tap	residential	0.0068	0.0101	45	-	-	-	-	-	1.18	8.1	-
48 Laurier Ave	30/04/2014	kitchen tap	residential	0.0044	0.0056	44.4	-	-	-	-	-	1.37	8.2	-
48 Laurier Ave	28/05/2014	kitchen tap	residential	0.0095	0.0118	46.4	-	-	-	-	-	1.04	8.3	-
48 Laurier Ave	07/09/2014	kitchen tap	residential	0.0054	0.015	45.1	-	-	-	-	-	1.43	8.1	-
48 Laurier Ave	13/04/2015	kitchen tap	residential	0.0017	0.0088	47.4	<50							


Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
50 Hudson Drive	27/09/2023	kitchen tap	residential	<0.001	0.002	46.4	<50	<50	<1.0	<1.0	1.66	7.42	16	-
50 Hudson Drive	26/03/2024	kitchen tap	residential	0.0003	0.001	61	29	35	<1	<1	1.63	7.15	10.2	-
50 Hudson Drive	25/09/2024	kitchen tap	residential	0.0003	0.0009	56	35	60	<1	<1	1.64	7.25	16.8	-
50 Hudson Drive	23/03/2025	kitchen tap	residential	0.0004	0.0021	77	64	61	<1	<1	1.75	7.34	9.1	-
50 Hudson Drive	09/09/2025	kitchen tap	residential	0.0003	0.0013	53	<20	72	<1	<1	1.61	7.16	15.8	-
50 Superior Ave	11/07/2013	kitchen tap	residential	<0.001	<0.003	44.9	-	-	-	-	0.61	-	-	-
50 Superior Ave	18/07/2013	kitchen tap	residential	<0.001	<0.001	48.1	-	-	-	-	2.75	8.2	-	-
50 Superior Ave	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.2	-	-	-	-	0.78	-	-	-
50 Superior Ave	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.7	-	-	-	-	1.00	-	-	-
50 Superior Ave	29/08/2013	kitchen tap	residential	0.0025	<0.001	45.5	-	-	-	-	0.89	7.9	-	-
50 Superior Ave	26/09/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	1.02	7.8	-	-
50 Superior Ave	31/10/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	0.92	7.8	-	-
50 Superior Ave	28/11/2013	kitchen tap	residential	0.114	<0.001	45	-	-	-	-	1.02	7.8	-	-
50 Superior Ave	19/12/2013	kitchen tap	residential	<0.001	<0.001	47	-	-	-	-	0.9	8.1	-	-
50 Superior Ave	30/01/2014	kitchen tap	residential	<0.001	<0.001	38	-	-	-	-	0.99	8	-	-
50 Superior Ave	04/03/2014	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.24	8.3	-	-
50 Superior Ave	29/05/2014	kitchen tap	residential	<0.001	<0.001	46.9	-	-	-	-	1.06	8.3	-	-
50 Superior Ave	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.5	-	-	-	-	1.99	8	-	-
50 Superior Ave	15/04/2015	kitchen tap	residential	<0.001	<0.001	46.8	<50	<50	<1.0	<1.0	1.52	7.6	-	-
50 Superior Ave	10/07/2015	kitchen tap	residential	<0.001	<0.001	48.5	68	68	1.0	1.1	1.69	7.5	-	-
50 Superior Ave	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.8	65	65	1.2	1.2	1.22	7.5	-	-
50 Superior Ave	06/10/2016	kitchen tap	residential	<0.001	<0.001	46.2	72	75	2.1	1.2	1.58	7.32	-	-
50 Superior Ave	04/04/2017	kitchen tap	residential	<0.001	<0.001	49.2	144	143	2.4	2.4	1.69	7.49	-	-
50 Superior Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	57	<50	<50	1.6	1.8	1.58	7.32	-	-
50 Superior Ave	11/04/2018	kitchen tap	residential	<0.001	<0.001	46.1	<50	<50	1.1	1.1	1.59	7.42	6.0	-
50 Superior Ave	03/10/2018	kitchen tap	residential	<0.001	<0.001	49.8	77	76	1.7	1.6	1.6	7.19	14.3	-
50 Superior Ave	02/09/2019	kitchen tap	residential	<0.001	<0.001	50.2	106	76	2.3	2.9	1.28	7.07	18.6	-
50 Superior Ave	01/04/2021	kitchen tap	residential	<0.001	<0.001	<50	<50	<50	<1.0	<1.0	1.42	7.5	3.7	-
50 Superior Ave	22/07/2021	kitchen tap	residential	<0.001	<0.001	<50	<50	48.8	<1.0	<1.0	1.85	6.59	14.9	-
50 Superior Ave	04/09/2023	kitchen tap	residential	<0.001	<0.001	44.8	<50	<50	<1.0	<1.0	1.36	7.38	15.8	-
50 Superior Ave	30/03/2023	kitchen tap	residential	<0.001	<0.001	48.4	<50	<50	<1.0	<1.0	1.49	7.54	3.8	-
50 Superior Ave	26/09/2024	kitchen tap	residential	0.0002	<0.001	55	120	120	1	1	1.57	7.22	16.6	-
50 Superior Ave	26/03/2025	kitchen tap	residential	<0.0001	<0.0001	50	44	40	<1	<1	1.64	7.29	10.2	-
100 Superior Avenue	10/07/2025	kitchen tap	residential	<0.001	<0.001	52	<20	<20	<1	<1	1.63	6.92	16.9	-
51 Laurier Ave	10/07/2013	kitchen tap	residential	0.0194	0.0404	44.2	-	-	-	-	2.43	-	-	-
51 Laurier Ave	17/07/2013	kitchen tap	residential	0.0082	0.015	48.4	-	-	-	-	8.3	-	-	-
51 Laurier Ave	24/07/2013	kitchen tap	residential	0.00274	0.0306	45.2	-	-	-	-	0.84	8.3	-	-
51 Laurier Ave	31/07/2013	kitchen tap	residential	0.00141	0.0305	44.8	-	-	-	-	0.85	7.8	-	-
51 Laurier Ave	28/08/2013	kitchen tap	residential	0.0182	0.0228	45.6	-	-	-	-	1.15	-	-	-
51 Laurier Ave	25/09/2013	kitchen tap	residential	0.0219	0.0315	46	-	-	-	-	1.14	7.8	-	-
51 Laurier Ave	30/10/2013	kitchen tap	residential	0.0038	0.0223	47	-	-	-	-	0.97	7.8	-	-
51 Laurier Ave	27/11/2013	kitchen tap	residential	0.0029	0.0186	47	-	-	-	-	7.47	7.8	-	-
58 Hudson Ave	05/10/2017	kitchen tap	residential	0.0153	0.0159	100	<50	<50	<1.0	<1.0	1.42	7.5	8	-
58 Hudson Ave	12/04/2018	kitchen tap	residential	0.0019	0.0057	46.6	<50	<50	<1.0	<1.0	1.47	7.41	3.6	-
58 Hudson Ave	04/04/2018	kitchen tap	residential	0.0022	0.0021	48.5	<50	<50	<1.0	<1.0	1.53	7.25	13.8	-
58 Hudson Ave	04/04/2019	kitchen tap	residential	0.0016	0.0019	45.1	<50	<50	<1.0	<1.0	1.58	7.16	2.7	-
58 Hudson Ave	03/10/2019	kitchen tap	residential	0.0027	0.0071	47.7	<50	<50	<1.0	<1.0	1.73	7.06	13.9	-
58 Hudson Ave	01/04/2021	kitchen tap	residential	0.0013	0.003	80.8	<50	<50	<1.0	<1.0	1.62	7.43	5.2	-
59 Kenogami Hydrant	10/07/2013	hydrant	distribution	<0.001	-	45.3	-	-	-	-	1.11	-	-	-
59 Kenogami Hydrant	17/07/2013	hydrant	distribution	<0.001	-	46.8	-	-	-	-	8	-	-	-
59 Kenogami Hydrant	24/07/2013	hydrant	distribution	<0.001	-	44.2	-	-	-	-	0.98	8.3	-	-
59 Kenogami Hydrant	28/08/2013	hydrant	distribution	<0.001	-	44.7	-	-	-	-	1.14	-	-	-
59 Kenogami Hydrant	24/09/2013	hydrant	distribution	<0.001	-	53.1	-	-	-	-	1.84	7.9	-	-
59 Kenogami Hydrant	30/10/2013	hydrant	distribution	<0.001	-	49	-	-	-	-	1.01	7.8	-	-
59 Kenogami Hydrant	27/11/2013	hydrant	distribution	0.001	-	46	-	-	-	-	1.01	7.8	-	-
59 Kenogami Hydrant	29/01/2014	hydrant	distribution	<0.001	-	45	-	-	-	-	1.06	8.5	-	-
59 Kenogami Hydrant	28/05/2014	hydrant	distribution	<0.001	-	49.2	-	-	-	-	1.08	8.5	-	-
59 Kenogami Hydrant	07/09/2014	hydrant	distribution	<0.001	-	45.9	-	-	-	-	1.46	7.2	-	-
59 Kenogami Hydrant	04/03/2015	hydrant	distribution	<0.001	-	47.4	758	-	7.1	-	1.37	7.5	-	-
59 Kenogami Hydrant	10/07/2015	hydrant	distribution	<0.001	-	49.2	294	-	3.0	-	1.51	7.3	-	-
59 Kenogami Hydrant	13/04/2016	hydrant	distribution	<0.001	-	45.9	588	-	6.5	-	1.49	7.14	-	-
59 Kenogami Hydrant	05/10/2016	hydrant	distribution	<0.001	-	47.7	165	-	4.0	-	1.49	7.14	-	-
59 Kenogami Hydrant	04/05/2017	hydrant	distribution	<0.001	-	48.4	360	-	3.9	-	1.51	7.14	-	-
59 Kenogami Hydrant	05/10/2017	hydrant	distribution	<0.001	-	53.4	261	-	4.4	-	1.49	7.14	-	-
59 Kenogami Hydrant	11/04/2018	hydrant	distribution	<0.001	-	46.2	209	-	4.8	-	1.5	7.47	3.8	-
59 Kenogami Hydrant	03/10/2018	hydrant	distribution	<0.001	-	47.7	306	-	8.3	-	1.46	7.67	13.9	-
59 Kenogami Hydrant	03/04/2019	hydrant	distribution	<0.001	-	46.3	844	-	8.2	-	1.56	7.2	3.8	-
59 Kenogami Hydrant	02/10/2019	hydrant	distribution	<0.001	-	48	417	-	5	-	1.74	7.68	13.7	-
59 Kenogami Hydrant	14/04/2020	hydrant	distribution	<0.001	-	49.8	1650	-	9.5	-	1.76	7.41	3.8	-
59 Kenogami Hydrant	24/09/2020	hydrant	distribution	<0.001	-	58.5	811	-	4.1	-	1.72	7.44	12.9	-
59 Kenogami Hydrant	04/04/2021	hydrant	distribution	<0.001	-	79.2	485	-	1.5	-	1.47	7.45	4.7	-
59 Kenogami Hydrant	22/07/2021	hydrant	distribution	<0.001	-	47.8	188	-	2.9	-	1.75	7.15	17.2	-
59 Kenogami Hydrant	07/04/2022	hydrant	distribution	<0.001	-	46.9	106	-	2.4	-	1.58	7.16	2.3	-
59 Kenogami Hydrant	31/08/2022	hydrant	distribution	<0.001	-	60.6	241	-	2.9	-	1.68	7.45	16.2	-
59 Kenogami Hydrant	08/04/2023	hydrant	distribution	<0.001	-	48.1	485	-	<1.0	<1.0	1.47	7.15	4.7	-
59 Kenogami Hydrant	28/09/2023	hydrant	distribution	<0.001	-	46.5	<50	-	<1.0	<1.0	1.66	7.57	13.7	-
59 Kenogami Hydrant	26/09/2024	hydrant	distribution	<0.0001	-	53	110	-	1	-	1.46	6.96	16.8	-
59 Kenogami Road	26/03/2025	hydrant	distribution	<0.0001	-	73	69	-	-	-	1.42	7.26	13.6	-
59 Kenogami Road	10/09/2025	hydrant	distribution	<0.001	-	57	<20	<20	<1	<1	1.42	7.09	13.6	-
Kenogami Hydrant	31/07/2013	hydrant	distribution	<0.001	-	45.5	-	-	-	-	-	-	-	-
Kenogami Hydrant	13/12/2013	hydrant	distribution	<0.001	-	44	-	-	-	-	1.12	8	-	-
Kenogami Hydrant	26/03/2014	hydrant	distribution	<0.001	-	44	-	-	-	-	0.81	8.3	-	-
Kenogami Hydrant	04/02/2014	hydrant	distribution	<0.001	-	46	-	-	-	-	1.03	7.7	-	-
Kenogami Hydrant	30/04/2014	hydrant	distribution	<0.001	-	44.6	588	-	6.5	-	8.2	-	-	-
Kenogami Hydrant	26/03/2024	hydrant	distribution	0.0001	-	73	-	-	2	-	1.57	7.2	4.4	-
6 Princess Ave	09/04/2013	kitchen tap	residential	0.0012	<0.001	49.2	-	-	-	-	1.51	7.8	-	-
60 Laurier	15/04/2015	kitchen tap	residential	0.003	0.0028	46.5	<50	<50	<1.0	<1.0	1.46	7.4	-	-
60 Laurier	10/07/2015	kitchen tap	residential	0.0082	0.0124	48.6	<50	<50	<1.0	<1.0	1.42	7.8	-	-
60 Laurier	13/04/2016	kitchen tap	residential	0.0056	0.004	44.9	<50	<50	<1.0	<1.0	1.42	7.17	-	-
60 Laurier	05/10/2016	kitchen tap	residential	<0.001	-	45.3	-	-	-	-	1.48	7.2	-	-
60 Laurier	04/05/2017	kitchen tap	residential	0.0035	0.0083	48.3	<50	<50	<1.0	<1.0	1.51	7.6	4.4	-
60 Laurier	04/10/2017	kitchen tap	residential	0.0088	0.0129	60.8	<50	<50	<1.0	<1.0	1.13	6.96	15.2	-
60 Laurier	12/04/2018	kitchen tap	residential	0.0027	0.0053	46.5	<50	<50	<1.0	<1.0	1.48	7.25	3.5	-
60 Laurier	04/10/2018	kitchen tap	residential	0.0047	0.0111	46.2	<50	<50	<1.0	<1.0	1.54	7.2	13.3	-
60 Laurier	01/0													

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Alkalinity Result (mg/L)	Iron Results (ug/L)		Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)	1st Litre	2nd Litre (if plumbing)				
64 Hudson Drive	25/03/2025	kitchen tap	residential	0.0002	0.0001	50	48	58	<1	<1	1.47	7.25	4.7	-
64 Hudson Drive	09/09/2025	kitchen tap	residential	0.0016	0.0028	50	<20	<20	<1	<1	1.46	7.18	16.1	-
64 Hudson Drive	26/03/2024	hydrant	distribution	<0.0001	-	68	22	-	<1	-	1.5	7.03	5.3	-
64 Hudson Drive	25/03/2025	hydrant	distribution	<0.0001	-	49	<20	-	<1	-	1.81	7.28	5.4	-
64 Hudson Drive	09/09/2025	hydrant	distribution	<0.0001	-	50	<20	-	<1	-	1.40	7.26	11.0	-
7 McDonald Ave	04/09/2013	kitchen tap	residential	0.0011	<0.001	-	-	-	-	-	2.45	7.7	-	-
77 Lakewood Drive	22/07/2021	kitchen tap	residential	0.0035	<0.001	48.7	<50	<50	1.2	<1.0	1.65	6.94	16.3	-
77 Lakewood Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	44.8	-	-	-	-	2.05	-	-	-
77 Lakewood Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	48.1	-	-	-	-	1.39	8.3	-	-
77 Lakewood Drive	25/07/2013	kitchen tap	residential	0.0012	<0.001	46.4	-	-	-	-	0.81	-	-	-
77 Lakewood Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.6	-	-	-	-	0.96	-	-	-
77 Lakewood Drive	29/08/2013	kitchen tap	residential	0.0011	<0.001	45.7	-	-	-	-	0.94	7.9	-	-
77 Lakewood Drive	26/09/2013	kitchen tap	residential	0.0014	<0.001	49	-	-	-	-	0.97	7.8	-	-
77 Lakewood Drive	31/10/2013	kitchen tap	residential	0.0014	<0.001	48	-	-	-	-	1.01	7.8	-	-
77 Lakewood Drive	28/11/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.59	7.8	-	-
77 Lakewood Drive	19/12/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	0.98	8	-	-
77 Lakewood Drive	30/01/2014	kitchen tap	residential	0.0014	<0.001	46	-	-	-	-	1.13	8.1	-	-
77 Lakewood Drive	04/03/2014	kitchen tap	residential	0.0022	<0.001	46	-	-	-	-	1.09	8.3	-	-
77 Lakewood Drive	05/01/2014	kitchen tap	residential	<0.001	<0.001	44.8	-	-	-	-	1.19	8.2	-	-
77 Lakewood Drive	29/05/2014	kitchen tap	residential	<0.001	<0.001	47.5	-	-	-	-	0.85	8.3	-	-
77 Lakewood Drive	07/10/2014	kitchen tap	residential	<0.001	<0.001	43.7	-	-	-	-	2.72	8	-	-
79 Hudson Drive	10/07/2013	kitchen tap	residential	0.0082	0.0129	44.7	-	-	-	-	0.54	-	-	-
79 Hudson Drive	17/07/2013	kitchen tap	residential	0.0044	0.0096	46.3	-	-	-	-	0.83	-	-	-
79 Hudson Drive	24/07/2013	kitchen tap	residential	0.0073	0.009	45.9	-	-	-	-	0.81	8.3	-	-
79 Hudson Drive	31/07/2013	kitchen tap	residential	0.005	0.0045	44.5	-	-	-	-	0.82	-	-	-
79 Hudson Drive	28/08/2013	kitchen tap	residential	0.0088	0.0033	45.3	-	-	-	-	1.2	-	-	-
79 Hudson Drive	26/09/2013	kitchen tap	residential	0.0041	0.0041	48	-	-	-	-	1.11	7.8	-	-
79 Hudson Drive	30/10/2013	kitchen tap	residential	0.005	0.0072	48	-	-	-	-	1.08	7.8	-	-
79 Hudson Drive	27/11/2013	kitchen tap	residential	0.004	0.0066	46	-	-	-	-	1.32	7.8	-	-
79 Hudson Drive	19/12/2013	kitchen tap	residential	0.0021	0.0021	48	-	-	-	-	0.88	-	-	-
79 Hudson Drive	29/01/2014	kitchen tap	residential	0.0035	0.0049	46	-	-	-	-	1.14	8.1	-	-
79 Hudson Drive	26/02/2014	kitchen tap	residential	0.0033	0.0053	49	-	-	-	-	1.06	8.3	-	-
79 Hudson Drive	30/04/2014	kitchen tap	residential	0.0029	0.0044	44.7	-	-	-	-	1.1	8.2	-	-
79 Hudson Drive	28/05/2014	kitchen tap	residential	0.0025	0.0021	45.3	-	-	-	-	0.91	8.3	-	-
79 Hudson Drive	07/09/2014	kitchen tap	residential	0.0035	0.0053	46.7	-	-	-	-	1.47	7.7	-	-
79 Hudson Drive	10/07/2015	kitchen tap	residential	0.0055	0.0065	48.4	<50	<50	<1.0	<1.0	1.49	7.8	-	-
79 Hudson Drive	04/08/2015	kitchen tap	residential	0.0021	0.0028	46.1	<50	<50	<1.0	<1.0	1.64	7.5	-	-
79 Hudson Drive	13/04/2016	kitchen tap	residential	0.0021	0.0021	44.8	<50	<50	<1.0	<1.0	1.8	7.4	-	-
79 Hudson Drive	05/10/2016	kitchen tap	residential	0.0044	0.0055	48.4	<50	<50	<1.0	<1.0	2.02	7.25	-	-
79 Hudson Drive	22/07/2021	kitchen tap	residential	0.0266	0.0021	48.2	<50	<50	<1.0	<1.0	1.69	6.69	18.2	-
8 Birch Crescent	10/07/2013	kitchen tap	residential	0.0188	0.007	45.8	-	-	-	-	0.52	-	-	-
8 Birch Crescent	17/07/2013	kitchen tap	residential	0.0217	0.007	46.1	-	-	-	-	0.84	-	-	-
8 Birch Crescent	24/07/2013	kitchen tap	residential	0.0165	0.0394	46.1	-	-	-	-	0.58	8.3	-	-
8 Birch Crescent	31/07/2013	kitchen tap	residential	0.0128	0.0307	45.1	-	-	-	-	1.25	-	-	-
8 Birch Crescent	28/08/2013	kitchen tap	residential	0.0224	0.0095	45.5	-	-	-	-	0.97	-	-	-
8 Birch Crescent	25/09/2013	kitchen tap	residential	0.0133	0.0213	45	-	-	-	-	1.03	7.8	-	-
8 Birch Crescent	30/10/2013	kitchen tap	residential	0.0123	0.0167	46	-	-	-	-	0.89	7.8	-	-
8 Birch Crescent	27/11/2013	kitchen tap	residential	0.01	0.0183	46	-	-	-	-	0.96	7.8	-	-
8 Birch Crescent	13/12/2013	kitchen tap	residential	0.0296	0.029	48	-	-	-	-	0.81	8	-	-
8 Birch Crescent	29/01/2014	kitchen tap	residential	0.0069	0.0131	42	-	-	-	-	0.96	8.2	-	-
8 Birch Crescent	26/02/2014	kitchen tap	residential	0.0086	0.0108	47	-	-	-	-	1.03	8.2	-	-
8 Birch Crescent	30/04/2014	kitchen tap	residential	0.0047	0.0076	44.2	-	-	-	-	1.23	8.4	-	-
8 Birch Crescent	28/05/2014	kitchen tap	residential	0.0041	0.0061	45.5	-	-	-	-	1.1	8.4	-	-
8 Birch Crescent	07/09/2014	kitchen tap	residential	0.007	0.0099	45.5	-	-	-	-	1.19	7.6	-	-
8 Birch Crescent	04/08/2015	kitchen tap	residential	0.006	0.0081	46.1	210	213	3.9	3.5	1.06	7.4	-	-
8 Birch Crescent	10/07/2015	kitchen tap	residential	0.0094	0.0088	48.4	150	178	2.7	2.4	1.47	7.9	-	-
8 Birch Crescent	13/04/2016	kitchen tap	residential	0.0041	0.0044	44.2	329	333	6.1	5.9	2.69	7	-	-
8 Birch Crescent	06/10/2016	kitchen tap	residential	0.0074	0.0105	48.9	145	144	3.1	3	1.46	7.21	-	-
8 Birch Crescent	04/08/2017	kitchen tap	residential	<0.001	<0.001	48.9	<50	<50	<1.0	<1.0	1.47	7.03	-	-
8 Birch Crescent	12/04/2018	kitchen tap	residential	0.0098	0.0282	78.2	210	266	7.2	7.1	1.46	7.21	-	-
8 Birch Crescent	04/10/2018	kitchen tap	residential	0.002	0.0023	47	210	207	6.6	6.2	1.3	7.28	3.4	-
8 Birch Crescent	04/10/2018	kitchen tap	residential	0.0074	0.0264	47.9	278	278	8.8	7.9	1.42	7.2	14.2	-
81 Terrace Heights Drive	09/09/2025	kitchen tap	residential	<0.0001	<0.0001	33	<20	<20	<1	<1	1.42	7.2	18.1	-
81 Terrace Heights Drive	11/07/2013	kitchen tap	residential	<0.001	<0.001	45.3	-	-	-	-	0.49	-	-	-
81 Terrace Heights Drive	18/07/2013	kitchen tap	residential	<0.001	<0.001	49.2	-	-	-	-	1.02	8.3	-	-
81 Terrace Heights Drive	25/07/2013	kitchen tap	residential	<0.001	<0.001	45.9	-	-	-	-	0.79	-	-	-
81 Terrace Heights Drive	01/08/2013	kitchen tap	residential	<0.001	<0.001	44.6	-	-	-	-	0.75	-	-	-
81 Terrace Heights Drive	29/08/2013	kitchen tap	residential	<0.001	<0.001	45.4	-	-	-	-	1.12	8	-	-
81 Terrace Heights Drive	26/09/2013	kitchen tap	residential	<0.001	<0.001	49.3	-	-	-	-	0.97	7.8	-	-
81 Terrace Heights Drive	31/10/2013	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	1.12	7.8	-	-
81 Terrace Heights Drive	28/11/2013	kitchen tap	residential	<0.001	<0.001	44	-	-	-	-	1.03	7.8	-	-
81 Terrace Heights Drive	19/12/2013	kitchen tap	residential	<0.001	<0.001	49	-	-	-	-	0.95	8.1	-	-
81 Terrace Heights Drive	30/01/2014	kitchen tap	residential	<0.001	<0.001	41	-	-	-	-	1	8.3	-	-
81 Terrace Heights Drive	04/03/2014	kitchen tap	residential	<0.001	<0.001	46	-	-	-	-	0.89	8.1	-	-
81 Terrace Heights Drive	05/01/2014	kitchen tap	residential	<0.001	<0.001	45.2	-	-	-	-	0.82	8.3	-	-
81 Terrace Heights Drive	29/05/2014	kitchen tap	residential	<0.001	<0.001	46.5	-	-	-	-	1.31	8.2	-	-
81 Terrace Heights Drive	07/10/2014	kitchen tap	residential	<0.001	<0.001	44.2	-	-	-	-	1.56	8	-	-
81 Terrace Heights Drive	25/04/2015	kitchen tap	residential	<0.001	<0.001	45.9	<50	<50	<1.0	<1.0	1.55	7.6	-	-
81 Terrace Heights Drive	10/07/2015	kitchen tap	residential	0.001	0.001	48.9	<50	<50	<1.0	<1.0	1.58	7.8	-	-
81 Terrace Heights Drive	13/04/2016	kitchen tap	residential	<0.001	<0.001	43.9	<50	<50	<1.0	<1.0	1.45	7.4	-	-
81 Terrace Heights Drive	04/10/2016	kitchen tap	residential	<0.001	<0.001	47.5	<50	<50	<1.0	<1.0	1.56	7.36	-	-
81 Terrace Heights Drive	04/08/2017	kitchen tap	residential	<0.001	<0.001	47.8	<50	<50	<1.0	<1.0	1.48	7.44	-	-
81 Terrace Heights Drive	05/10/2017	kitchen tap	residential	<0.001	<0.001	51.4	<50	<50	<1.0	<1.0	1.56	7.36	-	-
81 Terrace Heights Drive	12/04/2018	kitchen tap	residential	<0.001	<0.001	47.9	<50	<50	<1.0	<1.0	1.52	7.28	3.8	-
81 Terrace Heights Drive	04/10/2018	kitchen tap	residential	<0.001	<0.001	47.2	<50	<50	<1.0	<1.0	1.57	7.17	13.1	-
81 Terrace Heights Drive	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.3	<50	<50	<1.0	<1.0	1.63	7.15	4.1	-
81 Terrace Heights Drive	03/10/2019	kitchen tap	residential	<0.001	<0.001	45	<50	<50	<1.0	<1.0	1.71	7.14	14.3	-
81 Terrace Heights Drive	31/03/2021	kitchen tap	residential	0.0049	0.0268	48.4	<50	<50	<1.0	<1.0	1.47	7.57	5.9	-
81 Terrace Heights Drive	22/07/2021	kitchen tap	residential	<0.001	<0.001	48.8	<50	<50	<1.0	<1.0	1.77	6.62	14.1	-
81 Terrace Heights Drive	07/04/2022	kitchen tap	residential	<0.001	<0.001	45.9	<50	<50	<1.0	<1.0	1.56	7.67	4.7	-
81 Terrace Heights Drive	01/09/2022	kitchen tap	residential	<0.001	<0.001	51	<50	<50	<1.0	<1.0	1.63	7.44	15.8	-
81 Terrace Heights Drive	28/09/2023	kitchen tap	residential	<0.001	<0.001	46.5	59	60	<1.0	<1.0	1.55	7.47	15.6	-
81 Terrace Heights Drive	27/03/2024	kitchen tap	residential	<0.0001	<0.0001	74	58	45	<1	<1	1.51	7.31	11	-
81 Terrace Heights Drive	25/09/2024	kitchen tap	residential	<0.0001	<0.0001	53	86	80	<1	<1	1.57	7.27	17.2	-
81 Terrace Heights Drive	25/03/2025	kitchen tap	residential	<0.0001	0.0001	51	110	100	<1	<1	2.02	7.31		

Street Address (for plumbing samples)	Date Sampled (dd/mm/yy)	Sampling Location	Sample Type	Lead Results (mg/L)		Iron Results (ug/L)	Manganese Results (ug/L)		Phosphate (mg/L)	pH Result	Temp (°C)	Additional Comments		
				1st Litre	2nd Litre (if plumbing)		1st Litre	2nd Litre (if plumbing)						
9 Elizabeth Ave	04/06/2017	kitchen tap	residential	<0.001	<0.001	47.7	64	67	1.1	1.2	1.77	7.28	-	
9 Elizabeth Ave	05/10/2017	kitchen tap	residential	<0.001	<0.001	82.1	<50	<50	1	1.1	1.48	7.31	-	
9 Elizabeth Ave	11/04/2018	kitchen tap	residential	<0.001	<0.001	47.8	<50	<50	1	1.1	1.49	7.26	2.9	
9 Elizabeth Ave	04/04/2019	kitchen tap	residential	<0.001	<0.001	45.6	<50	<50	<1.0	1.1	1.6	7.11	2.6	
9 Elizabeth Ave	03/10/2019	kitchen tap	residential	<0.001	<0.001	47.2	76	76	1.3	1.4	1.72	7.14	14.7	
9 Elizabeth Ave	01/04/2021	kitchen tap	residential	<0.001	<0.001	75.6	<50	<50	<1.0	<1.0	1.52	7.44	3.7	
9 Elizabeth Ave	22/07/2021	kitchen tap	residential	<0.001	<0.001	48.5	53	54	1	1.1	1.74	6.71	16.2	
9 Elizabeth Ave	06/04/2022	kitchen tap	residential	<0.001	<0.001	46.6	<50	<50	1.2	1.2	1.52	7.25	2.6	
9 Princess Ave	09/04/2013	kitchen tap	residential	0.0018	<0.001	-	-	-	-	-	-	7.9	-	
9 Princess Ave	27/03/2024	kitchen tap	residential	0.0145	0.0001	71	46	59	1	1	1.5	7.28	7.4	
9 Princess Ave	26/09/2024	kitchen tap	residential	0.0002	<0.0001	57	110	120	2	2	1.54	7.86	22.5	
9 Princess Ave	26/03/2025	kitchen tap	residential	0.0001	<0.0001	55	<20	<20	<1	<1	1.63	7.29	9.5	
9 Princess Ave	10/09/2025	kitchen tap	residential	0.0003	0.0002	52	<20	<20	1	1	1.61	7.14	18.1	
95 Lakeview	04/02/2014	hydrant	residential	<0.001	<0.001	47.9	<50	<50	<1.0	<1.0	1.66	7.9	-	
95 Lakeview	15/04/2016	kitchen tap	residential	<0.001	<0.001	46.3	<50	<50	<1.0	<1.0	1.61	7.5	-	
95 Lakeview	13/04/2016	kitchen tap	residential	<0.001	<0.001	44.8	53	53	1.2	1.1	1.61	7.5	-	
95 Lakeview	05/10/2016	kitchen tap	residential	<0.001	<0.001	46.9	<50	<50	<1.0	<1.0	1.61	7.27	-	
95 Lakeview	04/06/2017	kitchen tap	residential	<0.001	<0.001	47.9	76	73	1.4	1.2	1.61	7.31	-	
95 Lakeview	03/10/2018	kitchen tap	residential	0.0107	<0.001	47.8	73	66	1.4	1.4	1.63	7.17	-	
95 Lakeview	03/04/2019	kitchen tap	residential	<0.001	<0.001	45.3	<50	<50	1.1	<1.0	1.54	7.08	4.9	
95 Lakeview	02/10/2019	kitchen tap	residential	<0.001	<0.001	49	65	65	1.4	1.4	1.74	6.97	14.7	
East Grove Cree. Hydrant	10/04/2013	hydrant	distribution	0.0015	-	45.4	-	-	-	-	-	8.2	-	
McDonalds Ave Hydrant	09/04/2013	hydrant	distribution	0.0026	-	45.3	-	-	-	-	-	8.2	-	
MNR Building Hwy 17	11/07/2013	bathroom tap	non-residential	0.0014	<0.001	45.4	-	-	-	-	-	7.62	8.2	
Selkirk hydrant	10/07/2013	hydrant	distribution	0.0012	-	45.8	-	-	-	-	-	2.75	-	
Selkirk hydrant	17/07/2013	hydrant	distribution	0.012	-	47.5	-	-	-	-	-	8.1	-	
Selkirk hydrant	24/07/2013	hydrant	distribution	<0.001	-	44	-	-	-	-	-	2.65	8.3	
Selkirk hydrant	26/07/2013	hydrant	distribution	<0.001	-	45.9	-	-	-	-	-	0.8	-	
Selkirk hydrant	31/07/2013	hydrant	distribution	<0.001	-	43.7	-	-	-	-	-	0.81	-	
Selkirk hydrant	26/08/2013	hydrant	distribution	<0.001	-	44.9	-	-	-	-	-	1.86	-	
Selkirk hydrant	25/09/2013	hydrant	distribution	<0.001	-	49	-	-	-	-	-	1.15	7.8	
Selkirk hydrant	30/10/2013	hydrant	distribution	0.0013	-	51	-	-	-	-	-	1.28	7.8	
Selkirk hydrant	27/11/2013	hydrant	distribution	<0.001	-	46	-	-	-	-	-	7.8	-	
Selkirk hydrant	18/12/2013	hydrant	distribution	<0.001	-	146	-	-	-	-	-	1.23	8	
Selkirk hydrant	29/01/2014	hydrant	distribution	<0.001	-	45	-	-	-	-	-	0.95	8.3	
Selkirk hydrant	26/02/2014	hydrant	distribution	<0.001	-	48	-	-	-	-	-	1.14	8	
Selkirk hydrant	04/02/2014	hydrant	distribution	<0.001	-	46	-	-	-	-	-	1.07	7.6	
Selkirk hydrant	30/04/2014	hydrant	distribution	<0.001	-	44.5	-	-	-	-	-	1.93	8.1	
Selkirk hydrant	28/05/2014	hydrant	distribution	<0.001	-	45.9	-	-	-	-	-	1.09	8.3	
Selkirk hydrant	07/09/2014	hydrant	distribution	<0.001	-	45.4	-	-	-	-	-	7.4	-	
Selkirk hydrant	15/04/2015	hydrant	distribution	<0.001	-	47.3	<50	<50	<1.0	<1.0	-	1.85	7.5	
Selkirk hydrant	10/07/2015	hydrant	distribution	<0.001	-	48.9	<50	<50	<1.0	<1.0	-	1.61	7.8	
Selkirk hydrant	13/04/2016	hydrant	distribution	<0.001	-	44.2	<50	<50	<1.0	<1.0	-	7.2	-	
Selkirk hydrant	05/10/2016	hydrant	distribution	<0.001	-	49.5	<50	<50	<1.0	<1.0	-	1.59	7.14	
Selkirk hydrant	04/05/2017	hydrant	distribution	<0.001	-	47.8	<50	<50	<1.0	<1.0	-	1.65	7.29	
Selkirk hydrant	04/10/2017	hydrant	distribution	<0.001	-	63.2	<50	<50	<1.0	<1.0	-	1.59	7.14	
Selkirk hydrant	12/04/2018	hydrant	distribution	<0.001	-	46.4	<50	<50	<1.0	<1.0	-	1.44	7.56	
Selkirk hydrant	04/10/2018	hydrant	distribution	<0.001	-	46.5	107	<50	<1.0	<1.0	-	1.58	7.59	
Selkirk hydrant	04/04/2019	hydrant	distribution	<0.001	-	44.9	<50	<50	<1.0	<1.0	-	1.57	7.47	4.9
Selkirk hydrant	02/10/2019	hydrant	distribution	<0.001	-	47.4	<50	<50	<1.0	<1.0	-	1.63	7.64	14.1
Selkirk hydrant	14/04/2020	hydrant	distribution	<0.001	-	49.1	<50	<50	<1.0	<1.0	-	1.6	7.37	3.6
Selkirk hydrant	24/09/2020	hydrant	distribution	0.0011	-	55.1	<50	<50	<1.0	<1.0	-	1.8	7.23	12.9
Selkirk hydrant	31/03/2021	hydrant	distribution	<0.001	-	53.4	<50	<50	<1.0	<1.0	-	1.41	7.8	4.9
Selkirk hydrant	22/07/2021	hydrant	distribution	<0.001	-	48.6	69	-	<1.0	<1.0	-	1.33	6.73	17.6
Selkirk hydrant	07/04/2022	hydrant	distribution	<0.001	-	46.9	<50	<50	<1.0	<1.0	-	1.64	7.57	2.3
Selkirk hydrant	01/09/2022	hydrant	distribution	<0.001	-	53.1	<50	<50	<1.0	<1.0	-	1.63	7.45	18.3
Selkirk hydrant	30/03/2023	hydrant	distribution	<0.001	-	48.3	<50	<50	<1.0	<1.0	-	1.42	7.62	3.9
Selkirk hydrant	27/09/2023	hydrant	distribution	<0.001	-	46.7	<50	<50	<1.0	<1.0	-	1.54	7.35	16.8
Selkirk hydrant	25/09/2024	hydrant	distribution	0.0002	-	54	56	-	<1	<1	-	1.48	7.31	17.2
Selkirk hydrant	25/09/2024	hydrant	distribution	0.0003	-	54	56	-	<1	<1	-	1.48	7.31	17.2
Saddon Motors	10/04/2013	other (specify)	non-residential	<0.001	<1	-	-	-	-	-	-	2.75	7.5	Lunchroom Tap
Subway Restaurant Hwy 11	10/07/2013	bathroom tap	non-residential	<0.001	<1	44.7	-	-	-	-	-	-	8.2	-
Tourist Info Centre	09/04/2013	kitchen tap	non-residential	<0.001	<0.001	-	-	-	-	-	-	-	8.2	-
Water Plant	17/07/2013	other (specify)	distribution	<0.001	-	49.3	-	-	-	-	-	0.51	8.1	-
11 Beaver Creek Rd. WTP	24/07/2013	other (specify)	distribution	<0.001	-	46.6	-	-	-	-	-	-	8.5	-
Water Plant	01/08/2013	other (specify)	distribution	<0.001	-	44.9	-	-	-	-	-	0.91	-	-
Water Plant	29/08/2013	other (specify)	distribution	<0.001	-	44.3	-	-	-	-	-	1.07	7.8	-
Water Plant	26/09/2013	other (specify)	distribution	<0.001	-	49	-	-	-	-	-	1.91	7.8	-
Point of Entry WTP	07/10/2013	other (specify)	distribution	<0.001	-	44.9	-	-	-	-	-	-	-	-
WTP	31/10/2013	other (specify)	distribution	<0.001	-	46	-	-	-	-	-	3	7.8	-
Water Plant	28/11/2013	other (specify)	distribution	<0.001	-	46	-	-	-	-	-	1.33	7.8	-
WTP	19/12/2013	other (specify)	distribution	<0.001	-	45	-	-	-	-	-	1.27	7.8	-
Water Plant	30/01/2014	other (specify)	distribution	<0.001	-	47	-	-	-	-	-	0.99	7.9	-
Water Plant	26/02/2014	other (specify)	distribution	<0.001	-	44	-	-	-	-	-	1.26	8	-
Water Plant	04/03/2014	other (specify)	distribution	<0.001	-	46	-	-	-	-	-	1.21	8	-
Water Plant	29/05/2014	other (specify)	distribution	<0.001	-	46.5	-	-	-	-	-	1.27	8.3	-
Water Plant	07/10/2014	other (specify)	distribution	<0.001	-	47.6	-	-	-	-	-	8.1	-	-
Water Plant Point of Entry	07/09/2014	other (specify)	distribution	<0.001	-	47	-	-	-	-	-	1.07	7.8	-
11 Beaver Creek Rd. WTP	15/04/2015	other (specify)	distribution	<0.001	-	46.3	-	-	-	-	-	1.41	7.7	-
Water Plant 11 Beaver Creek	10/07/2015	other (specify)	distribution	<0.001	-	50.1	-	-	-	-	-	1.53	7.6	-
Water Plant	13/04/2016	other (specify)	distribution	<0.001	-	44.3	-	-	-	-	-	1.57	7.6	-
11 Beaver Creek Rd. WTP	06/10/2016	other (specify)	distribution	<0.001	-	47.9	<50	<50	<1.0	<1.0	-	1.56	7.63	-
11 Beaver Creek Rd. WTP	04/06/2017	other (specify)	distribution	<0.001	-	48.2	<50	<50	<1.0	<1.0	-	1.57	7.57	-
11 Beaver Creek Rd. WTP	05/10/2017	other (specify)	distribution	<0.001	-	114	<50	<50	<1.0	<1.0	-	1.56	7.63	-
11 Beaver Creek Rd. WTP	11/04/2018	other (specify)	distribution	<0.001	-	47.7	<50	<50	<1.0	<1.0	-	1.49	7.69	3.7
11 Beaver Creek Rd. WTP	04/10/2018	other (specify)	distribution	<0.001	-	46.5	<50	<50	<1.0	<1.0	-	1.55	7.61	12.3
E1 Point of Entry	03/04/2019	other (specify)	distribution	<0.001	-	47.1	<50	<50	<1.0	<1.0	-	1.55	7.62	3.3
Point of Entry WTP	03/10/2019	other (specify)	distribution	<0.001	-	46.6	<50	<50	<1.0	<1.0	-	1.68	7.44	13.9
Point of Entry WTP	14/04/2020	other (specify)	distribution	<0.001	-	49.4	<50	<50	<1.0	<1.0	-	1.72	7.46	4.4
Point of Entry WTP	24/09/2020	other (specify)	distribution	<0.001	-	52.6	<50	<50	<1.0	<1.0	-	1.29	7.37	13.8
Point of Entry WTP	01/04/2021	other (specify)	distribution	<0.001	-	78.5	<50	<50	<1.0	<1.0	-	1.52	7.23	4.5
Point of Entry WTP	23/07/2021	other (specify)	distribution	<0.001	-	49.4	<50	<50	<1.0	<1.0	-	1.74	7.45	16.3
Point of Entry WTP	06/04/2022	other (specify)	distribution	<0.001	-	46.9	<50	<50	<1.0	<1.0	-	1.63	7.59	3.4
Point of Entry WTP	31/08/2022	other (specify)	distribution	<0.001	-	23	<50	<50	<1.0	<1.0	-	1.59	7.02	16.7
Point of Entry WTP	29/03/2023	other (specify)	distribution	<0.002	-	48.8	<50	<50	<1.0	<1.0	-	1.49	7.36	3.7
Point of Entry WTP	27/09/2023	other (specify)	distribution	<0.001	-	46.3	<50	<50	<1.0	<1.0	-	1.48	7.22	15.2
Point of Entry WTP	26/03/2024	other (specify)	distribution	<0.001	-	73	44	-	<1	<1	-	1.32	7.36	5.2
Point of Entry WTP	26/09/													


APPENDIX B – GRAPHS

Lead Concentration Over Time




GRAPH 1: LEAD CONCENTRATION OVER TIME

pH Over Time



GRAPH 2: pH CONCENTRATION OVER TIME

Phosphate Concentrations Over Time



GRAPH 3: PHOSPHATE CONCENTRATIONS OVER TIME

APPENDIX C – COMPLAINT LETTER

Community Complaint Form

Created: Apr-29-2020



Ontario Clean Water Agency
Agence Ontarienne Des Eaux

Facility: _____ Org#: _____

Date: _____ Time: _____ AM/PM

Operator Responding to Complaint: _____

Name of Person with Complaint: _____

Address: _____

Phone: _____

Nature of Complaint:

- Noise
 Odour
 Service Problems
 Sludge Related
 Visual
 Taste/Colour
 Other _____

Description: _____

Actions Taken in Response: _____

Was the source of the problem identified? No Yes (Please describe below)

Was the source an OCWA facility/activity? No Yes (Please describe below)

Operator Name: _____ Operator Signature: *[Signature]*

Email to PCTs: Nwopct@ocwa.com

Reporting	Verbal Notification	Written Notification
	Date	Date
Manager:		
PCT:		
Owner (to be completed by manager/PCT):		

PCTs	Date Entered in OPEX:	By:
------	-----------------------	-----

REPORT LIMITATIONS & GUIDELINES FOR USE

This report has been prepared for the exclusive use and sole benefit of the Client or its authorized agent(s) and may not be used by any third party without the express written consent of Greenstone Engineering Ltd. and the Client. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of third parties. This report is not to be construed as legal advice. Greenstone Engineering Ltd. disclaims responsibility of consequential financial effects on transactions or property values, or requirements for follow-up actions and costs. No other warranty is expressed or implied.

Misinterpretation of this report by other design or project team members or contractors could result in significant financial and/or safety issues. Retaining Greenstone Engineering Ltd. to confer with the appropriate members of future related project teams can substantially lower those potential issues.

BASIS OF THE REPORT

The information, opinions, and/or recommendations made in this report are in accordance with Greenstone Engineering Ltd.'s present understanding of the site-specific conditions as described by the Client. The applicability of this report is restricted to the current site conditions encountered at the time of the investigation or study. If the proposed site-specific conditions differs or is modified from what is described in this report or if the site conditions are altered, this report is no longer valid unless Greenstone Engineering Ltd. is requested by the Client to review and revise the report to reflect the differing or modified project specifics and/or the altered site conditions.

STANDARD OF CARE

Based on the limitations of the scope of work, schedule, and budget, the preparation of this report, and all associated work, was carried out in accordance with the normally accepted standard of care for the specific professional service provided to the Client. The environmental conditions that have been presented are based on the factual data obtained from this investigation. No other warranty is expressed or implied.

INTERPRETATION OF SITE CONDITIONS

Descriptions of environmental conditions made in this report are based on site conditions encountered by Greenstone Engineering Ltd. at the time of the work, and at the specific inspected, tested, monitored and/or sampled locations. Classifications and statements of condition(s) have been made in accordance with commonly accepted practices, which are judgmental in nature; no specific description should be considered exact. Extrapolation of in-situ conditions can only be made to some limited extent beyond the sampling or test points, if completed. The extent depends on variability of the specific media conditions (building materials, soil, groundwater, rock, sediment, etc.) as influenced by natural, environmental, geological and/or hydrogeological processes, construction activity, and site/building use. No warranty or other conditions, expressed or implied, should be understood.

VARYING OR UNEXPECTED CONDITIONS

Regardless of how exhaustive an environmental investigation is performed, the investigation cannot identify all the subsurface conditions, which may differ from the conditions encountered at the test locations at the time of our investigation. Further, subsurface conditions can change with time due to natural and direct or indirect human impacts at or away from the site. As such, no warranty is expressed or implied that the entire site is representative of the subsurface information obtained at the specific locations of our investigation, which may also change with time.

Should any site or subsurface conditions be encountered that are different from those described in this report or encountered at the test locations, Greenstone Engineering Ltd. must be notified immediately to assess if the varying or unexpected conditions are substantial and if reassessments of the report conclusions or recommendations are required. Greenstone Engineering Ltd. will not be responsible to any party for damages incurred as a result of failing to notify Greenstone Engineering Ltd. that differing site or subsurface conditions are present upon becoming aware of such conditions.

PLANNING, DESIGN, AND CONSTRUCTION

If there are any changes in the project scope or development features, which may affect our assessment, the information obtained during the investigation may be inadequate. In this case, Greenstone Engineering Ltd. should be retained to review the project changes to evaluate if the changes will affect the conclusions and recommendations within our report, and if additional field investigation work, as well as reporting is required as part of the reassessment.

Development or design plans and specifications should be reviewed by Greenstone Engineering Ltd., sufficiently ahead of initiating the next project stage (property acquisition, financing, tender, construction, etcetera), to confirm that this report completely addresses the elaborated project specifics and that the contents of this report have been properly interpreted. Specialty quality assurance services (field observations and testing) during construction can be a necessary part of the evaluation of subsurface conditions and site preparation works. Site work relating to the recommendations included in this report should only be carried out in the presence of a qualified environmental engineer. Greenstone Engineering Ltd. cannot be responsible for site work carried out without being present or consulted.

FINANCIAL DISCLAIMER

Greenstone Engineering Ltd. will not be responsible for any consequential or indirect damages. Greenstone Engineering Ltd. will only be held liable for damages resulting from the negligence of our work completed. Any liability resulting from negligence of Greenstone Engineering Ltd. and its officers shall be limited to the lesser of fees paid and/or actual damages incurred by the Client.

LEGAL DISCLAIMER

Greenstone Engineering Ltd. makes no other representations whatsoever, including those concerning the legal significance of its findings, or as to other legal matters that could be construed within this report, including, but not limited to, ownership of any property, or the application of any law to the facts set forth herein. With respect to regulatory compliance issues, regulatory statutes are subject to interpretation and these interpretations may change over time.

REGULATORY DISCLAIMER

This report has been prepared for due diligence purposes only and in accordance with standard environmental engineering and consulting practices in accordance with the applicable CSA Standards. This report has not been completed for the purpose of obtaining a Record of Site Condition and does not meet the reporting requirements as set out in Ontario Regulation 153/04.



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Ryan Falzetta, Operations Manager
Date: June 15, 2026
Subject: Corrosion Control Report

Recommendation:

THAT Council accept the 2025 Corrosion Control Program Report from Greenstone Engineering for the Terrace Bay Drinking Water System as information.

Background Information:

Each year, the Township contracts an engineering firm to complete a report on the effectiveness of our Corrosion Control Plan. Monitoring is done through town-wide lead testing twice a year.

Current Discussion:

Administration is sharing the report on the effectiveness of the program. The laboratory data, to date, shows that the corrosion control measure continues to reduce lead levels to below the Ontario Drinking Water Standard (OWDS) of 0.01 mg/L at both residential and non-residential sampling locations since implantation in 2013.

There was one lead exceedance in the Spring Sampling Event in 2025. This location was not tested in the Fall event due to homeowner availability. This residence sees a higher than normal lead content historically.

Financial Implications:

None at this time.

Options:

There are no options as this report is being presented for information only.

Recommendation:

THAT Council accept the 2025 Corrosion Control Program Report from Greenstone Engineering for the Terrace Bay Drinking Water System as information.

Attached:

[Corrosion Control-2025 Report](#)



Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Community Development Staff, Community Development Manager
Date: June 15, 2026
Subject: Surplus/Disposable of Goods - Knights of Columbus Bench

Recommendation:

Option A) THAT Council approve the Knights of Columbus bench identified in this report as surplus goods and that the item be offered for sale to the general public as per by-law 18-2021.

Background Information:

As per by-law 18-2021 (Procurement Policy):

12) DISPOSAL OF SURPLUS AND OBSOLETE GOODS

- a) Department Heads shall notify the Treasurer when goods become obsolete or surplus to the requirements of their departments.
- b) The Department Head shall be responsible for ascertaining if the goods can be of use to another department within the Township.
- c) The Department Head shall prepare a report for Council with a recommendation to:
 - i) transfer the goods to another department or
 - ii) to advertise the goods for sale to the public via auction or tender; or
 - iii) to have the goods classified as waste and disposed of accordingly.
- d) No Council member, employee or volunteer shall be permitted to receive surplus/scrap or obsolete goods except by purchase at public auction or by public tender.
- e) This policy in no way precludes the Township from donating the surplus goods to a non-profit organization.
- f) For the purposes of this Section, where two or more bids are equal, the bid that was received earlier shall be deemed to be the higher.

Current Discussion:

The municipality is in possession of a Knights of Columbus bench that has been in disrepair for some time. It is unknown when the bench was donated by the Knights of Columbus, however after connecting with local residents, Administration has learned that a local assembly was prominent in Terrace Bay until the late 1960s. Terrace Bay continued to have an active, single-member, charter until approximately 2015. In

2018 the Terrace Bay Charter was briefly revived but is not believed to have folded due to inactivity during the COVID-19 Pandemic.

As evidenced by the attached photos, the concrete supports show considerable spalling. Although restoration of these supports may be possible, Municipal staff do not have the expertise required to properly undertake this project. Recognizing that there are regional Knights of Columbus Assemblies who may be interested in acquiring and restoring the bench, Administration is recommending it be identified as surplus.

Financial Implications:

Any funds generated from the surplus sale will be directed to the annual surplus/deficit.

Options:

Option A) THAT Council approve the Knights of Columbus bench identified in this report as surplus goods and that the item be offered for sale to the general public as per by-law 18-2021.

Option B) THAT Council does not approve the Knights of Columbus bench identified in this report as surplus and directs Administration otherwise.

Recommendation:

Option A) THAT Council approve the Knights of Columbus bench identified in this report as surplus goods and that the item be offered for sale to the general public as per by-law 18-2021.

Attached:

[20250514_105552](#)

[20250514_105538](#)

[20250514_105545](#)









Corporation of the Township of Terrace Bay
Staff Report

To: Council
From: Community Development Staff, Community Development Manager
Date: June 15, 2026
Subject: Surplus/Disposable of Goods - Knights of Columbus Bench

Recommendation:

Option A) THAT Council approve the Knights of Columbus bench identified in this report as surplus goods and that the item be offered for sale to the general public as per by-law 18-2021.

Background Information:

As per by-law 18-2021 (Procurement Policy):

12) DISPOSAL OF SURPLUS AND OBSOLETE GOODS

- a) Department Heads shall notify the Treasurer when goods become obsolete or surplus to the requirements of their departments.
- b) The Department Head shall be responsible for ascertaining if the goods can be of use to another department within the Township.
- c) The Department Head shall prepare a report for Council with a recommendation to:
 - i) transfer the goods to another department or
 - ii) to advertise the goods for sale to the public via auction or tender; or
 - iii) to have the goods classified as waste and disposed of accordingly.
- d) No Council member, employee or volunteer shall be permitted to receive surplus/scrap or obsolete goods except by purchase at public auction or by public tender.
- e) This policy in no way precludes the Township from donating the surplus goods to a non-profit organization.
- f) For the purposes of this Section, where two or more bids are equal, the bid that was received earlier shall be deemed to be the higher.

Current Discussion:

The municipality is in possession of a Knights of Columbus bench that has been in disrepair for some time. It is unknown when the bench was donated by the Knights of Columbus, however after connecting with local residents, Administration has learned that a local assembly was prominent in Terrace Bay until the late 1960s. Terrace Bay continued to have an active, single-member, charter until approximately 2015. In

2018 the Terrace Bay Charter was briefly revived but is not believed to have folded due to inactivity during the COVID-19 Pandemic.

As evidenced by the attached photos, the concrete supports show considerable spalling. Although restoration of these supports may be possible, Municipal staff do not have the expertise required to properly undertake this project. Recognizing that there are regional Knights of Columbus Assemblies who may be interested in acquiring and restoring the bench, Administration is recommending it be identified as surplus.

Financial Implications:

Any funds generated from the surplus sale will be directed to the annual surplus/deficit.

Options:

Option A) THAT Council approve the Knights of Columbus bench identified in this report as surplus goods and that the item be offered for sale to the general public as per by-law 18-2021.

Option B) THAT Council does not approve the Knights of Columbus bench identified in this report as surplus and directs Administration otherwise.

Recommendation:

Option A) THAT Council approve the Knights of Columbus bench identified in this report as surplus goods and that the item be offered for sale to the general public as per by-law 18-2021.

Attached:

[20250514_105552](#)

[20250514_105538](#)

[20250514_105545](#)









Corporation of the Township of Terrace Bay
Staff Report

To: Council
Stacy Moffat, Special Projects Coordinator
From: Ryan Falzetta, Operations Manager
Date: June 15, 2026
Subject: Condition Assessments: Municipal and Trail Infrastructure

Recommendation:

This report is presented as information only.

Background Information:

As part of the 2026 Municipal Budget, funding was approved to undertake condition assessments of several municipal and trail-related infrastructure assets. These assessments are intended to support asset management planning, public safety, accessibility improvements, and future capital investment decisions.

The original project scope included the following locations:

- Lower Aguasabon Falls Bridge
- Tourist Information Centre Lookout
- Aguasabon Falls & Gorge Boardwalk and Lookout

The Request for Quotation (RFQ) for this project requested optional pricing for accessibility reviews, enhanced cost estimates, and consolidated capital planning recommendations.

Current Discussion:

Prior to issuing the RFQ, Public Works identified the Beach Road Culvert and retaining wall located behind 1 Kenogami (Black Path) as additional infrastructure assets that would benefit from a condition assessment. While no additional funding was allocated for these locations, they were included in the RFQ to obtain pricing, assess whether they could be accommodated within the available budget, and if not, provide information to support future budget considerations and long-term infrastructure planning.

A Request for Quotation (RFQ) was issued for the project, advertised, and distributed to qualified engineering firms. The Township received nine (9) submissions.

Following review of the submissions received, **R&R Engineering** was selected as the preferred proponent. Their submission provided the best overall value to the Township, including all five (5) project locations, an accessibility review, enhanced cost estimates, and a consolidated capital planning summary.

The awarded value for the original project scope is \$9,250 plus HST.

During the evaluation process, the Special Projects Coordinator identified that the bundled pricing and mobilization efficiencies included within R&R Engineering's proposal created an opportunity to maximize value within the approved project budget.

Following discussions with the consultant, pricing was requested for two additional assessment items that had previously been discussed during budget deliberations but were ultimately deferred:

- Simcoe Plaza Column Assessment
- Black Path Upgrade to Multi-Use Path Assessment

The Simcoe Plaza Column Assessment will provide a professional engineering evaluation of the structural support columns, including condition, deterioration, public safety considerations, maintenance requirements, rehabilitation recommendations, and Class D cost estimates.

The Black Path Upgrade to Multi-Use Path Assessment will provide preliminary engineering input regarding opportunities, constraints, grading, drainage, accessibility considerations, constructability, and future planning requirements associated with upgrading to a formal multi-use pathway.

R&R Engineering provided pricing of \$3,500 for the Simcoe Plaza Column Assessment and \$2,200 for the Black Path Upgrade to Multi-Use Path Assessment, for a total additional cost of \$5,700 plus HST.

Through the competitive procurement process and bundled pricing efficiencies, Administration was able to incorporate both of these previously deferred assessment items while remaining within the approved budget allocation.

As a result, condition assessments for the following seven (7) locations will be completed in 2026:

- Lower Aguasabon Falls Bridge
- Tourist Information Centre Lookout
- Aguasabon Falls & Gorge Boardwalk and Lookout
- Beach Road Culvert
- Retaining Wall
- Simcoe Plaza Columns

- Black Path Upgrade to Multi-Use Path

The consultant anticipates to be on-site to conduct field assessments in late June or early July 2026. Reporting for the original condition assessment project is expected to be completed by October 2026, while the additional assessments are anticipated to be completed by December 2026.

The completed assessments will support future asset management planning, accessibility improvements, capital budgeting, infrastructure rehabilitation planning, future grant and funding applications, and long-term decision making. The resulting condition information, recommendations and cost estimates will assist the Township in identifying priorities, developing future projects, and pursuing external funding opportunities. This work aligns with the Township Strategic Plan, Asset Management Plan, Recreation Master Plan, Tourism Marketing Plan, and ongoing infrastructure planning initiatives.

Financial Implications:

Approved Budget:
\$15,000

Original Project Scope:
R&R Engineering Condition Assessments - Municipal and Trail Infrastructure
\$9,250 plus HST

Additional Assessment Work:
Simcoe Plaza Column Assessment
\$3,500 plus HST

Black Path Upgrade to Multi-Use Path Assessment
\$2,200 plus HST

Total Project Cost:
\$14,950 plus HST

The total project remains within the approved budget allocation.

Options:

None at this time.

Recommendation:

This report is presented as information only.



Corporation of the Township of Terrace Bay
Staff Report

To: Council
Stacy Moffat, Special Projects Coordinator
From: Ryan Falzetta, Operations Manager
Date: June 15, 2026
Subject: Condition Assessments: Municipal and Trail Infrastructure

Recommendation:

This report is presented as information only.

Background Information:

As part of the 2026 Municipal Budget, funding was approved to undertake condition assessments of several municipal and trail-related infrastructure assets. These assessments are intended to support asset management planning, public safety, accessibility improvements, and future capital investment decisions.

The original project scope included the following locations:

- Lower Aguasabon Falls Bridge
- Tourist Information Centre Lookout
- Aguasabon Falls & Gorge Boardwalk and Lookout

The Request for Quotation (RFQ) for this project requested optional pricing for accessibility reviews, enhanced cost estimates, and consolidated capital planning recommendations.

Current Discussion:

Prior to issuing the RFQ, Public Works identified the Beach Road Culvert and retaining wall located behind 1 Kenogami (Black Path) as additional infrastructure assets that would benefit from a condition assessment. While no additional funding was allocated for these locations, they were included in the RFQ to obtain pricing, assess whether they could be accommodated within the available budget, and if not, provide information to support future budget considerations and long-term infrastructure planning.

A Request for Quotation (RFQ) was issued for the project, advertised, and distributed to qualified engineering firms. The Township received nine (9) submissions.

Following review of the submissions received, **R&R Engineering** was selected as the preferred proponent. Their submission provided the best overall value to the Township, including all five (5) project locations, an accessibility review, enhanced cost estimates, and a consolidated capital planning summary.

The awarded value for the original project scope is \$9,250 plus HST.

During the evaluation process, the Special Projects Coordinator identified that the bundled pricing and mobilization efficiencies included within R&R Engineering's proposal created an opportunity to maximize value within the approved project budget.

Following discussions with the consultant, pricing was requested for two additional assessment items that had previously been discussed during budget deliberations but were ultimately deferred:

- Simcoe Plaza Column Assessment
- Black Path Upgrade to Multi-Use Path Assessment

The Simcoe Plaza Column Assessment will provide a professional engineering evaluation of the structural support columns, including condition, deterioration, public safety considerations, maintenance requirements, rehabilitation recommendations, and Class D cost estimates.

The Black Path Upgrade to Multi-Use Path Assessment will provide preliminary engineering input regarding opportunities, constraints, grading, drainage, accessibility considerations, constructability, and future planning requirements associated with upgrading to a formal multi-use pathway.

R&R Engineering provided pricing of \$3,500 for the Simcoe Plaza Column Assessment and \$2,200 for the Black Path Upgrade to Multi-Use Path Assessment, for a total additional cost of \$5,700 plus HST.

Through the competitive procurement process and bundled pricing efficiencies, Administration was able to incorporate both of these previously deferred assessment items while remaining within the approved budget allocation.

As a result, condition assessments for the following seven (7) locations will be completed in 2026:

- Lower Aguasabon Falls Bridge
- Tourist Information Centre Lookout
- Aguasabon Falls & Gorge Boardwalk and Lookout
- Beach Road Culvert
- Retaining Wall
- Simcoe Plaza Columns

- Black Path Upgrade to Multi-Use Path

The consultant anticipates to be on-site to conduct field assessments in late June or early July 2026. Reporting for the original condition assessment project is expected to be completed by October 2026, while the additional assessments are anticipated to be completed by December 2026.

The completed assessments will support future asset management planning, accessibility improvements, capital budgeting, infrastructure rehabilitation planning, future grant and funding applications, and long-term decision making. The resulting condition information, recommendations and cost estimates will assist the Township in identifying priorities, developing future projects, and pursuing external funding opportunities. This work aligns with the Township Strategic Plan, Asset Management Plan, Recreation Master Plan, Tourism Marketing Plan, and ongoing infrastructure planning initiatives.

Financial Implications:

Approved Budget:
\$15,000

Original Project Scope:
R&R Engineering Condition Assessments - Municipal and Trail Infrastructure
\$9,250 plus HST

Additional Assessment Work:
Simcoe Plaza Column Assessment
\$3,500 plus HST

Black Path Upgrade to Multi-Use Path Assessment
\$2,200 plus HST

Total Project Cost:
\$14,950 plus HST

The total project remains within the approved budget allocation.

Options:

None at this time.

Recommendation:

This report is presented as information only.

Student Councillor Report to Council and Administration

June 15, 2026

Presented By Ms. Marleigh McGrath

1. Lake Superior High School Updates:

- a. On Tuesday, June 2nd we hosted our annual arts garden where members of the high school music club performed some songs and we displayed the wonderful art pieces made by high school students this year.
- b. We held our athletics banquet to acknowledge all of our athletes and sports teams on the 8th. And our academics awards ceremony was today during school hours.
- c. Last week, on the 11th, we had our annual "Clash of Colours". The students in our school are all divided into 3 colour groups. The grade eights that are coming into high school get sorted into their "houses" on shadow day every year and they get to come join their teams for Clash. We play a bunch of games and work together with our teams to try and earn as many points as possible. This event is always a good chance for students to get to know one another better and build teamwork skills.
- d. We have made it to exam season. Our last day of classes is this Thursday, and exams will be done by next Thursday, the 25th.
- e. This year's Prom is on the 20th and is being held at the Schreiber Rec Center.
- f. The grade 12 graduation ceremony will be taking place on the 25th, in the high school gym.
- g. Sports:**
 - i. At the end of May, our track and field team travelled to Thunder Bay where multiple students won medals, 5 of which qualified to go to OFSAA on the first weekend of June. As a team, our school earned a lot of points and ranked highly compared to past years. This is the most athletes our school has ever had qualify for OFSAA in track and field.
 - ii. In our region, 15 NSSSAA banners are awarded, and this year our school won 7 of them: golf, 3 in basketball, 1 in curling, and 2 in badminton.

2. Community updates

- a.



Date: 13 May 2026 15

Moved By: Deputy Mayor Netty McEwen

Seconded By: Councillor John van Klaveren

Support for Sustainable Provincial Grant Funding for Fire Services in Ontario

WHEREAS Municipal fire services in Ontario operate under legislative authority established by the province through statutes, regulations, codes, and prescribed standards governing training, equipment, certification, inspection, and operational requirements;

AND WHEREAS municipalities are responsible for implementing and maintaining compliance with these provincially mandated requirements primarily through local property taxation;

AND WHEREAS current provincial fire service grant programs are available to both full-time and volunteer fire departments across Ontario and are distributed through competitive application processes that may not fully reflect the differing financial and administrative capacities of urban and rural municipalities, highlighting the need for a more balanced approach to funding that supports all fire services equitably;

AND WHEREAS volunteer firefighters represent approximately **70–75% of firefighters in Ontario**, protecting the majority of communities across the province and, particularly in rural areas, are frequently **the first emergency responders to arrive on scene ahead of other emergency services**;

AND WHEREAS other provincially regulated emergency services, including policing and paramedic services, receive stable and predictable provincial funding contributions or cost-sharing arrangements;

AND WHEREAS the absence of a comparable and stable funding model for fire services creates a structural imbalance between provincial regulatory authority and municipal financial responsibility;

AND WHEREAS reliance on competitive funding creates budget uncertainty, limits long-term financial planning, and may not reflect the actual operational needs of fire services, contributing to instability, reduced preparedness and the reduction of services within a critical emergency response sector;

AND WHEREAS stable and predictable funding is essential to maintain emergency preparedness, firefighter safety, service sustainability, and equitable protection for residents regardless of municipal size or tax base;

NOW THEREFORE BE IT RESOLVED THAT

The Council of the Town of Plympton-Wyoming respectfully calls upon the Province of Ontario to **transition the current practice of competitive provincial fire service grant programs into a permanent, stable, and predictable non-competitive provincial funding program** that supports municipalities in meeting provincially legislated fire protection requirements;

AND FURTHER THAT this funding be structured to provide equitable and predictable annual support for **operational readiness and training costs associated with volunteer, composite and full-time fire departments across Ontario;**

AND FURTHER THAT the annual value of this funding be reviewed and adjusted to more appropriately reflect the level of provincial funding support currently provided to other provincially regulated emergency services, including policing and paramedic services;

AND FURTHER THAT this resolution be circulated for endorsement to:

- The County of Lambton
- Lambton County Fire Chiefs Association
- All municipalities
- Ontario Association of Fire Chiefs
- Ontario Professional Fire Fighters Association
- Ontario Volunteer Fire Fighters Association
- Association of Municipalities of Ontario
- Rural Ontario Municipal Association

AND FURTHER THAT, upon endorsement, this resolution be submitted to:

- Steve Pinnsoneault MPP Lambton-Kent-Middlesex
- Bob Bailey MPP Sarnia-Lambton
- The Honourable Michael Kerzner, Minister of the Solicitor General
- The Honourable Kinga Surma, Minister of Infrastructure
- The Honourable Rob Flack, Minister of Municipal Affairs and Housing
- The Honourable Doug Ford, Premier of Ontario

✓

Carried

Defeated

Deferred



THE CORPORATION OF THE TOWNSHIP OF LARDER LAKE
69 FOURTH AVENUE, P. O. BOX 40, LARDER LAKE, ON P0K 1L0
PH: 705-643-2158 FAX: 705-643-2311
LARDERLAKE.CA

May 28, 2026

To whom it May Concern:

RE: Resolution – support Federation of Northern Ontario Municipalities (FONOM) Resolution No.2026-02 - Establishment of a Northern Ontario Policing Grant

Please be advised that at the Township of Larder Lake's Regular Council Meeting held on Tuesday, May 26th, 2026, the following resolution of support was adopted:

Resolution #15, May 26th, 2026

Moved by: Councillor Hull

Seconded by: Councillor Kelly

Carried

BE IT RESOLVED THAT the Council of the Corporation of the Township of Larder Lake supports the resolution from the Federation of Northern Ontario Municipalities (FONOM) regarding the Establishment of a Northern Ontario Policing Grant

WHEREAS Municipalities across Northern Ontario face disproportionately high policing costs due to low population densities, geographic isolation, and limited municipal tax bases;

AND WHEREAS many Northern communities rely on the Ontario Provincial Police (OPP) for policing services, while others operate municipal police services that are also experiencing significant cost pressures;

AND WHEREAS recent increases in policing costs have placed unsustainable pressure on municipal budgets, forcing communities to make difficult decisions between maintaining public safety and funding essential municipal services such as infrastructure, roads, water systems, and recreation facilities;

AND WHEREAS Northern Ontario municipalities provide essential services across a vast geographic region while supporting key sectors of Ontario's economy, including mining, forestry, transportation, and energy;

AND WHEREAS municipalities require predictable and equitable provincial support to ensure policing costs remain sustainable and communities remain safe;


NOW THEREFORE BE IT RESOLVED THAT the Federation of Northern Ontario Municipalities call on the Government of Ontario to establish a \$100 million Northern Ontario Policing Grant, phased in over three years, to support the 157 municipalities across Northern Ontario served by both the Ontario Provincial Police and municipal police services;

AND THAT the grant include a base funding allocation for all municipalities, with additional funding distributed based on population to ensure equitable support across communities of varying sizes;

AND THAT the Province work collaboratively with Northern municipal leaders, including FONOM and NOMA, to design and implement a sustainable funding framework that recognizes the unique economic and geographic realities of Northern Ontario.

BE IT FURTHER RESOLVED THAT a copy of this resolution be forwarded to the Premier of Ontario, the Minister of the Solicitor General, the Minister of Finance, the Minister of Northern Economic Development and Growth, the Association of Municipalities of Ontario (AMO), the Northwestern Ontario Municipal Association (NOMA), and all Northern Ontario Municipalities.


Sincerely,



Crystal Labbe
CAO/ Clerk Treasurer

Encl.

cc: Doug Ford, Premier of Ontario
Michael Kerzner, Minister of the Solicitor General
Peter Bethlenfalvy, Minister of Finance
George Pirie, Minister of Northern Economic Development and Growth
Association of Municipalities of Ontario
Northwestern Ontario Municipal Association (NOMA)



Outlook

Fw: Request for Use of Community Centre Rooms – June 27, 2026

From Real Deschatelets <realdeschatelets@hotmail.com>
Date Mon 2026-06-01 11:11 AM
To Rebecca Howes <admin@terracebay.ca>

Dear Township of Terrace Bay,

On behalf of the Club francophone du lac Supérieur, we would like to request the use of the Community Centre Activity Room, Conference Room, and Bowling Alley Lounge on June 27, 2026, from 1:00 PM to 3:00 PM.

The Club francophone du lac Supérieur is organizing a community Multicultural Day to celebrate cultural diversity, traditions, languages, and community connections within our region.

This event will provide participants with an opportunity to share their cultural heritage through displays, food, music, cultural items, demonstrations, and community interaction in a welcoming and inclusive atmosphere.

We believe the use of these spaces will help provide a positive and well-organized experience for participants and visitors.

As this is a community cultural event organized by a local non-profit volunteer group, we would respectfully ask the Township to consider waiving any rental fees associated with the use of the rooms.

Thank you for considering our request and for the continued support the Township of Terrace Bay provides to community and cultural activities.

If you require any additional information, please contact:

Réal Deschatelets
Club francophone du lac Supérieur
Email: realdeschatelets@hotmail.com
Phone: 1-807-229-7208

Merci/Thank you

----- [CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe]



**THUNDER BAY DISTRICT HEALTH UNIT
BOARD OF HEALTH MEETING
MINUTES**

MINUTES OF THE MEETING: April 15, 2026

TIME OF MEETING: 1:00 PM

PLACE OF MEETING: First Floor Boardroom / MS Teams

CHAIR: Mr. James McPherson

BOARD MEMBERS PRESENT:
Mr. Grant Arnold
Ms. Lucy Belanger
Ms. Cindy Brand
Ms. Kasey Etreni
Mr. Paul Malashewski
Mr. James McPherson
Ms. Cynthia Olsen
Ms. Donna Peacock
Mr. Don Smith
Dr. Mark Thibert
Ms. Kristine Thompson
Mr. Todd Wheeler

ADMINISTRATION PRESENT:
Dr. Janet DeMille, Medical Officer of Health and Chief Executive Officer
Mr. Dan Hrychuk, Director – Corporate Services
Ms. Shannon Robinson, Director – Health Promotion
Ms. Dana Wilson, Associate Director – Communications and Strategic Initiatives
Ms. Tammy Lee Royer, Administrative Assistant – Health Protection

ABSENT:
Mr. Jim Moffat

RECORDER:
Ms. Lila McNeice, Executive Assistant, Secretary to the Board of Health

1. CALL TO ORDER AND LAND ACKNOWLEDGEMENT

The Chair called the meeting to order at 1:05 PM.

2. ATTENDANCE AND ANNOUNCEMENTS

Mr. Jim Moffat was noted as absent.

3. DECLARATIONS OF CONFLICT OF INTEREST

There were no declarations of conflict of interest.

4. AGENDA APPROVAL

The agenda of the April 15, 2026 meeting was presented for approval.

Resolution No. 41-2026

Moved By: P. Malashewski

Seconded By: C. Brand

THAT the Agenda for the Regular Board of Health Meeting to be held on April 15, 2026, be approved.

CARRIED

5. INFORMATION SESSION

5.1 Indigenous Data Governance

D. Wilson, Associate Director – Communications and Strategic Initiatives, introduced Alina Cameron (Epidemiologist) and Eryn Pleson (Program Evaluator) who provided a presentation on Indigenous Data Governance and responded to questions and comments from the Board.

6. MINUTES OF THE PREVIOUS MEETINGS

The minutes of the March 18, 2026 Board of Health Regular and Closed session meetings were presented for approval.

6.1 Thunder Bay District Board of Health

Resolution No. 42-2026

Moved By: C. Brand

Seconded By: P. Malashewski

THAT the minutes of the Thunder Bay District Board of Health (Regular and Closed Session) meetings held on March 18, 2026, be approved.

CARRIED

7. MATTERS ARISING FROM THE MINUTES

There were no matters arising from the previous meeting minutes.

8. BOARD OF HEALTH (CLOSED SESSION) MEETING

Resolution No. 43a-2026

Moved By: P. Malashewski

Seconded By: C. Brand

THAT the Board of Health move into closed session to receive information relative to:

- Information explicitly supplied in confidence to the Board by the province.
- Information related to negotiations carried on behalf of the Board.

CARRIED

At 1:24 PM, the Board of Health moved into Closed Session, and the following individuals left the meeting:

- Ms. Shannon Robinson, Director – Health Promotion
- Ms. Dana Wilson, Associate Director – Communications and Strategic Initiatives
- Ms. Tammy Lee Royer, Administrative Assistant – Health Protection
- Ms. Lila McNeice, Executive Assistant and Secretary to the Board of Health

At 1:37 PM, the above noted individuals returned to the meeting.

8.1 Closed Session Report

The Chair reported that during the Closed Session, the Board of Health discussed matters relative to the Closed Session reports.

8.2 Resolutions from Closed Session

Resolution No. 43c-2026

Moved By: L. Belanger

Seconded By: P. Malashewski

THAT with respect to Report No. 18–2026 (Finance) we recommend that effective January 1, 2026, the New Schedules to the Public Health Funding and Accountability Agreement with the Ministry of Health be

approved, accepting additional base funding for 2026 funding year to support the provision of mandatory and related public health programs and services in the District of Thunder Bay;

AND THAT the Director of Corporate Services and Manager of Finance be authorized to complete any administrative requirements of the submission and implementation process, as required.

CARRIED

Resolution No. 43d-2026

Moved By: P. Malashewski

Seconded By: D. Smith

THAT with respect to Report No. 19-2026 (Finance) we recommend that effective January 1, 2025 the updated Schedules to the Public Health Funding and Accountability Agreement with the Ministry of Health be approved, accepting up to an additional one-time funding for the 2025-26 funding year to support the provision of public health programs and services in the District of Thunder Bay;

AND THAT the Director of Corporate Services and Manager of Finance be authorized to complete any administrative requirements of the submission and implementation process, as required.

CARRIED

9. DECISIONS OF THE BOARD

9.1 Report on Process for Appointment of Medical Officer of Health/CEO

Dr. J. DeMille, Medical Officer of Health and CEO, presented a memorandum relative to the above noted and containing a resolution to schedule Special Meetings of the Board.

Resolution No. 44-2026

Moved By: L. Belanger

Seconded By: C. Brand

THAT we propose Special Meetings of the Board be held as follows to approve the appointment of a new MOH/CEO:

- Wednesday, April 22, 2026 at 11:00 AM
- Monday, April 27, 2026 at 11:00 AM
- Thursday, April 30, 2026 at 3:00 PM

- Wednesday, May 6, 2026 at 11:00 AM
- Tuesday, May 12, 2026 at 11:00 AM

CARRIED

9.2 2025 Financial Statements

D. Hrychuk, Director of Corporate Services, presented Report No. 12–2026 (Finance) relative to presenting the Board of Health with the audited 2025 Financial Statements, for approval.

Resolution No. 45-2026

Moved By: L. Belanger

Seconded By: D. Smith

THAT with respect to Report Number 12–2026 (Finance), we recommend the Financial Statements of the Thunder Bay District Health Unit for the year ending December 31, 2025, be approved as recommended by the Executive Committee.

CARRIED

9.3 Shared Library Services Partnership Funding

Dr. J. DeMille, Medical Officer of Health and CEO, presented Report No. 16–2026 (Foundational Standards) relative to recommendations for approval of funding for the Hub Library for the period of April 1, 2026 to March 31, 2027.

Resolution No. 46-2026

Moved By: D. Smith

Seconded By: K. Etreni

THAT with respect to Report No. 16-2026 (Foundational Standards), we recommend approval of \$107,935 in 100% funding from the Ontario Agency for Health Protection and Promotion (Public Health Ontario) for the Shared Library Services Partnership (Hub Library) at the Thunder Bay District Health Unit for the period of April 1, 2026 to March 31, 2027;

AND THAT the Director of Corporate Services and Manager of Finance be authorized to complete any administrative requirements of the funding process, as required.

CARRIED

9.4 aPHa 2026 Annual General Meeting and Conference

Dr. J. DeMille, Medical Officer of Health and CEO, presented a memorandum relative to the above noted, and containing a resolution for approval.

Resolution No. 47-2026

Moved By: D. Smith

Seconded By: K. Etreni

THAT the following members of the Board be authorized to attend the aPHa 2026 Annual Conference to be held in Toronto, Ontario, on June 8th to 10th, 2026:

1. Jamie McPherson
2. Cynthia Olsen
3. Don Smith

AND THAT all expenses be paid in accordance to Policy No. BH-02-04 - Board Members' Remuneration and Expense Policy.

CARRIED

9.5 Policy & Procedure Review

Dr. J. DeMille, Medical Officer of Health and CEO, presented a memorandum dated April 15, 2026 containing a resolution relative to review of a Board of Health policy and procedure. The Board provided comments and agreed to amend the Procedure by adding a new Item 2.3, which will state: "A review will be conducted within the first six months in accordance with the employment contract."

Resolution No. 48-2026

Moved By: C. Brand

Seconded By: D. Smith

THAT following Board of Health policy and procedure be approved:

- BH-02-16 Performance Evaluation of the Medical Officer of Health and Chief Executive Officer

AND THAT Administration be authorized to finalize and publish the Board of Health policy and procedure.

CARRIED

10. COMMUNICATIONS FOR INFORMATION

10.1 Strategic Plan 2024-2027 Progress Report Year Two

D. Wilson, Associate Director of Communications and Strategic Initiatives, presented Report No. 17-2026 (MOH/CEO) relative to providing the Board of Health with a two-year update on strategic plan implementation, for information.

10.2 2025 Board of Health Meeting Expenses

Dr. J. DeMille, Medical Officer of Health and CEO, presented Report Number 13-2026 dated April 15, 2026, relative to providing the Board of Health with information on its expenses incurred in 2025, for information.

10.3 2025 Legal Expenditures

D. Hrychuk, Director of Corporate Services, presented Report Number 14-2026 (Finance) relative to providing the Board of Health with the review of legal fees incurred in 2025, for information.

10.4 Procurement Practices Report

D. Hrychuk, Director of Corporate Services, presented Report Number 15-2026 (Finance) relative to providing the Board of Health with an update on the procurement policy and practices of the Thunder Bay District Health Unit, for information.

10.5 Presentations to Municipalities Policy

Dr. J. DeMille, Medical Officer of Health and CEO, presented a memorandum dated April 15, 2026, regarding follow-up on the Board's discussion on the development of a Presentations to Municipalities Policy. The Board provided feedback and suggestions and determined that it should be a Board of Health policy. The item will be revised based on the discussion and brought back to the Board for further consideration.

10.6 Medical Officer of Health/CEO Update

Dr. J. DeMille, Medical Officer of Health and CEO, provided a verbal update to the Board of Health.

11. NEXT MEETING

The next regularly scheduled meeting will be held on May 20, 2026.

12. ADJOURNMENT

Resolution No. 49-2026

Moved By: D. Smith

Seconded By: C. Brand

THAT the Board of Health meeting held on April 15, 2026, be adjourned at 2:28 PM.

CARRIED



**MINUTES OF BOARD (REGULAR SESSION) MEETING NO. 07/2026
OF
THE DISTRICT OF THUNDER BAY SOCIAL SERVICES ADMINISTRATION BOARD**

DATE OF MEETING: April 30, 2026

TIME OF MEETING: 10:28 am

LOCATION OF MEETING: Microsoft Teams &
3rd Floor Boardroom
TBDSSAB Headquarters
231 May Street South
Thunder Bay, ON

CHAIR: Jim Vezina

PRESENT:

Albert Aiello
Gordon Cuthbertson
Chris Eby
Kasey Etreni
Brian Hamilton
Greg Johnsen
Kathleen Lynch
Elaine Mannisto
Jim Moffat
Dominic Pasqualino
Don Smith
Jim Vezina

OFFICIALS:

Ken Ranta, Chief Executive Officer
Richard Jagielowicz, Director, Corporate Services Division
Crystal Simeoni, Director, Integrated Social Services Division
Shari Mackenzie, Manager, Human Resources
Jeevan Chahal, Manager, Finance
Aaron Park, Manager, Housing & Homelessness Programs
Tomi Akinyede, Supervisor, Research & Social Policy
Carole Lem, Communications & Engagement Officer
Bindiya Patel, Communications Assistant
Glenda Flank, Recording Secretary

GUESTS:

Judy Kleinhuis, Principal, Doane Grant Thornton LLP

REGRETS:

Anne-Marie Bourgeault

Note: For the purposes of the Minutes references to TBDSSAB or the Board refers to The District of Thunder Bay Social Services Administration Board of Directors as relevant to specific agenda items; references to TBDHC or the Board refers to the Directors of Thunder Bay District Housing Corporation as relevant to specific agenda items. References to CEO refer jointly to the Chief Executive Officer of TBDSSAB and Senior Administrator of TBDHC.

BOARD MEETING

DISCLOSURES OF INTEREST

None

NEW BUSINESS

None

CONFIRMATION OF BOARD MEETING AGENDA

Resolution No. 26/22

Moved by: Jim Moffat
Seconded by: Kasey Etreni

THAT with respect to the Board Regular and Closed Session meetings of The District of Thunder Bay Social Services Administration Board for April 30, 2026, we approve the agendas as presented;

AND THAT we approve any additional information and new business.

CARRIED

CLOSED SESSION MEETING

Administration recommended that the Board adjourn to a closed meeting relative to receipt of information with respect to security of the property of the Board.

Resolution No. 26/23

Moved by: Don Smith
Seconded by: Kathleen Lynch

THAT the Board adjourns to Closed Session relative to receipt of information with respect to security of the property of the Board regarding the confidential attachment to the 2025 Fourth Quarter Financial Report and Program Levy Surplus Disposition.

CARRIED

At 10:54 am the meeting reconvened in Regular Session.

MINUTES OF PREVIOUS MEETINGS

Board Meetings

Minutes of TBDSSAB Meeting No. 05/2026 (Regular Session) presented in Regular Session and Meeting No. 06/2026 (Closed Session) presented in Closed Session, held on March 19, 2026 were provided for confirmation.

Resolution No. 26/24

Moved by: Don Smith
Seconded by: Greg Johnsen

THAT the Minutes of Meeting No. 05/2026 (Regular Session) and Meeting No. 06/2026 (Closed Session) of The District of Thunder Bay Social Services Administration Board, held on March 19, 2026, respectively, be confirmed.

CARRIED

REPORTS OF ADMINISTRATION

2025 Fourth Quarter Financial Report and
Program Levy Surplus Disposition

Report No. 2026-13 (Corporate Services Division) was presented to the Board providing the 2025 Fourth Quarter Financial Report and Administration's recommendation regarding the program levy surplus disposition.

Ken Ranta, CEO provided a brief introduction to the report.

Richard Jagielowicz, Director, Corporate Services Division provided an overview of the report including the option recommended by Administration and responded to questions.

At 10:59 am Chris Eby, Board Member, joined the meeting.

A discussion was held regarding the options for the disposition of the levy surplus.

Ken Ranta, CEO provided clarification and responded to questions.

At 11:11 am Brian Hamilton, Board Member, joined the meeting.

Resolution No. 26/24B

Moved by: Gordon Cuthbertson
Seconded by: Greg Johnsen

Add Option 4 Return the surplus to municipalities with the exception of TWOMO. TWOMO money goes to levy stabilization reserve fund.

LOST

Resolution No. 26/24C

Moved by: Greg Johnsen
Seconded by: Gordon Cuthbertson

Deferral of the report (2026-13) to provide more information on the defeated Option 4, etc. with potential dates.

LOST

Ken Ranta, CEO provided a brief overview of Option 2 being recommended by Administration.

A straw poll was held regarding having Option 1 presented as the recommendation for voting. The straw poll did not have consensus of the Board.

Resolution No. 26/24A

Moved by: Kathleen Lynch
Seconded by: Albert Aiello

THAT with respect to Report No. 2026-13 (Corporate Services Division) we, The District of Thunder Bay Social Services Administration Board, approve Option 2 – transfer 50% of the surplus (\$1,340,350) to the Levy Stabilization Reserve Fund, returning 50% of the surplus to municipalities using the 2025 weighted assessment.

CARRIED

At 12:04 pm Aaron Park, Manager, Housing & Homelessness Programs and Tomi Akinyede, Supervisor, Research & Social Policy joined the meeting.

2025 Investment Portfolio Performance

Report No. 2026-14 (Corporate Services Division) was presented to the Board providing information relative to the performance of the Board's investment portfolio for the 2025 year.

Richard Jagielowicz, Director Corporate Services Division, provided a brief overview of the highlights in the report.

10 Year Housing and Homelessness Plan

Report No. 2026-15 (Integrated Social Services Divisions) was presented to the Board providing the Board with the final 10 Year Housing and Homelessness Plan.

Crystal Simeoni, Director, Integrated Social Services Division provided an overview of the report and plan and responded to questions.

Resolution No. 26/25

Moved by: Albert Aiello
Seconded by: Brian Hamilton

THAT with respect to Report No. 2026-15 (Integrated Social Services Division) we, The District of Thunder Bay Social Services Administration Board, approve the Under One Roof - Chapter 2: 10-Year Housing and Homelessness Plan 2026-2036 as presented;

AND THAT the Board authorizes Administration to submit the Under One Roof - Chapter 2: 10-Year Housing and Homelessness Plan to the Ministry of Municipal Affairs and Housing as required;

AND THAT an annual update be presented to the Board concerning the progress on the achievement of recommendations contained in the Under One Roof - Chapter 2: 10-Year Housing and Homelessness Plan.

CARRIED

At 12:15 pm Aaron Park, Manager, Housing & Homelessness Programs and Tomi Akinyede, Supervisor, Research & Social Policy left the meeting.

Northern Ontario Service Deliverers'
Association 2026 Annual General Meeting
Attendance

Memorandum from Ken Ranta, CEO, (Chief Executive Officer Division) dated April 2, 2026 was presented to the Board providing information regarding attendance at the 2026 NOSDA AGM.

Ken Ranta, CEO provided an overview of the process and responded to questions.

Resolution No. 26/26

Moved by: Dominic Pasqualino
Seconded by: Don Smith

THAT with respect to the Northern Ontario Service Deliverers Association (NOSDA) 2026 Annual General Meeting, the following Members of the Board are appointed to serve as Members of NOSDA and to attend as voting delegates:

1. Jim Vezina
2. Kathleen Lynch

AND THAT if either of the above Board members are unable to attend, the following Members will be contacted to attend as voting delegates in their place:

1. Jim Moffat
2. Anne-Marie Bourgeault

CARRIED

TBDSSAB 2025 Annual Report

Memorandum from Ken Ranta, CEO, (Chief Executive Officer Division) dated March 30, 2026 was presented to the Board providing the 2025 Annual Report.

Ken Ranta, CEO provided a brief overview of the 2025 Annual Report, noted a correction to be made to the final report and responded to questions.

Resolution No. 26/27

Moved by: Gordon Cuthbertson
Seconded by: Dominic Pasqualino

THAT with respect to the memorandum dated March 30, 2026 from Ken Ranta, Chief Executive Office, we, The District of Thunder Bay Social Services Administration Board (TBDSSAB) approve the 2025 Annual Report as amended;

AND THAT the 2025 Annual Report be posted to the TBDSSAB website and a notification be sent to partners and stakeholders.

CARRIED

CORRESPONDENCE

2026 Rural Ontario Municipal Association
Conference

Letter from the Lorne Coe Parliamentary Assistant, MCCSS, dated March 18, 2026 relative to the delegation meeting at ROMA was presented to the Board.

Ken Ranta, CEO provided a brief overview and responded to questions.

Jim Vezina, Chair provided further information.

2026 Ontario Child Care and Early Years
Funding

Memorandum from Holly Moran, Assistant Deputy Minister, Early Years and Child Care Division, MOE, dated March 19, 2026 providing information regarding the 2026 Space Targets and ELCC Infrastructure Fund was presented to the Board.

Building Canada Homes and Improving
Transportation Infrastructure Act

Letter from the Honourable Robert Flack, Minister, MMAH, dated April 1, 2026 relative to providing information regarding the proposed Building Homes and Improving Transportation Infrastructure Act, 2026 was presented to the Board

BY-LAWS

NEXT MEETING

The next meeting of The District of Thunder Bay Social Services Administration Board was confirmed to be held on Thursday, May 21, 2026 at 10:00 a.m., in the 3rd Floor Boardroom, TBDSSAB Headquarters, 231 May Street South, Thunder Bay, Ontario and via Microsoft Teams.

ADJOURNMENT

Resolution No. 26/28

Moved by: Kathleen Lynch
Seconded by: Jim Moffat

THAT the Board (Regular Session) Meeting No. 07/2026 of The District of Thunder Bay Social Services Administration Board, held on April 30, 2026, be adjourned at 12:24 p.m.

CARRIED


Chair


Chief Executive Officer

The Terrace Bay Public Library Board held its regular library board meeting on Tuesday, May 12th 2026 at 5:00 pm in the library.

Present: Chair Michael Moore, Vice Chair Jay Keyter, Trustee Barbara Gramatowski, Council rep Chris Dube & CEO Mary Deschatelets
Staff member – Justina Pelto

Chair Moore called the meeting to order at 5:00 pm and read the Indigenous Acknowledgment Statement.

Regrets: Trustee Dyanna Carpenter

Agenda

Moved by Barbara Gramatowski and seconded by Chris Dube that “the Terrace Bay Public Library Board approves the agenda.”

CARRIED 26-17

Declarations of Interest – none

Board Orientation & Planning:

Board Legacy document. The term for the current library board expires in October 2026. With that in mind, the board is creating a legacy document for the incoming board. CEO presented the board with the draft document. Discussion was held. Minor amendments were made. Board Chair Moore will request to be put on the agenda at an upcoming council meeting to present the document.

Moved by Barbara Gramatowski and seconded by Jay Keyter that “the Terrace Bay Public Library Board approves the Library Board Legacy document as amended.”

CARRIED 26-18

For approval:

Minutes:

Moved by Barbara Gramatowski and seconded by Chris Dube that “the Terrace Bay Public Library Board approves the minutes of the regular Library Board meeting held on April 14th, 2026, as presented.”

CARRIED 26-19

Treasurer’s Reports:

Financial Disbursements

Moved by Barbara Gramatowski and seconded by Jay Keyter that “the Terrace Bay Public Library Board approves the financial disbursements for April 2026 as presented.”

CARRIED 26-20

For Discussion:

Business Arising: none

Information Items

CEO Report & Correspondence items

Moved by Jay Keyter and seconded by Chris Dube that "the Terrace Bay Public Library Board accepts the CEO Report as presented."

CARRIED 26-21

CEO's Report #4

- Spring puppet show held – the public & elementary schools attended
- All staff participating in online AI training
- Request for information from Ontario Library Service regarding a board member on the OLS board assembly for our population base
- Registered staff for de-escalation training
- Incident with transient person
- CNIB presentation – well attended
- Mother's Day story time & craft session held
- Preparing for summer reading club

Local History

- Organizing of the "Cotton" collection continues
- Review of slides & selection for digitization continues
- End of June goal set for sending our next set of newspapers for editing & uploading with Our Digital Word (ODW)

Statistics for April 2026

Materials Circulation: 544

Computer Uses: 50

OVERDRIVE (downloadable audio and e books): 121 downloads

Online History Collection & Newspaper collection: 780 sessions with 3500+page views

Hoopla: 43 downloads

Persons visiting the library: 726

Room bookings: 9

Inter Library Loans: 17 received & 32 loaned

Electronic visits to the library website: 190

Facebook:

CELA: no activity

POOLS: no activity

Book Club in a Bag: no activity

Revenue for April 2026 Total = \$70.00

Overdue fines: \$12.50

Fax services: \$6.00

Printing, copies: \$31.50

Publication sales: \$0

Donations: \$20.00

Grants: \$ 0

Material Donations: 8AF& 2JF added to the collection

Discussion was held regarding the incident that occurred with a transient person. The incident report was reviewed. The board felt that the current safety policies and procedures were up to date and do not require review at this time. Board Chair Moore will inform the Police Services Board Council Rep of the incident as it involved the OPP.

Correspondence Action Items -Ontario Library Service Board Assembly representative

Moved by Jay Keyter and seconded by Chris Dube that "the Terrace Bay Public Library Board appoints Michael Moore as their representative on the Ontario Library Service Board Assembly,"

CARRIED 26-22

New Business - none

Closed Session -none

Meeting adjourned at 5:37 pm

Next meeting will be held on Tuesday, June 9th, 2026 @ 5pm in the library.

Chairperson_____

Secretary_____